

Mechanical Seals



Index

Mech Seal Engineering		Auxiliary Products	
Empreprise	2	LC	53
Secteurs	4	LHP	53
		LQT	54
M. 16:: C1-		LS	54
Multispring Seals	_	LST	55
MSEIOD	8		
MSELL	9	Stationary Parts	56
MSE13	10	Special Designs	59
MSE14	11	RMS Seals	60
MSE15D	12	Repair workshop, Quality control,	
MSE20/MSE20T	13	checking and testing	67
MSE20B/MSE20BT MSE22	14 15	Certifications	68
MSE26	16	General Information	69
MSE27	17	Chemical Resistance Chart	81
MSE28	18	Compatibility Chart	84
MSE29	19	Related Products	85
113227	17	Consult our cartridges catalog	89
		Identiication Guide Mechanical Seals	90
Wave Spring Seals		Notes	91
MWS10	20	140003	/ 1
MWS10B	21		
MWS12	22		
MWS30/MWS30A	23		
MWS31	24		
MWS70 / MWS71	25		
Axial Spring Seals: Conical			
FH / FHC	26		
FN / MS15 and FN.NU / MS15DIN	27		
Ms18 / MS19	28		
MS18B	29		
MS60IN / MS60IL	30		
RN / MS60 and RN.NU / MS60DIN	31		
RNB / MS60B and RN.NB / MS60BDIN	32		
THE PERSON AND THE PE	-		
Axial Spring Seals: Cylindrical			
MS40A	33		
MS40C	34		
110100	31		
Bellows Seals			
MMB84	35		
MMB85	36		
MMB86	37		
MRB00-MRB00U and MRB00L	38		
MRB01-MRB01S- MRB04 -MRB04A and MRB06			
MRB02	42		
MRB03- LRB03A- LRB03B	43		
MRB05	45		
MRBI7- MRBI7A - MRBI7E- MRBI7KU - MRBI7NU	46		
MRB25-R- MRB25KU-R and MRB25NU-R	48		
AR / MRB31	49		
MRB50	50		
MTB16	51		
PNL	52		



We are close to you...

As time goes by, we feel extremely satisfied and proud to be able to contribute to and form part of a responsible, safe industry which is striving to build a better world and a safer future. We are convinced we can offer you a solution that will meet your expectations.

Who we are

History: Strategy: Vision:

Mech seal was established in 1975 and specialists in designing, manufacturing repairing and selling mechanical seals. We provide effective solutions worldwide

Our aim is to be recognised in the market We aim to be experts in mechanical for ouraccessibility and adaptability to seals and associated products the needs of our for industry. customers and the availability and reliability of our products, solutions and services.

Accessibility

Contact us using traditional methods or new communication technologies. We are always ready to provide you with the most suitable response.

Adaptability

We provide our customers with advice and guidance. Our design and manufacturing capacity means we are able to customise products and services to their needs.

Our values:

The personality of a business is created by the attitude of each member.

Our team is a passionate, demanding, responsible and dynamic company. Our goal is to eficiently provide a response to your needs.

Availability

Our wide range and eficient processes make it possible to deliver the requested product when it is required.

Reliability


Our customers see us as a trusted partner because we always meet our commitments.

Sectors:

We contribute to the success of strategic sectors.



We believe in:



We are part of the businesses and sectors that make our lives safer and simpler.



Sectors



Food and pharma

The food and pharma sectors are especially demanding with respect to safety in their processes. It is very important to prevent contamination with the manufactured products and the halting of production lines during the entire work low.

For this reason, the use of CIP (Cleaning in place) or SIP (Sterilisation in place) processes is quite usual. The complex chemical mixtures (alkaline solutions) used in CIP processes may damage the seals of the mechanical seals in a short time, and in SIP, high temperatures reaching values of up to 150° C can destroy conventional elastomer materials.





Due to these extreme conditions, the use of elastomers in resistant materials such as EPDM peroxide, FFKM and Ala® is essential, and they must also comply with the strictest compulsory standards required in these industries: FDA, CE 1935, KTV,VVRAS, 3-A, etc.

Many different kinds of machines exist for transferring temperature-sensitive products, viscous substances, luids with particles or particles in suspension: screw pumps, stirrers, mills, homogenisers, reactors and mixers. The most appropriate mechanical seal design is the hygienic one which reduces the possibility of product remains being deposited and not eliminated during CIP/SIP processes, which could give rise to sources of contamination.

Applications	Requirements or critical conditions of the applica	tion Type of seal recommended
Sauces:	Fluids containing particles	⇒ Wave spring seal (protected spring), conical spring seal, multispring seal (double) and single cartridge seal.
Sweets and chocolate	Viscous products Products with a high sugar content	⇒ Double cartridge seal, reservoirs, wave spring seal (protected spring) and bellows seal (metal).
Water and soft drinks:	Fluids without particles	⇔ Conical spring seal and bellows seal.
Beer:	CIP/SIP processes	⇒ Conical spring seal and wave spring seal (protected spring).
Dairy products (milk, yoghourts, butter, cheese, fats)	Viscous products CIP/SIP processes	⇒ Wave spring seal (protected spring), conical spring seal and multispring seal (protected).
Creamy products, ointments, cosmetics, gels, etc	Viscous and sticky products	⇒ Multispring seal (double), double cartridge seal, reservoirs and wave spring seal (protected spring).

Determining the mechanical seal design and the appropriate materials for each application is essential in order to cut costs.










Chemical



In the chemical industry, the habitual processes require sealing elements for materials with high chemical resistance. For transferring very aggressive or corrosive chemical luids that are clean or with particles and have high viscosities, along with high temperatures and pressures, the mechanical seal materials and the type of assembly must be correctly deined: single, double, external or in accordance with API plans.

Furthermore, the applications require sealing systems that guarantee safety, preventing the leakage of corrosive or lammable products that could enter the atmosphere. In this sector the ATEX certification is often required, to ensure equipment's safety when working in explosive environments.



All the above gives rise to extremely demanding requirements for the mechanical seals and for the auxiliary elements supplied with them: LTS or LQT reservoirs, or elements such as cyclones.

Not only is it necessary to pay attention to the design of the mechanical sintered silicon carbide contact surfaces (Q1), luorinated elastomeric seals (FKM) or high resistance alloy springs (Hastelloy C) are an indis pensable requirement.



Applications	Requirements or critical conditions of the application	ion Type of seal recommended
Chlorine and its by-product acids, caustic products:	ts, Corrosive luids	⇒ Bellows seal (PTFE).
Detergents:	Viscous products	⇒ Multispring seal (double).
Fertilisers:	Chemically aggressive luids	⇒ Bellows seal (PTFE).
Varnishes and paints:	Sticky products	⇒ Double cartridge seal, reservoirs and wave spring seal.
Pulp and paper:	Paste-like products	⇒ Double cartridge seal, reservoirs, multispring seal, (external arrangement) and wave spring seal.

Sector



Water treatment

In water treatment operations, different processes are carried out in order to obtain a product that complies with the stringent health and legal legislation of each country.

Even though water is the main element of the whole process and the main luid used, the dificulties posed in sealing it are just as challenging as in other sectors.







During the different treatments to which water is subject, the me chanical seals may come into contact with sediments, organic matter, dissolved substances such as calcium and magnesium (hard water), sulphate and carbon dioxide (acid water), manganese (sewage water), nitrates (water contaminated by fertilisers), etc.

Although standard seals are often suficient for most applications in this (supplying freshwater or transporting wastewater), in other cases the design of the mechanical seal and the materials must be carefully designed.



Requirements or critical conditions of the application

Type of seal recommended

Domestic water treatment

⇒ Bellows seal and conical spring seal.

Desanding/degreasing treatment

Fluids with a high particle content

⇒ Single cartridge seal, double cartridge seal, auxiliary elements (reservoirs cyclones) and wave spring seal.

Decanting

Deodorising

Fluids containing chemicals: (sodium hypochlorite, sodium hydroxide, sulphuric acid) ⇒ Bellows Seal (PTFE).



Maritime

Pumps installed on ships must be extremely reliable and durable. Use of different machines: cooling pumps, ire ighting pumps or boiler supply pumps, meaning that the types of mechanical seals used in this industry are quite diverse. The main applications are for:

- Cooling machinery
- Firefighting systems.
- Feeding boilers.
- Pumping ballast water.

A wide range of mechanical seal designs exist for this type of pumps, which operates in especially dificult conditions with high salt concentrations (this parameter varies, depending on the sea), at high pressures, etc.



Within this scope, not only is it important to locate spare parts to make

the repair, but it is also important to select the right materials for the contact surfaces and metal parts of the seal. It is essential to determine a structure that permits easy mounting, increases the pump's useful life and reduces maintenance costs.

Applications	Requirements or critical conditions of the application	Type of seal recommended
Sea water:	High salt concentration High pressure	⇒ Multispring seal: Hastello ©C materials multispring seal (balanced)
	Complex assemblies	⇒ Single cartridge seal (split).
Sump pumps:	High salt concentration	⇒ Single cartridge seal, axial spring seals: conical spring, wave spring seal and multispring seal.


Sector	Double cartridge seal	Single cartridge seal	Auxiliary elements	Wave spring seal	Multispring seals	Axial spring seals	Bellows seals
Food & Beverage		•	•	•	•	•	•
Pharmaceutical	•		•	•	•	•	
Chemical	•		•	•	•		•
Water treatment	•	•	•	•		•	•
Maritime		•		•	•	•	•

MSEI0D



COMPONENTS:

- Rotating contact surface
- Rotating contact surface Stationary contact surface
- Stationary contact surface
- O-rings
- O-rings O-rings
- 3b O-rings
- Springs
- Metal frame
- Set screws
- Ring



DIMENSIONS CHART

Dimensions in mm

Shaft			Rotary pa	art					Statio	nary part				Total length
mm	d ₃	l ₃	l ₈	وا	М	d ₆	d_7	d ₈	l ₄	I ₅	l ₆		I ₁₀	I ₁
	-,	•••	•0	•7		-0	_/	_0		•5	•0	•/	-10	٠,
18	33	38	17.0	19.0	M5	27	33	3	11.5	2.0	5	9	19.5	61.0
20	35	38	17.0	19.0	M5	29	35	3	11.5	2.0	5	9	19.5	61.0
22	37	38	17.0	19.0	M5	31	37	3	11.5	2.0	5	9	19.5	61.0
24	39	38	17.0	19.0	M5	33	39	3	11.5	2.0	5	9	19.5	61.0
25	40	38	17.0	19.0	M5	34	40	3	11.5	2.0	5	9	19.5	61.0
28	43	39	17.5	19.5	M6	37	43	3	11.5	2.0	5	9	19.5	62.0
30	45	39	17.5	19.5	M6	39	45	3	11.5	2.0	5	9	19.5	62.0
32	47	39	17.5	19.5	M6	42	48	3	11.5	2.0	5	9	19.5	62.0
33	48	39	17.5	19.5	M6	42	48	3	11.5	2.0	5	9	19.5	62.0
35	50	39	17.5	19.5	M6	44	50	3	11.5	2.0	5	9	19.5	62.0
38	55	41	18.5	20.5	M6	49	56	4	14.0	2.0	6	9	22.0	69.0
40	57	42	19.0	21.0	M6	51	58	4	14.0	2.0	6	9	22.0	70.0
43	60	42	19.0	21.0	M6	54	61	4	14.0	2.0	6	9	22.0	70.0
45	62	42	19.0	21.0	M6	56	63	4	14.0	2.0	6	9	22.0	70.0
48	65	42	19.0	21.0	M6	59	66	4	14.0	2.0	6	9	22.0	70.0
50	67	43	19.5	21.5	M6	62	70	4	15.0	2.5	6	9	23.0	73.0
53	70	43	19.5	21.5	M6	65	73	4	15.0	2.5	6	9	23.0	73.0
55	72	43	19.5	21.5	M8	67	75	4	15.0	2.5	6	9	23.0	73.0
58	79	56	23.5	28.0	M8	70	78	4	15.0	2.5	6	9	23.0	86.0
60	81	56	23.5	28.0	M8	72	80	4	15.0	2.5	6	9	23.0	86.0
63	84	55	24.5	27.5	M8	75	83	4	15.0	2.5	6	9	-	85.0
65	86	55	24.5	27.5	M8	77	85	4	15.0	2.5	6	9	23.0	85.0
68	89	55	24.5	27.5	M8	81	90	4	18.0	2.5	7	9	26.0	91.0
70	91	56	23.5	28.0	M8	83	92	4	18.0	2.5	7	9	26.0	92.0
75	99	56	25.5	28.0	M8	88	97	4	18.0	2.5	7	9	26.0	92.0
80	104	56	25.5	28.0	M8	95	105	4	18.2	3.0	7	9	26.2	92.5
85	100	56	25.0	28.0	M8	100	110	4	18.2	3.0	7	9	26.2	92.5
90	114	56	25.5	28.0	M8	105	115	4	18.2	3.0	7	9	26.2	92.5
95	119	56	25.0	28.0	M8	110	120	4	17.2	3.0	7	9	25.2	90.5
100	124	56	25.0	28.0	M8	115	125	4	17.2	3.0	7	9	25.2	90.5

Dimensions subject to changes or modifications.

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

d_i= 18 ÷ 100 mm p= 16 kg/cm²

v= 20 m/s $t = -15 \div +200 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:


Double seal for working with barrier luids in which the springs are isolated from the luid product. API 53A and API54 assemblies.

Recommended in applications with toxic, pollutant or potentially dangerous products in which safety is an important factor. Available with a pumping ring on the casing to reduce the temperature between the contact surfaces and facilitate the barrier luid mo vement (reference MSEI0-F). Available in a balanced version with a stepped shaft (reference MEI0DB). Contact surface kits available.



COMPONENTS:

- Rotating contact surface
- 2 Stationary contact surface 3 O-rings 3a O-rings
- Springs
- Metal frame
- 5a Set screws
- 5b Ring



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- · System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

d₁= 18 ÷ 100 mm p= 10 kg/cm^{*}

v= 20 m/s t= -15÷ +200o℃)

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:


The contact surface of the rotating part can be de tached, which makes this model extremely versatile as it is easy to exchange contact surfaces made of different materials.

Seal compliant with standard EN 12756.

DIMENSIONS CHART Dimensions in mm

Shaft		Rotary p	part			Sta	ationary p	art			Total length
mm	d_3	d₄	I_3	d_6	d_7	d ₈	l ₄	 5	I_6	I_7	l ₁
					•					•	·
18	32	37	21.0	27	33	3	10.0	2.0	4	9	31
20	34	39	21.0	29	35	3	10.0	2.0	5	9	31
22	36	41	21.0	31	37	3	10.0	2.0	5	9	31
24	38	43	24.0	33	39	3	10.0	2.0	5	9	34
25	39	44	24.0	34	40	3	10.0	2.0	5	9	34
28	42	47	24.0	37	43	3	10.0	2.0	5	9	34
30	44	49	25.0	39	45	3	10.0	2.0	5	9	35
32	46	51	25.0	42	48	3	10.0	2.0	5	9	35
33	47	52	25.0	42	48	3	10.0	2.0	5	9	35
35	49	54	25.0	44	50	3	10.0	2.0	5	9	35
38	54	59	28.0	49	56	4	11.0	2.0	6	9	39
40	56	61	28.0	51	58	4	11.0	2.0	6	9	39
43	59	64	28.0	54	61	4	11.0	2.0	6	9	39
45	61	66	28.0	56	63	4	11.0	2.0	6	9	39
48	64	69	28.0	59	66	4	11.0	2.0	6	9	39
50	66	71	28.0	62	70	4	13.0	2.5	6	9	41
53	69	74	28.0	65	73	4	13.0	2.5	6	9	41
55	71	76	28.0	67	75	4	13.0	2.5	6	9	41
58	78	83	29.0	70	78	4	13.0	2.5	6	9	42
60	80	85	29.0	72	80	4	13.0	2.5	6	9	42
63	83	88	32.0	75	83	4	13.0	2.5	6	9	45
65	85	90	32.0	77	85	4	13.0	2.5	6	9	45
68	88	93	32.7	81	90	4	15.3	2.5	7	9	48
70	90	95	32.7	83	92	4	15.3	2.5	7	9	48
75	99	104	36.7	88	97	4	15.3	2.5	7	9	52
80	104	109	36.3	95	105	4	15.7	3.0	7	9	52
85	109	114	36.3	100	110	4	15.7	3.0	7	9	52
90	114	119	39.3	105	115	4	15.7	3.0	7	9	55
95	119	124	39.3	110	120	4	15.7	3.0	7	9	55
100	124	129	39.3	115	125	4	15.7	3.0	7	9	55





COMPONENTS:

- 1 Rotating contact surface
- 2 Stationary contact surface 3 O-rings
- 3a O-rings
- 4 Springs
- 5 Metal frame
- 5a Set screws
- 5b Ring

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen screws.
- · Not dependent on the rotation direction.

OPERATING LIMITS:

d₁= 20 ÷ 100 mm p= 12 kg/cm²

v = 20 m/s $t = -40 \div +2000 \text{ (C)}$

 $(\mbox{\ensuremath{^{''}}})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

The contact surface of the rotating part can be de tached, which makes this model extremely versatile as it is easy to exchange contact surfaces made of different materials.

Seal compliant with standard EN 12756

DIMENSIONS CHART Dimensions in mm

	Shaft		Rotary	part			Stat	ionary pa	art			Total length
	mm	d₃	d ₄	l ₃	d_6	d_7	d ₈	I_4	I ₅	l ₆	l ₇	l ₁
ı	20	34	36	27,5	29,0	35,0	3,0	10,0	2,0	5,0	9,0	37,5
	22	36	38	27,5	31,0	37,0	3,0	10,0	2,0	5,0	9,0	37,5
	24	38	40	30,0	33,0	39,0	3,0	10,0	2,0	5,0	9,0	40,0
	25	39	41	30,0	34,0	40,0	3,0	10,0	2,0	5,0	9,0	40,0
	28	42	44	32,5	37,0	43,0	3,0	10,0	2,0	5,0	9,0	42,5
	30	44	46	32,5	39,0	45,0	3,0	10,0	2,0	5,0	9,0	42,5
	32	46	48	32,5	42,0	48,0	3,0	10,0	2,0	5,0	9,0	42,5
	33	47	49	32,5	42,0	48,0	3,0	10,0	2,0	5,0	9,0	42,5
	35	49	51	32,5	44,0	50,0	3,0	10,0	2,0	5,0	9,0	42,5
	38	54	58	34,0	49,0	56,0	4,0	11,0	2,0	6,0	9,0	45,0
	40	56	60	34,0	51,0	58,0	4,0	11,0	2,0	6,0	9,0	45,0
	43	59	63	34,0	54,0	61,0	4,0	11,0	2,0	6,0	9,0	45,0
	45	61	65	34,0	56,0	63,0	4,0	11,0	2,0	6,0	9,0	45,0
	48	64	68	34,0	59,0	66,0	4,0	11,0	2,0	6,0	9,0	45,0
	50	66	70	34,5	62,0	70,0	4,0	13,0	2,5	6,0	9,0	47,5
	53	69	73	34,5	65,0	73,0	4,0	13,0	2,5	6,0	9,0	47,5
	55	71	75	34,5	67,0	75,0	4,0	13,0	2,5	6,0	9,0	47,5
	58	78	83	39,5	70,0	78,0	4,0	13,0	2,5	6,0	9,0	52,5
	60	80	85	39,5	72,0	80,0	4,0	13,0	2,5	6,0	9,0	52,5
	63	83	88	39,5	75,0	83,0	4,0	13,0	2,5	6,0	9,0	52,5
	65	85	90	39,5	77,0	85,0	4,0	13,0	2,5	6,0	9,0	52,5
	68	88	93	37,5	81,0	90,0	4,0	15,0	2,5	7,0	9,0	52,5
	70	90	95	45,0	83,0	92,0	4,0	15,0	2,5	7,0	9,0	60,0
	75	99	104	45,0	88,0	97,0	4,0	15,0	2,5	7,0	9,0	60,0
	80	104	109	44,5	95,0	105,0	4,0	15,5	3,0	7,0	9,0	60,0
1	85	109	114	44,5	100,0	110,0	4,0	15,5	3,0	7,0	9,0	60,0
	90	114	119	49,5	105,0	115,0	4,0	15,5	3,0	7,0	9,0	65,0
	95	119	124	49,5	110,0	120,0	4,0	15,5	3,0	7,0	9,0	65,0
	100	124	129	49,5	115,0	125,0	4,0	15,5	3,0	7,0	9,0	65,0



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings
- 3Ь O-rings
- 3с O-rings
- Springs Metal frame
- 5a Set screws
- Coupling pin

<u>Ra 2.5μm</u> 5b 3b 3c d4 min 贸 d6 H11 Ra 1 μ m

SECTORS:



CHARACTERISTICS:

- Balanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 18 \div 100 \text{ mm}$ p= 14 kg/cm²

v= 15 m/s $t = -15 \div +200 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of

DESCRIPTION:

The springs are not in contact with the luid. Ideal for working with particle-laden luids in which standard designs tend to become blocked.

Internally balanced, with no need for a stepped shaft Suitable for working in applications with high pres sures.The O-ring resting on the shaft does not cau se wear as there is no axial movement (changes in pressure).

DIMENSIONS CHART

Dimensions in mm

Shaft		Rotary pa	rt		Statio	nary part		Total length
mm	d ₃	d₄	l ₃	d ₆	d_7	ds		l _l
							Ť	
18	33	36	32	27	33	3	13.5	45.5
20	35	38	32	29	35	3	13.5	45.5
22	37	40	32	31	37	3	13.5	45.5
24	39	42	32	33	39	3	13.3	45.3
25	40	43	32	34	40	3	13.0	45.0
28	43	46	32	37	43	3	12.5	44.5
30	45	48	32	39	45	3	12.0	44.0
32	47	50	42	42	48	3	12.0	54.0
33	48	51	42	42	48	3	12.0	54.0
35	50	53	42	44	50	3	12.0	54.0
38	55	58	42	49	56	3	13.0	55.0
40	57	60	42	51	58	3	13.0	55.0
43	60	63	42	54	61	4	13.0	55.0
45	62	65	42	56	63	4	13.0	55.0
48	65	68	42	59	66	4	13.0	55.0
50	67	70	42	62	70	4	13.5	55.5
53	70	73	42	65	73	4	13.5	55.5
55	72	75	42	67	75	4	13.5	55.5
58	79	82	42	70	78	4	13.5	55.5
60	81	84	42	72	80	4	13.5	55.5
65	86	89	42	77	85	4	13.5	55.5
68	89	92	42	81	90	4	13.5	55.5
70	91	94	42	83	92	4	14.5	56.5
75	99	102	48	88	97	4	14.5	62.5
80	104	107	48	95	105	4	15.0	63.0
85	109	112	48	100	110	4	15.0	63.0
90	114	117	48	105	115	4	15.0	63.0
95	119	122	48	110	120	4	15.0	63.0
100	124	127	48	115	125	4	15.0	63.0

Dimensions subject to changes or modifications.


Sh	aft	P	lotary par	t	St	ationary pa	ırt	Total length
(")	mm	d₃	d₄	l ₃	d ₆	d_7	I ₄	I _I
()		u 3	U 4	13	G 6	۵/	14	'1
0,750	19,05	34	37	32	29,9	34,9	6,6	38,6
0,875	22,23	36	39	32	33,1	38, I	6,6	38,6
1,000	25,40	39	42	32	36,3	41,3	6,6	38,6
1,125	28,58	43	46	32	39,5	44,5	6,6	38,6
1,250	31,75	46	49	32	42,6	47,6	6,6	38,6
1,375	34,93	49	52	32	45,8	50,8	6,6	38,6
1,500	38,10	54	57	32	47,6	54	7,5	39,5
1,625	41,28	57	60	32	53,9	60,3	8,2	40,2
1,750	44,45	60	63	42	57,1	63,5	8,2	50,2
1,875	47,63	64	67	42	60,3	66,7	8,2	50,2
2,000	50,80	67	70	42	63,5	69,9	8,2	50,2
2,125	53,98	70	73	42	69,8	76,2	9,5	51,5
2,250	57,15	73	76	42	73	79,4	9,5	51,5
2,375	60,33	76	79	42	76,2	82,6	9,5	51,5
2,500	63,50	79	82	42	79,3	85,7	9,5	51,5
2,625	66,68	83	86	42	79,3	85,7	9,5	51,5
2,750	69,85	92	95	42	82,5	88,9	9,5	51,5
2,875	73,03	95	98	42	85,3	95,3	11,3	53,3
3,000	76,20	98	101	42	88,4	98,4	11,3	53,3
3,125	79,38	101	104	42	91,6	101,6	14,3	56,3
3,250	82,55	104	107	42	94,8	104,8	14,3	56,3
3,375	85,73	107	110	42	98	108	14,3	56,3
3,500	88,90	111	114	42	101,1	111,1	14,3	56,3
3,625	92,08	114	117	42	104,3	114,3	14,3	56,3
3,750	95,25	117	120	48	107,5	117,5	14,3	62,3
3,875	98,43	120	123	48	110,7	120,7	14,3	62,3
4,000	101,60	123	126	48	113,8	123,8	14,3	62,3

MSE15D



COMPONENTES:

- l Rotating contact surface
- a Rotating contact surface
- 2 Stationary contact surface
- 2a Stationary contact surface
- 3a O-rings
- 3b O-rings
- 3c O-rings
- 4 Springs
- Metal frameSet screws



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 20 \div 100 \text{ mm}$ p= 12 kg/cm²

v = 20 m/s $t = -40 \div +200 \circ Q^*$

 $(\sp{\$})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Double seal for working with barrier luids in which the springs are isolated from the luid product. API 53A and API54 assemblies.

Recommended in applications with toxic, pollutant or potentially dangerous products in which safety is an important factor.

DIMENSIONS CHART

Dimensions in mm

Shaft	Rota	ry part		Stat	ionary p	art		Total length
mm	d ₃	l ₃	d₅	d_7	d ₈	I_4	I_7	l _i
20	40	23	29	35	3	10	9	43
25	44,5	25	34	40	3	10	9	45
28	47,5	25	37	43	3	8,5	9	38
30	50	27	39	45	3	10	9	47
35	56	28,5	44	50	3	10	9	48,5
43	71	30	54	61	4	13	9	56
50	80	30	62	70	4	14	9	58
65	98	35	77	85	4	14	9	63
100	145	45	115	125	4	16	9	81


MSE20 / MSE20T



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- 3 O-rings 3T PTFE wedge
- O-rings 3Ta PTFE gasket
- Springs
- Metal frame
- Set screws
- Ring

TYPEMSE2O



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 14 \div 100 \text{ mm}$ p= 10 kg/cm²

 $t = -15 \div +200 \circ Q^*$ v= 20 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of

DESCRIPTION:

The set of springs placed around the contact surface of the rotating part generates a more uniformed load than in models with a single spring.

The MSE20 is suitable for many different applica tions. Seal compliant with standard EN 12756 (KU). The MSE20T uses a PTFE wedge as a secondary seal and is appropriate for highly aggressive chemicals and for thermal oils with high temperatures. The ver sion in inches has a standard stationary PF. L22 part.

DIMENSIONS CHART

Dimensions in mm

mm 14 16 18 20 22 24 25 28 30	d ₃ 24 26 32 34 36 38 39 42 44	28,4 30,8 33,8 34,8 35,6 38,8 39,8	d ₄ 26 28 34 36 38 40 41	d _{4T} 31 34 36,5 38 39 42	l ₃ 23 23 24 24 24	1 _{3T} 21 19 22	21 23 27	25 27	d ₈		l ₅	₆	l ₇	I ₁	l _{IT}
16 18 20 22 24 25 28	26 32 34 36 38 39 42	30,8 33,8 34,8 35,6 38,8 39,8	28 34 36 38 40	34 36,5 38 39	23 24 24	19 22	23								
16 18 20 22 24 25 28	26 32 34 36 38 39 42	30,8 33,8 34,8 35,6 38,8 39,8	34 36 38 40	36,5 38 39	24 24	22		27	3	12					
20 22 24 25 28	34 36 38 39 42	34,8 35,6 38,8 39,8	36 38 40	38 39	24		27			1.4	1,5	4	8,5	35	31
22 24 25 28	36 38 39 42	35,6 38,8 39,8	38 40	39		24	21	33	3	13,5	2	5	9	37,5	35,5
24 25 28	38 39 42	38,8 39,8	40		24	24	29	35	3	13,5	2	5	9	37,5	37,5
25 28	39 42	39,8		42		24	31	37	3	13,5	2	5	9	37,5	37,5
28	42		41		26,7	25	33	39	3	13,3	2	5	9	40	38,
		42.4	71	43	27	25	34	40	3	13	2	5	9	40	38
20	44	43,4	44	46	30	27	37	43	3	12,5	2	5	9	42,5	39,
30	- 11	46,4	46	49	30,5	27	39	45	3	12	2	5	9	42,5	39
32	46	49,7	48	53	30,5	29	42	48	3	12	2	5	9	42,5	41
33	47	-	49	-	30,5	-	42	48	3	12	2	5	9	42,5	-
35	49	51,3	51	54	30,5	29	44	50	3	12	2	5	9	42,5	41
38	54	54,5	58	58	32	29	49	56	4	13	2	6	9	45	42
40	56	59,6	60	63	32	35	51	58	4	13	2	6	9	45	48
43	59	-	63	-	32	-	54	61	4	13	2	6	9	45	-
45	61	64,7	65	68	32	35	56	63	4	13	2	6	9	45	48
48	64	67,2	68	70	32	35	59	66	4	13	2	6	9	45	48
50	66	69,6	70	73	34	35	62	70	4	13,5	2,5	6	9	47,5	48,
53	69	-	73	-	34	-	65	73	4	13,5	2,5	6	9	47,5	-
55	71	77,7	75	81	34	43	67	75	4	13,5	2,5	6	9	47,5	56,
58	78	-	83	-	39	-	70	78	4	13,5	2,5	6	9	52,5	-
60	80	82,7	85	86	39	43	72	80	4	13,5		6	9	52,5	56,
63	83	-	88	-	39	-	75	83	4	13,5	-	6	9	52,5	-
65	85	87,7	90	91	39	43	77	85	4	13,5	2,5	6	9	52,5	56,
68	88	-	93	-	39	-	81	90	4	13,5	,	7	9	52,5	-
70	90	92,6	95	96	45,5	43	83	92	4	14,5	2,5	7	9	60	57,
75	95	96,3	104	100	45,5	43	88	97	4	14,5	2,5	7	9	60	57,
80	104	101,1	109	104	45	43	95	105	4	15	3	7	9	60	58
85	109	107,7	114	111	45	43	100	110	4	15	3	7	9	60	58
90	114	112,7	119	116	50	43	105	115	4	15	3	7	9	65	58
95 100	119	117,7	124	121	50 50	43	110	120	4	15 15	3	7	9	65 65	58 58

Dimensions subject to changes or modifications.

Sha	ft			Rotary	/ part				Stationa	ıry parı	:	Total	length
(")	mm	d₃	d₃⊤	d₄	d _{4T}	l ₃	I _{3T}	d ₆	d_7	l ₄	I _{4T}	I _I	I _{IT}
0,500	12,70	23,8	26,7	27	29	23,8	20,6	20,4	25,4	5,9	7,9	29,7	28,5
0,625	15,88	27	30,7	30,2	34	23,8	19	26,8	31,8	6,6	10,3	30,4	29,3
0,750	19,05	30,2	34	33,3	37	23,8	22,2	29,9	34,9	6,6	10,3	30,4	32,5
0,875	22,23	33,3	37,2	36,5	40	23,8	23,8	33, I	38, I	6,6	10,3	30,4	34, I
1,000	25,40	36,5	40,3	39,7	43	25,4	25,4	36,3	41,3	6,6	11,1	32	36,5
1,125	28,58	39,7	43,5	42,9	46	25,4	27	39,5	44,5	6,6	11,1	32	38,1
1,250	31,75	42,9	48,3	46	51	25,4	27	42,6	47,6	6,6	11,1	32	38,1
1,375	34,93	49,2	51,5	52,4	54	35	28,6	45,8	50,8	6,6	11,1	41,6	39,7
1,500	38,10	49,2	54,6	52,4	58	28,6	28,6	47,6	54	7,5	11,1	36,1	39,7
1,625	41,28	57,2	61	60,3	64	29,4	35	53,9	60,3	8,2	12,7	37,6	47,7
1,750	44,45	58,7	64,2	61,9	67	35	35	57, I	63,5	8,2	12,7	43,2	47,7
1,875	47,63	63,5	67,3	66,7	70	35	35	60,3	66,7	8,2	12,7	43,2	47,7
2,000	50,80	66,7	70,5	69,9	73	35	35	63,5	69,9	8,2	12,7	43,2	47,7
2,125	53,98	71,4	76,9	74,6	80	43	43	69,8	76,2	9,5	14,3	52,5	57,3
2,250	57,15	72,2	80	75,4	83	35	43	73	79,4	9,5	14,3	44,5	57,3
2,375	60,33	76,2	83,2	79,4	86	43	43	76,2	82,6	9,5	14,3	52,5	57,3
2,500	63,50	79,4	86,4	82,6	89	35	43	79,3	85,7	9,5	14,3	44,5	57,3
2,625	66,68	82,6	89,6	85,7	92	43	43	79,3	85,7	9,5	15,9	52,5	58,9
2,750	69,85	85,7	92,7	88,9	96	43	43	82,5	88,9	9,5	15,9	52,5	58,9
2,875	73,03	88,9	95,9	92, I	99	43	43	85,3	95,3	11,3	15,9	54,3	58,9
3,000	76,20	92,1	97,5	95,3	100	43	43	88,4	98,4	11,3	15,9	54,3	58,9
3,125	79,38	95,3	100,7	98,4	104	43	43	91,6	101,6	14,3	19,8	57,3	62,8
3,250	82,55	98,4	105,4	101,6	108	43	43	94,8	104,8	14,3	19,8	57,3	62,8
3,375	85,73	101,6	108,6	104,8	Ш	43	43	98	108	14,3	19,8	57,3	62,8
3,500	88,90	104,8	111,8	108	115	43	43	101,1	111,1	14,3	19,8	57,3	62,8
3,625	92,08	108	115	111,1	118	43	43	104,3	114,3	14,3	19,8	57,3	62,8
3,750	95,25	111,1	118,1	114,3	121	43	43	107,5	117,5	14,3	19,8	57,3	62,8
3,875	98,43	114,3	121,3	117,5	124	43	43	110,7	120,7	14,3	19,8	57,3	62,8
4,000	101,60	117,5	124,5	120,7	127	43	43	113,8	123,8	14,3	19,8	57,3	62,8




MSE20B / MSE20BT



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings PTFE wedge
- 3a O-rings
- 3Ta PTFE gasket
- Springs Metal frame
- Set screws
- Ring

TYPEMSE20B



SECTORS:



CHARACTERISTICS:

- Balanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 14 \div 100 \text{ mm}$ p= 60 kg/cm²

 $t = -15 \div +200 \circ Q^*$ v= 25 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

The balanced contact surface design allows the me chanical seal to be used in applications with high pressures without suffering premature wear.

The set of springs placed around the contact surface of the rotating part generates a more uniformed load than in models with a single spring.

It can be supplied with PTFE wedge for highly aggres sive chemicals with high temperatures.

Seal compliant with standard EN 12756 (KB).

DIMENSIONS CHART

Dimensions in mm


Shaft		Rota	ry part				Sta	tiona	ry part			Total length
mm	d ₂	d₃	d₄	l ₃	d ₆	d_7	d₀		I _{4/} I _{4T}	l ₆	I ₇	$I_{I/}I_{IT}$
							_					
- 14	18	32	34	30,5	21	25	3	18	12	5,5	8,5	42,5
16	20	34	36	30,5	23	27	3	18	12	5,5	8,5	42,5
18	22	36	38	31,5	27	33	3	20	13,5	7	9	45
20	24	38	40	31,5	29	35	3	20	13,5	7	9	45
22	26	40	42	31,5	31	37	3	20	13,5	7	9	45
24	28	42	44	34,2	33	39	3	20	13,3	7	9	47,5
25	30	44	46	34,5	34	40	3	20	13	7	9	47,5
28	33	47	49	37,5	37	43	3	20	12,5	7	9	50
30	35	49	51	38	39	45	3	20	12	7	9	50
32	38	54	58	38	42	48	3	20	12	7	9	50
33	38	54	58	38	42	48	3	23	12	7	9	50
35	40	56	60	38	44	50	3	23	12	7	9	50
38	43	59	63	39,5	49	56	4	23	13	8	9	52,5
40	45	61	65	39,5	51	58	4	23	13	8	9	52,5
43	48	64	68	39,5	54	61	4	23	13	8	9	52,5
45	50	66	70	39,5	56	63	4	23	13	8	9	52,5
48	53	69	73	39,5	59	66	4	23	13	8	9	52,5
50	55	71	75	44	62	70	4	25	13,5	8,5	9	57,5
53	58	78	83	44	65	73	4	25	13,5	8,5	9	57,5
55	60	80	85	44	67	75	4	25	13,5	8,5	9	57,5
58	63	83	88	49	70	78	4	25	13,5	8,5	9	62,5
60	65	85	90	49	72	80	4	25	13,5	8,5	9	62,5
65	70	90	95	49	77	85	4	25	13,5	8,5	9	62,5
70	75	95	104	55,5	83	92	4	28	14,5	9,5	9	70
75	80	104	109	55,5	88	97	4	28	14,5	9,5	9	70
80	85	109	114	55	95	105	4	28	15	10	9	70
85	90	114	119	60	100	110	4	28	15	10	9	75
90	95	119	124	60	105	115	4	28	15	10	9	75
95	100	124	129	60	110	120	4	28	15	10	9	75
100	105	129	134	60	115	125	4	28	15	10	9	75

Dimensions subject to changes or modifications.

SI	naft		F	Rotary pai	t			Stationa	ry part		Total length		
(")	mm	d ₂	d ₂	d₃	d ₄	l ₃	d₅	d ₇	l ₄	I_{4T}	l _l	I _{IT}	
0,875	22,23	1,000	25,40	39,67	41,67	33,32	36,3	41,3	6,6	11,1	39,92	44,42	
1,000	25,40	1,125	28,58	42,85	44,85	34,93	39,5	44,5	6,6	11,1	41,53	46,03	
1,125	28,58	1,250	31,75	47,63	35,75	34,93	42,6	47,6	6,6	11,1	41,53	46,03	
1,125	28,58	1,375	34,93	50,8	38,93	36,5	45,8	50,8	6,6	11,1	43, I	47,6	
1,250	31,75	1,500	38,10	53,98	42,10	36,5	47,6	54	7,5	11,1	44	47,6	
1,375	34,93	1,625	41,28	60,33	45,28	44,45	53,9	60,3	8,2	12,7	52,65	57,15	
1,500	38,10	1,750	44,45	63,5	48,45	44,45	57, I	63,5	8,2	12,7	52,65	57,15	
1,625	41,28	1,875	47,63	66,68	51,63	44,45	60,3	66,7	8,2	12,7	52,65	57,15	
1,750	44,45	2,000	50,80	69,85	54,80	44,45	63,5	69,9	8,2	12,7	52,65	57,15	
1,875	47,63	2,125	53,98	76,2	58,98	52,37	69,8	76,2	9,5	14,3	61,87	66,67	
2,000	50,80	2,250	57,15	79,38	62,15	52,37	73	79,4	9,5	14,3	61,87	66,67	
2,125	53,98	2,375	60,33	82,55	65,33	52,37	76,2	82,6	9,5	14,3	61,87	66,67	
2,250	57,15	2,500	63,50	85,73	68,50	52,37	79,3	85,7	9,5	14,3	61,87	66,67	
2,375	60,33	2,625	66,68	88,9	71,68	52,37	79,3	85,7	9,5	15,9	61,87	68,27	
2,500	63,50	2,750	69,85	92,08	74,85	52,37	82,5	88,9	9,5	15,9	61,87	68,27	
2,625	66,68	2,875	73,03	95,25	78,03	52,37	85,3	95,3	11,3	15,9	63,67	68,27	
2,750	69,85	3,000	76,20	96,82	81,20	52,37	88,4	98,4	11,3	15,9	63,67	68,27	
2,875	73,03	3,125	79,38	100	84,38	52,37	91,6	101,6	14,3	19,8	66,67	72,17	
3,000	76,20	3,250	82,55	104,78	87,55	52,37	94,8	104,8	14,3	19,8	66,67	72,17	
3,125	79,38	3,375	85,73	107,95	90,73	52,37	98	108	14,3	19,8	66,67	72,17	
3,250	82,55	3,500	88,90	111,13	93,90	52,37	101,1	111,1	14,3	19,8	66,67	72,17	
3,375	85,73	3,625	92,08	114,3	97,08	52,37	104,3	114,3	14,3	19,8	66,67	72,17	
3,500	88,90	3,750	95,25	117,48	100,25	52,37	107,5	117,5	14,3	19,8	66,67	72,17	
3,625	92,08	3,875	98,43	120,65	103,43	52,37	110,7	120,7	14,3	19,8	66,67	72,17	
3,750	95,25	4,000	101,60	123,83	106,60	52,37	113,8	123,8	14,3	19,8	66,67	72,17	







COMPONENTS:

- Rotating contact surface
- 3a O-rings
- 4 Springs
- 5 Metal frame
- 5a Set screws

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction

OPERATING LIMITS:

 $d_1 = 20 \div 100 \text{ mm}$ p= 12 kg/cm²

v = 20 m/s $t = -40 \div +200 \circ Q^*$

 $(\sp{"})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

The contact surface of the rotating part can-be de tached, which makes this model extremely versatile as it is easy to exchange contact surfaces made of different materials.

DIMENSIONS CHART Dimensions in mm

Shaft		Rotary part	
mm	d ₃	d_4	l ₃
20	34	39	35
22	36	41	35
24	38	43	35
25	39	44	35
28	42	47	35
30	44	49	35
32	46	51	35
33	47	52	35
35	49	54	35
38	54	59	38
40	56	61	38
43	59	64	38
45	61	66	38
48	64	69	38
50	66	71	39
53	69	74	40
55	71	76	40
58	76	81	41
60	78	83	41
63	81	86	41
65	83	88	41
68	86	91	41
70	90	95	42
75	95	100	42
80	100	105	42
85	105	110	43
90	110	115	45
95	115	120	45
100	120	125	45

Dimensions subject to changes or modifications.

Sha	ft		Rotary part	
(")	mm	d₃	d_4	l ₃
1,00	25,40	39,70	44,70	41,28
1,13	28,58	42,85	47,85	41,28
1,19	30,15	44,45	49,45	41,28
1,25	31,75	46,02	51,02	41,28
1,38	34,93	49,20	54,20	41,28
1,44	36,50	50,80	55,80	41,28
1,50	38,10	52,37	57,37	41,28
1,63	41,28	58,72	63,72	44,45
1,75	44,45	60,33	65,33	44,45
1,88	47,63	65,07	70,07	44,45
2,00	50,80	68,25	73,25	44,45
2,13	53,98	71,42	76,42	44,45
2,25	57,15	74,60	79,60	44,45
2,38	60,33	77,77	82,77	44,45
2,50	63,50	80,95	85,95	44,45
2,63	66,68	84,12	89,12	44,45
2,75	69,85	87,30	92,30	44,45
2,88	73,03	90,47	95,47	44,45
3,00	76,20	93,65	98,65	44,45
3,13	79,38	101,60	106,60	44,45
3,25	82,55	104,78	109,78	44,45
3,38	85,73	107,95	112,95	44,45
3,50	88,90	111,13	116,13	44,45
3,63	92,08	114,30	119,30	44,45
3,75	95,25	117,48	122,48	46,02
3,88	98,43	120,65	125,65	46,02
4,00	101,60	123,83	128,83	46,02
4,25	107,95	130,18	135,18	52,37
4,50	114,30	136,53	141,53	52,37




MSE₂₆



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-ring
- Spring Metal frame
- Ring Metal frame
- Setting clips



SECTORS:



CHARACTERISTICS:

- Equilibrado.
- Sistema rotación independiente
- Multimuelle
- External mounting.

OPERATING LIMITS:

p= 50 kg/cm²

v= 50 m/s

 $t = -20 \div + 140 \circ (^*)$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Balanced mechanical seal with protected springs to prevent them from blocking when in contact with sticky or viscous luids. The O-ring on the shaft is static, thereby preventing "fretting" of the shaft.

DIMENSIONS CHART

Dimensions in mm

Shaft					R	otary par	t			
mm	d ₃	d ₄	$d_{\scriptscriptstyle 5}$	d_6	d_7	$-\mathbf{I}_{l}$		l ₃	l 4	I ₅
40	65	64	52	53.5	59	48.5	30	39	9.5	5
50	75	77	61	63.5	72	54.5	33	42.2	12.3	5
53	80	80	64	66.5	75	55	33.5	42.7	12.3	5
55	85	85	68	71.5	80	60	36.5	47.2	12.8	5
60	90	90	74	76.5	85	61.5	38	48.7	12.8	5
65	95	95	78	81.5	90	62	38	49.2	12.8	5
80	115	119	98	102	110.5	63.5	38	50	13.5	5




COMPONENTS:

- Rotating contact surface
- Stationary contact surface
 O-rings
- Springs
 Springs
- 5 Metal frame
- 6 Sleeve

Stationary part

7 Flange



SECTORS:



CHARACTERISTICS:

- Balanced.
- System attached to the shaft by allen screws
- Not dependent on the rotation direction.
- External mounting.

OPERATING LIMITS:

 $d_1 = 25 \div 160 \text{ mm}$ p= vacio 6 kg/cm²

v = 2 m/s $t = -20 \div +150 \circ Q^*$

 $(^{\circ})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

A multi-spring mechanical seal recommended for vertical stirrers with moderate speeds. The ixed part may have cooling/lubrication systems: lush and/or cooled lange connection.

DIMENSIONS CHART Dimensions in mm

Rotary part

Shaft

2.750

(")	mm	l _l	l ₃	d ₅	d_2	d₃	d₄	d ₆	d ₆	l ₄	
1,00	25	40,5	41,5	68	34	148	_	100	132	11	
1,125	28	40,5	41,5	68	34	148	55	100	132	11	
	30	40,5	41,5	68	34	148	55	100	132	П	
1,250	32	40,5	41,5	73	39	153	60	105	137	П	
1,375	35	40,5	41,5	73	39	153	60	105	137	П	
1,500	38	40,5	41,5	78	44	158	65	110	142	- 11	
-	40	40,5	41,5	78	44	158	65	110	142	П	
1,625	45	40,5	41,5	83	49	163	68	115	152	- 11	
1,750	-	40,5	41,5	83	49	163	68	115	152	- 11	
1,875	48	40,5	41,5	88	54	178	73	125	160	14	
1,125	50	40,5	41,5	88	54	178	73	125	160	14	
2,000	55	40,5	41,5	93	59	183	78	130	165	14	
2,125	-	40,5	41,5	93	59	183	78	130	165	14	
2,250	60	40,5	41,5	98	64	188	85	135	170	14	
2,375	65	40,5	44,5	103	69	193	90	140	175	14	
2,500	-	40,5	44,5	103	69	193	90	140	175	14	
6,625	70	43,5	44,5	108	74	198	95	145	180	14	

198

95

100

145

150

180

185

14

14

2.875	75	43,5	44,5	113	79	203
Dimens	sions	subject t	o change	s or mo	odiicatio	ons.

44.5

108


43.5

Sha	aft		Rotary par	-t				Stationary	part	
(")	mm	l _l	l ₃	d₅	d ₂	d₃	d ₄	d_6	d ₆	I ₄
3,000	80	43,5	44,5	118	84	208	105	155	190	14
3,250	85	43,5	44,5	123	89	213	110	160	195	14
3,500	90	43,5	44,5	128	94	218	115	165	200	14
3,750	95	43,5	44,5	133	99	223	120	170	205	14
	100	43,5	44,5	138	104	228	125	175	210	14
4,000	105	43,5	44,5	143	109	233	130	180	215	14
4,250	110	43,5	44,5	148	114	238	135	185	220	14
4,500	115	43,5	44,5	153	119	267	140	196	243	18
4,750	125	43,5	44,5	163	129	277	150	206	253	18
5,000	140	43,5	44,5	178	144	297	165	221	273	18
5,250	-	43,5	44,5	178	144	297	165	221	273	18
5,500	-	43,5	44,5	178	144	297	165	221	273	18
5,750	150	43,5	44,5	188	154	307	175	231	283	18
6,000	160	43,5	44,5	198	164	317	185	241	283	18
6,250	-	43,5	44,5	198	164	317	185	241	293	18



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings O-rings
- Springs
- Metal frame
- Set screws



SECTORS:



CHARACTERISTICS:

- Balanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.
- External mounting.

OPERATING LIMITS:

 $d_1 = 25 \div 175 \text{ mm}$ p= 15 kg/cm²

t=-20÷ +200oQ*) v= 2 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

It can be used in vertical agitators with moderate speeds without the need to apply auxiliary lubrica tion systems. Adapted to DEBRIS cleaning systems.

DIMENSIONS CHART

Dimensions in mm

Shaft	Rotary part			Station	ary part		
mm	d₃	d₄	d₅	I ₄	l 5	l 6	I_7
25	63,5	47,6	57,9	20,6	12,7	11,9	69,0
28	66,6	50,8	61,1	20,6	12,7	11,9	69,0
30	69,8	53,9	67,5	22,2	12,7	11,9	69,0
32	69,8	53,9	67,5	22,2	12,7	11,9	69,0
33	73,0	57,1	70,6	22,2	12,7	11,9	69,0
35	73,0	57,1	70,6	22,2	12,7	11,9	69,0
38	76,2	63,5	77,0	22,2	12,7	11,9	69,0
40	79,3	66,6	80,2	22,2	12,7	11,9	69,0
43	82,5	69,8	83,3	22,2	12,7	11,9	69,0
45	85,7	73,0	89,7	25,4	15,9	15,1	73,0
50	88,9	79,3	96,0	25,4	15,9	15,1	73,0
53	92,0	79,3	99,2	25,4	15,9	15,1	73,0
55	95,2	85,7	102,4	25,4	15,9	15,1	73,0
58	98,4	88,9	105,6	25,4	15,9	15,1	73,0
60	98,4	88,9	105,6	25,4	15,9	15,1	73,0
63	101,6	92,0	108,7	25,4	15,9	15,1	73,0
65	104,7	95,2	111,9	25,4	15,9	15,1	73,0
68	107,9	98,4	115,1	25,4	15,9	15,1	73,0
70	107,9	98,4	115,1	25,4	15,9	15,1	73,0
75	114,3	103,3	119,8	25,4	15,9	15,1	73,0
80	120,6	111,1	127,8	25,4	15,9	15,1	73,0
85	123,9	114,3	131,1	25,4	15,9	15,1	73,0
90	130,2	120,7	137,3	25,4	15,9	15,1	73,0
95	133,3	123,8	140,5	25,4	15,9	15,1	73,0
100	139,7	133,3	150,0	25,4	15,9	15,1	73,0
105	142,9	136,5	153,2	25,4	15,9	15,1	73,0
110	149,2	142,8	159,5	25,4	15,9	15,1	73,0
115	155,5	149,2	165,9	25,4	15,9	15,1	73,0


Dimensions subject to changes or modifications.

Sh	aft	Rotary part			Stationa	ıry part		
(")	mm	d₃	d ₄	d₅	l ₄	I ₅	l ₆	I ₇
1.00	25.40	63.50	47.63	57.94	20.62	12.70	11.89	69.04
1.13	28.58	66.68	50.80	61.11	20.62	12.70	11.89	69.04
1.25	31.75	69.85	53.98	67.46	20.62	12.70	11.89	69.85
1.38	34.93	73.03	57.15	70.64	20.62	12.70	11.89	69.85
1.50	38.10	76.20	63.50	76.99	20.62	12.70	11.89	69.85
1.63	41.28	79.38	66.68	80.16	20.62	12.70	11.89	69.85
1.75	44.45	82.55	69.85	83.34	20.62	12.70	11.89	73.03
1.88	47.63	85.73	73.03	89.69	25.40	15.88	11.89	73.03
2.00	50.80	88.90	79.38	98.32	25.40	15.88	11.89	73.03
2.13	53.98	92.08	79.38	99.21	25.40	15.88	15.06	73.03
2.25	57.15	95.25	85.73	102.39	25.40	15.88	15.06	73.03
2.38	60.33	98.43	88.90	105.56	25.40	15.88	15.06	73.03
2.50	63.50	101.60	92.08	108.74	25.40	15.88	15.06	73.03
2.63	66.68	104.78	95.25	111.91	25.40	15.88	15.06	73.03
2.75	69.85	107.95	98.43	115.09	25.40	15.88	15.06	73.03
2.88	73.03	111.13	101.60	118.26	25.40	15.88	15.06	73.03
3.00	76.20	114.30	104.78	119.84	25.40	15.88	15.06	73.03
3.13	79.38	117.48	107.95	124.61	25.40	15.88	15.06	73.03
3.25	82.55	120.65	111.13	127.79	25.40	15.88	15.06	73.03
3.38	85.73	123.83	114.30	130.96	25.40	15.88	15.06	73.03
3.50	88.90	127.00	117.48	134.14	25.40	15.88	15.06	73.03
3.63	92.08	130.18	120.65	137.31	25.40	15.88	15.06	73.03
3.75	95.25	133.35	123.83	140.49	25.40	15.88	15.06	73.03
3.88	98.43	136.53	127.00	143.66	25.40	15.88	15.06	73.03
4.00	101.60	139.70	130.18	150.01	25.40	15.88	15.06	73.03
4.13	104.78	142.88	133.35	153.19	25.40	15.88	15.06	73.03
4.25	107.95	146.05	136.53	156.36	25.40	15.88	15.06	73.03
4.38	111.13	149.23	139.70	159.54	25.40	15.88	15.06	73.03
4.50	114.30	152.40	142.88	162.71	25.40	15.88	15.06	73.03



COMPONENTS:

- l Rotating contact surface
- Stationary contact surface
- 3a O-rings
- 3b O-rings
- 3c O-rings
- 3d O-rings
- 4 Springs5 Metal frame
- a Set screws



DIMENSIONS CHART

Dimensions in mm

Shaft		Rota	ry part			Sta	tionary	part		Total length
mm	d₃	d₄	l ₃	d ₅	d₄	d_7	d₀	l ₅	I ₆	I_{lk}
18	33	34.7	19.5	39.7	27	33	3	2.0	5	37.5
20	35	36.7	19.5	41.7	29	35	3	2.0	5	37.5
22	37	38.7	19.5	43.7	31	37	3	2.0	5	37.5
24	39	40.7	20.5	45.7	33	39	3	2.0	5	40.0
25	40	41.7	20.5	46.7	34	40	3	2.0	5	40.0
28	43	44.7	21.5	49.7	37	43	3	2.0	5	42.5
30	45	46.7	21.5	51.7	39	45	3	2.0	5	42.5
32	48	49.7	21.5	54.7	42	48	3	2.0	5	42.5
33	48	49.7	21.5	54.7	42	48	3	2.0	5	42.5
35	50	51.7	21.5	56.7	44	50	3	2.0	5	42.5
38	56	57.7	24.0	62.7	49	56	4	2.0	5	45.0
40	58	59.7	24.0	64.7	51	58	4	2.0	5	45.0
43	61	62.7	24.0	67.7	54	61	4	2.0	5	45.0
45	63	64.7	24.0	69.7	56	63	4	2.0	5	45.0
48	66	67.7	24.0	72.7	59	66	4	2.0	5	45.0
50	70	71.7	25.0	76.7	62	70	4	2.5	6	47.5
53	73	74.7	25.0	79.7	65	73	4	2.5	6	47.5
55	75	76.7	25.0	81.7	67	75	4	2.5	6	47.5
58	78	80.5	28.0	85.5	70	78	4	2.5	6	52.5
60	80	82.5	28.0	87.5	72	80	4	2.5	6	52.5
63	83	85.5	28.0	90.5	75	83	4	2.5	6	52.5
65	85	87.5	28.0	92.5	77	85	4	2.5	6	52.5
68	90	92.5	28.0	97.5	81	90	4	2.5	7	52.5
70	92	94.5	34.0	99.5	83	92	4	2.5	7	60.0
75	97	100.5	34.0	105.5	88	97	4	2.5	7	60.0
80	105	108.5	34.0	113.5	95	105	4	3.0	7	60.0
85	110	113.5	34.0	118.5	100	110	4	3.0	7	60.0
90	115	118.5	39.0	123.5	105	115	4	3.0	7	65.0
95	120	123.5	39.0	128.5	110	120	4	3.0	7	65.0
100	125	128.5	39.0	133.5	115	125	4	3.0	7	65.0

 $\label{lem:decomposition} \mbox{Dimensions subject to changes or modifications.}$

SECTORS:



CHARACTERISTICS:

- Balanced.
- System attached to the shaft by allen screws
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 18 \div 100 \text{ mm}$ p= 25 kg/cm²

v = 20 m/s $t = -15 \div +200 \circ Q^*$

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

The fact that the springs are not in contact with the luid makes this mechanical seal perfect for working with particle-laden luids, as it prevents them from becoming blocked or obstructed.

Its structure and design makes it ideal for vacuum operations without having to use a retaining ring. It can be used with a single, tandem-mounted (API52) or back-to back (API53) mounting system. The Oring resting on the shaft is not affected by any axial movement (changes in pressure) and therefore produces no wear on the surface of the shaft. Seal compliant with standard EN 12756 (KU).

MSEW10



COMPONENTS:

- Stationary contact surface

- Spring

- Ring

<u>Ra 2.5μm</u> 3a Ŧ

Tolerance: I₁ d₁ 14...25 mm ± 1.0; 28...63 mm ± 1.5; > 65 mm ± 2.0

- Rotating contact surface
- O-rings
- O-rings
- Metal frame
- Set screws

DIMENSIONS CHART

Dimensions in mm

Shaft		Rotary p	art			Sta	ationary	part			Total length
mm	d₃	d₄	l ₃	d ₆	d ₇	d ₈	l ₄	I ₅	l ₆	l ₇	l _i
14	25	30	25.0	21	25	3	10.0	1.5	4	8.5	35.0
16	27	32	25.0	23	27	3	10.0	1.5	4	8.5	35.0
18	33	38	26.0	27	33	3	11.5	2.0	4	9.0	37.5
20	35	40	26.0	29	35	3	11.5	2.0	5	9.0	37.5
22	37	42	26.0	31	37	3	11.5	2.0	5	9.0	37.5
24	39	44	28.5	33	39	3	11.5	2.0	5	9.0	40.0
25	40	45	28.5	34	40	3	11.5	2.0	5	9.0	40.0
28	43	48	31.0	37	43	3	11.5	2.0	5	9.0	42.5
30	45	50	31.0	39	45	3	11.5	2.0	5	9.0	42.5
32	47	52	31.0	42	48	3	11.5	2.0	5	9.0	42.5
33	48	53	31.0	42	48	3	11.5	2.0	5	9.0	42.5
35	50	55	31.0	44	50	3	11.5	2.0	5	9.0	42.5
38	55	60	31.0	49	56	4	14.0	2.0	6	9.0	45.0
40	57	62	31.0	51	58	4	14.0	2.0	6	9.0	45.0
43	60	65	31.0	54	61	4	14.0	2.0	6	9.0	45.0
45	62	67	31.0	56	63	4	14.0	2.0	6	9.0	45.0
48	65	70	31.0	59	66	4	14.0	2.0	6	9.0	45.0
50	67	72	32.5	62	70	4	15.0	2.5	6	9.0	47.5
53	70	75	32.5	65	73	4	15.0	2.5	6	9.0	47.5
55	72	77	32.5	67	75	4	15.0	2.5	6	9.0	47.5
58	79	84	37.5	70	78	4	15.0	2.5	6	9.0	52.5
60	81	86	37.5	72	80	4	15.0	2.5	6	9.0	52.5
63	84	89	37.5	75	83	4	15.0	2.5	6	9.0	52.5
65	86	91	37.5	77	85	4	15.0	2.5	6	9.0	52.5
68	89	94	34.5	81	90	4	18.0	2.5	7	9.0	52.5
70	91	96	42.0	83	92	4	18.0	2.5	7	9.0	60.0
75	99	104	42.0	88	97	4	18.0	2.5	7	9.0	60.0
80	104	109	41.8	95	105	4	18.2	3.0	7	9.0	60.0
85	109	114	41.8	100	110	4	18.2	3.0	7	9.0	60.0
90	114	119	46.8	105	115	4	18.2	3.0	7	9.0	65.0
95	119	124	47.8	110	120	4	17.2	3.0	7	9.0	65.0
100	124	129	47.8	115	125	4	17.2	3.0	7	9.0	65.0

Dimensions subject to changes or modifications.

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 14 \div 150 \text{ mm}$ p= 10 kg/cm^2

 $t = -15 \div +200 \circ Q^*$ v= 20 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Recommended for working with sticky luids and luids laden with particles and ibres. Unlike the multispring models, the wave spring model cannot be blocked or obstructed and its open leaf design produces a self-cleaning effect.

Standard L9 type stationary part.

Seal compliant with standard EN 12756 (KU). Available with a pumping ring on the casing-to re duce the temperature between the contact surfaces and facilitate the barrier luid movement in the case of double mounting (reference MSEWS10-F).

Contact surface kits supplied available.

	г.										
Shaft	R	otary pa	rt			Stati	onary pa	art			Total length
mm	d₃	d₄	l ₃	d₄	d_7	d₀	I_4	I ₅	I 6	I_7	l _i
						_		_			
105	138	143	47	122.2	134.3	5	20	2	10		67
110	143	148	47	128.2	140.3	5	20	2	10		67
115	148	153	47	136.2	148.3	5	20	2	10		67
120	153	158	47	138.2	150.3	5	20	2	10		67
125	158	163	47	142.2	154.3	5	20	2	10		67
130	163	168	47	146.2	158.3	5	20	2	10		67
135	168	173	47	152.2	164.3	5	20	2	10		67
140	173	178	47	156.2	168.3	5	20	2	10		67
145	178	183	47	161.2	173.3	5	20	2	10		67
150	183	189	47	168.2	180.3	5	22	2	10		69

Multispring design manufacture for d1>100 mm.




MSEW 10B



COMPONENTS:

- Rotating contact surface
- Stationary contact surface O-rings
- O-rings
- Spring
- Metal frame
- Set screws
- Ring 5b



DIMENSIONS CHART

Dimensions in mm

Sh	aft		Rotary pa	ırt			Station	nary par	t		Total length
dı	d ₂	d₃	d₄	l₃	d₄	d_7	d₃	l ₂	l ₄	I ₆	I _{IK}
14	18	33	37	32.5	21	25	3	18	10.0	9	42.5
16	20	35	39	32.5	23	27	3	18	10.0	9	42.5
18	22	37	41	33.5	27	33	3	20	11.5	9	45.0
20	24	39	43	33.5	29	35	3	20	11.5	9	45.0
22	26	41	45	33.5	31	37	3	20	11.5	9	45.0
24	28	43	47	36.0	33	39	3	20	11.5	9	47.5
25	30	45	49	36.0	34	40	3	20	11.5	9	47.5
28	33	48	52	38.5	37	43	3	20	11.5	9	50.0
30	35	50	54	38.5	39	45	3	20	11.5	9	50.0
32	38	55	59	38.5	42	48	3	20	11.5	9	50.0
33	38	55	59	38.5	42	48	3	20	11.5	9	50.0
35	40	57	61	38.5	44	50	3	20	11.5	9	50.0
38	43	60	64	38.5	49	56	4	23	14.0	10	52.5
40	45	62	66	38.5	51	58	4	23	14.0	10	52.5
43	48	65	69	38.5	54	61	4	23	14.0	10	52.5
45	50	67	71	38.5	56	63	4	23	14.0	10	52.5
48	53	70	74	38.5	59	66	4	23	14.0	10	52.5
50	55	72	76	42.5	62	70	4	25	15.0	Ш	57.5
53	58	79	83	42.5	65	73	4	25	15.0	-11	57.5
55	60	81	85	42.5	67	75	4	25	15.0	Ш	57.5
58	63	84	88	47.5	70	78	4	25	15.0	-11	62.5
60	65	86	90	47.5	72	80	4	25	15.0	Ш	62.5
63	68	89	93	47.5	77	83	4	25	15.0	-11	62.5
65	70	91	95	47.5	75	85	4	25	15.0	Ш	62.5
70	75	99	103	52.0	83	92	4	28	18.0	12	70.0
75	80	104	108	52.0	88	97	4	28	18.0	12	70.0
80	85	109	113	51.8	95	105	4	28	18.2	13	70.0
85	90	114	118	56.8	100	110	4	28	18.2	13	75.0
90	95	119	123	56.8	105	115	4	28	18.2	13	75.0
95	100	124	128	57.8	110	120	4	28	17.2	13	75.0
100	105	129	133	57.8	115	125	4	28	17.2	13	75.0

Dimensions subject to changes or modifications.

SECTORS:



CHARACTERISTICS:

- Balanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 14 \div 100 \text{ mm}$ p= 25 kg/cm²

v= 20 m/s $t = -50 \div +220 \circ (7^*)$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

The balanced contact surface design allows the mechanical seal to be used in applications with high pressures without suffering premature wear. Recommended for working with sticky luids and luids laden with particles and ibres. Unlike the multispring models, the wave spring model cannot be blocked or obstructed and its open leaf design produces a selfcleaning effect. Standard L9 type ixed stationary part, standardised seal, compliant with EN 12756 (KB).


The casing can incorporate a pumping ring-to re duce the temperature between the contact surfaces and facilitate the barrier luid movement in the case of double mounting (reference MSEWS10B-F)

MSEW12



COMPONENTS:

- Rotating contact surface
- 2 Stationary contact surface
- O-rings O-rings
- 4 Spring
- 5 Set screws
- 5a Metal frame



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 20 \div 100 \text{ mm}$ p= 10 kg/cm²

v = 20 m/s $t = -15 \div +200 \circ Q^*$

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Its mounting dimensions make it a perfect seal for installing in small spaces. The wave spring is not blocked or obstructed when working with luids laden with particles and ibres, or viscous luids.

Standard LI DIN stationary part.

DIMENSIONS CHART

Dimensions in mm


Shaft		Rotary pa	art			Station	nary part			Total length
mm	d_3	d₄	l ₃	d_{6}	d_7	d₀	I ₄	I ₅	l ₆	l _i
20	31	36	20.5	29	35	3	10.0	2.0	5	30.5
22	33	38	20.5	31	37	3	10.0	2.0	5	30.5
24	36	41	22.5	33	39	3	10.0	2.0	5	32.5
25	39	44	23.5	34	40	3	10.0	2.0	5	33.5
28	42	47	23.5	37	43	3	10.0	2.0	5	33.5
30	44	49	24.5	39	45	3	10.0	2.0	5	34.5
32	46	51	24.5	42	48	3	10.0	2.0	5	34.5
33	47	52	24.5	42	48	3	10.0	2.0	5	34.5
35	49	54	24.5	44	50	3	10.0	2.0	5	34.5
38	53	58	27.0	49	56	4	11.0	2.0	6	38.0
40	55	60	28.0	51	58	4	11.0	2.0	6	39.0
43	58	63	28.0	54	61	4	11.0	2.0	6	39.0
45	60	65	28.0	56	63	4	11.0	2.0	6	39.0
48	63	68	28.0	59	66	4	11.0	2.0	6	39.0
50	66	71	27.0	62	70	4	13.0	2.5	6	39.0
53	69	74	27.0	65	73	4	13.0	2.5	6	39.0
55	71	76	27.0	67	75	4	13.0	2.5	6	39.0
58	77	82	29.0	70	78	4	13.0	2.5	6	42.0
60	79	84	29.0	72	80	4	13.0	2.5	6	42.0
63	82	87	32.0	75	83	4	13.0	2.5	6	45.0
65	84	89	32.0	77	85	4	13.0	2.5	6	45.0
68	87	92	33.5	81	90	4	15.0	2.5	7	48.5
70	89	94	32.0	83	92	4	15.0	2.5	7	47.0
75	94	99	32.0	88	97	4	15.0	2.5	7	47.0
80	100	105	32.5	95	105	4	15.5	3.0	7	48.0
85	105	110	32.5	100	110	4	15.5	3.0	7	48.0
90	112	117	38.5	105	115	4	15.5	3.0	7	54.0
95	117	122	38.5	110	120	4	15.5	3.0	7	54.0
100	122	127	38.5	115	125	4	15.5	3.0	7	54.0

MSEW30 / MSEW30A



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings
- O-rings O-rings
- Spring Metal frame
- Set screws



DIMENSIONS CHART Dimensions in mm

Shaft		-	Rotary pa	art					Station	ary part				Total length
mm	d₃	d₄	l _s	lзA	l ₉	d₅	d_7	d₃	l 4	I_{4A}	 5	l 6	l ₇	I ₁
18	32	34	30.5	28.5	3.0	27	33	3	7.0	9.0	2.0	4	8.5	37.5
20	34	36	30.5	28.5	3.0	29	35	3	7.0	9.0	2.0	5	8.5	37.5
22	36	38	30.5	28.5	3.0	31	37	3	7.0	9.0	2.0	5	9.0	37.5
24	38	40	33.0	31.0	3.5	33	39	3	7.0	9.0	2.0	5	9.0	40.0
25	39	41	33.0	31.0	3.5	34	40	3	7.0	9.0	2.0	5	9.0	40.0
28	42	44	35.5	33.0	3.5	37	43	3	7.0	9.5	2.0	5	9.0	42.5
30	44	46	35.5	33.0	3.5	39	45	3	7.0	9.5	2.0	5	9.0	42.5
32	47	48	35.5	33.0	3.5	42	48	3	7.0	9.5	2.0	5	9.0	42.5
33	47	49	35.5	33.0	3.5	42	48	3	7.0	9.5	2.0	5	9.0	42.5
35	49	51	35.5	33.0	3.5	44	50	3	7.0	9.5	2.0	5	9.0	42.5
38	54	58	37.0	34.5	4.0	49	56	4	8.0	10.5	2.0	6	9.0	45.0
40	56	60	37.0	34.5	4.0	51	58	4	8.0	10.5	2.0	6	9.0	45.0
43	59	63	37.0	34.5	4.0	54	61	4	8.0	10.5	2.0	6	9.0	45.0
45	61	65	37.0	34.5	4.0	56	63	4	8.0	10.5	2.0	6	9.0	45.0
48	64	68	37.0	34.5	4.0	59	66	4	8.0	10.5	2.0	6	9.0	45.0
50	66	70	38.0	35.5	4.5	62	70	4	9.5	12.0	2.5	6	9.0	47.5
53	69	73	38.0	35.5	4.5	65	73	4	9.5	12.0	2.5	6	9.0	47.5
55	71	75	38.0	35.5	4.5	67	75	4	9.5	12.0	2.5	6	9.0	47.5
58	78	83	42.0	39.5	4.5	70	78	4	10.5	13.0	2.5	6	9.0	52.5
60	80	85	42.0	39.5	4.5	72	80	4	10.5	13.0	2.5	6	9.0	52.5
63	83	88	42.0	39.5	4.5	75	83	4	10.5	13.0	2.5	6	9.0	52.5
65	85	90	42.0	39.5	4.5	77	85	4	10.5	13.0	2.5	6	9.0	52.5
68	88	93	41.5	39.0	4.5	81	90	4	11.0	13.5	2.5	7	9.0	52.5
70	90	95	48.5	46.0	5.0	83	92	4	11.5	14.0	2.5	7	9.0	60.0
75	99	104	48.5	46.0	5.5	88	97	4	11.5	14.0	2.5	7	9.0	60.0
80	104	109	48.5	46.0	5.5	95	105	4	11.5	14.0	3.0	7	9.0	60.0
85	109	114	48.5	46.0	5.5	100	110	4	11.5	14.0	3.0	7	9.0	60.0
90	114	119	52.0	49.5	5.5	105	115	4	13.0	15.5	3.0	7	9.0	65.0
95	119	124	52.0	49.5	5.5	110	120	4	13.0	15.5	3.0	7	9.0	65.0
100	124	129	52.0	49.5	5.5	115	125	4	13.0	15.5	3.0	7	9.0	65.0

Dimensions subject to changes or modifications.

SECTORS:



CHARACTERISTICS:

- · Balanced.
- System attached to the shaft by allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

d₁= 18 ÷ 100 mm p= 35 kg/cm²

v= 20 m/s t= -15÷ +200o(*)

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

The wave spring is protected from the luid. Ideal for using in cleaning processes since the possibility of particles adhering to the seal is considerably redu

Internally balanced, with no need for a stepped shaft (MSEWS10B). Suitable for working in applications with high pressures. The O-ring resting on the shaft does not cause wear as there is no axial movement (chan ges in pressure).


Seal compliant with standard EN 12756 (KU). Standard L16 type stationary part (MSEWS30).

MSEW31



COMPONENTS:

- Rotating contact surface Stationary contact surface
- 3a O-rings
- 3Ь O-rings
- 3c 3d
- Elastomeric cup Elastomeric cup
- Springs Metal frame



SECTORS:



CHARACTERISTICS:

- Balanced.
- Shaft ixing system WITHOUT screws.
- Sentido rotación independiente.

OPERATING LIMITS:

 $d_1 = 20 \div 35 \text{ mm } p = 35 \text{ kg/cm}^2$

v= 20 m/ $t = -40 \div + 150 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

A wave spring mechanical seal in which the spring is isolated and protected from the product. Its hygienic design reduces the likelihood of traces of product being deposited on its surface, thereby eliminating the risk of contamination.

DIMENSIONS CHART

Dimension in mm


Shaft			Rotary pa	art		S	tationary pa	rt	Total length		
mm	d ₂	d₃	l ₄	l ₂	l ₃	d ₆	d ₇	I_4	I _I		
20	13.5	34	39	23	29	29	35	8.5	37.5		
25	18.5	39	44	24.5	31.5	34	40	8.5	40		
35	22.5	49	54	26	34	44	50	8.5	42.5		


MSEW70 / MSEW71



COMPONENTS:

- Rotating contact surface
- 2 Stationary contact surface
- O-rings
- 3a O-rings
- 4 Spring5 Metal frame
- 5a Set screws
- 5b Coupling pin





SECTORS:



CHARACTERISTICS:

- Unbalanced.
- System attached to the shaft by Allen screws.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 15.8 \div 100 \text{ mm } p = 10 \text{ kg/cm}^3$

v = 15 m/s $t = -15 \div +200 \circ Q(*)$

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

This mechanical seal is designed for internal and external mounting. Its small mounting size makes it ideal for using in lobe pumps. The wave spring cannot be blocked or obstructed when working with luids laden with particles, sticky or viscous luids. The fact that the rotating part of the mechanical seal is made of stainless steel (the most habitual combination) makes it a resistant, robust seal.

DIMENSIONS CHART

Dimensions in mm

					LWS70				LW	'S71		
(mm)	d₃	d₄	13	d_7	I ₄	l _l	d_6	d_7	d₀	l 4	l ₆	l _l
15,8	27	30	19,1	28,5	6,3	25,4			-	-	-	
16	27	31	19,1	28,5	6,3	25,4	21	27	3	8,6	7	27,7
18	29	33	19,1	-	-	-	27	33	3	10	9	29,1
19,1	30	33	19,1	31,7	6,3	25,4			-	-		
20	32	36	19,1	-	-	-	29	35	3	10	9	29,1
22	34	38	19,1	-		-	31	37	3	10	9	29,1
24	34	38	19,1	35,4	7,6	26,7	33	39	3	10	9	29,1
25	35	39	19,1	-		- 247	34	40	3	10	9	29,1
28	40	44	19,1	42	7,6	26,7	37	43	3	10	9	29,1
28,6	39,5	42,5	19,1	41,2	7,6	26,7	-	-	-	-	-	- 20.1
30	41	45	19,1	42,7	7,6	26,7	39	45	3	10	9	29,1
31,7	42,4	45,4	19,1	44,2	7,6	26,7	42	48	-	- 10	-	20.1
32 33	43	47	19,1	44,4	7,6	26,7	42		3		9	29,1 29,1
35	44 46	48	19,1 19,1	- 47 /	7,6	26,7		48	3	10	9	29,1
38	52	50 56	21,1	47,6 53,9	8, I	29,2	44 49	50 56	4	10 11	9 10	32.1
40	55	59	21,1		-	27,2	51	58	4	ii	10	32,1
43	58	62	21,1	-	-	-	54	61	4	ii	10	32,1
44,4	58,2	61,2	21,1	60,3	8,1	29,2	-	-	7	- ''	-	32,1
45	60	64	21,1	-	0,1	27,2	56	63	4	ii	10	32,1
47.6	61,4	64,4	21,1	63,5	8,1	29,2	-	-	7	- 11	-	32,1
48	62	66	21,1	-	-	- 27,2	59	66	4	ii.	10	32.1
50	62	66	21,1	63,9	8,1	29.2	62	70	4	13	II	34,1
50.8	64,6	67,6	22,1	66,6	9,6	31.7	- 02	-	-	-	- ''	J 7,1
53	71	75	22,1	-	-	31,7	65	73	4	13	ĪĪ.	35,1
53,9	71	74	22,1	73	9,6	31,7	-	-	÷	-	- :	-
54	71	74	22,1	73,9	9,6	31,7		-	-	-	-	-
54,6	72	75	22,1	75	9,6	31,7	-	-	-	-		
55	72	76	22,1	75	9,6	31,7	67	75	4	13	- 11	35.1
58	78	82	25,8	-	-		70	78	4	13	- II	38.8
60	79	83	25.8	-	-	-	72	80	4	13	- 11	38.8
63	79,3	82,3	25,8	83	9,1	34,9	75	83	4	13	- 11	38,8
63,5	79,3	82,3	25,8	88,9	9,1	34,9	-	-	-	-	-	-
65	87	91	25,8	-	-	-	77	85	4	13	- 11	38,8
68	89	93	25,8	-	-	-	81	90	4	15,3	12	41,1
69,8	88,9	91,9	25,8	95,2	9,1	34,9	-	-	-	-	-	-
70	89	93	25,8	-	-	-	83	92	4	15,3	12	41,1
73	94	97	25,8	98,4	9,1	34,9	-	-	-	-	-	-
75	96	100	25,8	100,4	9,1	34,9	88	97	4	15,3	12	41,1
76,2	96,9	99,9	25,8	101,6	9,1	34,9	-	-	-	-	-	-
80	101	105	25,8	104	9,1	34,9	95	105	4	15,7	13	41,5
85	108	112	25,8	-	-		100	110	4	15,7	13	41,5
90	113	117	25,8	-	-	-	105	115	4	15,7	13	41,5
95	116	120	25,8	125	9,1	34,9	110	120	4	15,7	13	41,5
100	121	125	25,8	130	9,1	34,9	115	125	4	15,7	13	41,5




FH / FHC



COMPONENTS:

- Rotating contact surface
- 2 Stationary contact surface
- 3 O-rings
- 3a O-rings
- 3b O-rings
- 3T PTFE wedge 3Ta PTFE gasket
- 4 Spring
- Metal frame



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Single conical spring.
- Dependent on the rotation direction.
- Exchangeable contact surfaces.

OPERATING LIMITS:

 $d_1 = 10 \div 100 \text{ mm}$ p= 10 kg/cm²

v= 20 m/s $t=-20 \div +200 \circ Q^*$

 $(^{\!\!\!A}\!\!\!^{\!\!\!A})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

A general-purpose single, robust seal in which the contact surfaces can be exchanged with each other. It can be used in industrial applications for clean luids with low viscosities or with a low content of suspended solids that tend to produced sediments or adhere to the seal.

Types:

FH6: secondary seals made of PTFE.

FHC: same structure as FH but the length is I3C.

DIMENSIONS CHART

Dimensions in mm

Shaft		Rota	ary part			S	tationary p	art		Total length
mm	d ₃	d₄	l ₃	I _{3C}	d_6	d_7	l ₄	I ₅	I ₆	l _i
10	20	22	20	15	14.0	18.1	5.5	1.2	3	25.5
12	22	25	22	18	16.5	20.6	5.5	1.2	3	27.5
14	25	28	27	22	19.0	23.1	6.0	1.2	3	33.0
15	29	32	27	22	21.0	26.9	7.0	1.5	4	34.0
16	29	32	28	23	21.0	26.9	7.0	1.5	4	35.0
18	33	36	30	24	25.0	30.9	8.0	1.5	4	38.0
20	33	36	30	25	25.0	30.9	8.0	1.5	4	38.0
22	38	41	30	25	30.0	35.4	8.0	2.0	4	38.0
24	38	41	32	27	30.0	35.4	8.0	2.0	4	40.0
25	40	45	33	27	33.0	38.2	8.5	2.0	4	41.5
26	40	45	33	27	33.0	38.2	8.5	2.0	4	41.5
28	46	50	36	29	38.0	43.3	9.0	2.0	4	45.0
30	46	50	37	30	38.0	43.3	9.0	2.0	4	46.0
32	46	50	37	30	38.0	43.3	9.0	2.0	4	46.0
34	56	62	48	39	45.0	53.5	11.5	2.0	6	59.5
35	56	62	48	39	45.0	53.5	11.5	2.0	6	59.5
36	56	62	48	39	45.0	53.5	11.5	2.0	6	59.5
38	63	70	48	39	52.0	60.5	11.5	2.0	6	59.5
40	63	70	48	39	52.0	60.5	11.5	2.0	6	59.5
42	63	70	48	39	52.0	60.5	11.5	2.0	6	59.5
43	63	70	48	41	52.0	60.5	11.5	2.0	6	59.5
45	69	75	51	41	57.0	65.5	11.5	2.0	6	62.5
48	69	75	51	41	57.0	65.5	11.5	2.0	6	62.5
50	76	83	55	45	64.0	72.5	11.5	2.0	6	66.5
55	76	83	57	47	64.0	72.5	11.5	2.0	6	68.5
60	84	90	61	49	72.0	79.3	11.5	2.0	6	72.5
65	89	96	63	51	77.0	84.5	11.5	2.0	6	74.5
70	94	101	63	51	82.0	89.5	11.5	2.0	6	74.5
75	100	106	68	57	87.0	94.5	11.5	2.0	6	79.5
80	105	111	70	59	92.0	99.5	11.5	2.0	6	81.5
85	115	125	72	59	98.0	105.5	13.5	2.5	6	85.5
90	120	132	75	62	105	111.5	13.5	2.5	6	88.5
95	126	137	75	62	110	116.5	13.5	2.5	6	88.5
100	130	143	85	75	114	119.5	13.5	2.5	6	98.5

FN / MSE15 and FN.NU / MSE15DIN



COMPONENTS:

- l Rotating contact surface
- Stationary contact surface O-rings
- 3a O-rings
- 3b O-rings
- 4 Spring
- 5 Metal frame
- Spacer not provided with the seal

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Single conical spring.
- Dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 10 \div 40 \text{ mm}$ p= 10 kg/cm^2

v = 20 m/s $t = -20 \div + 180 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

An all-purpose mechanical seal.

A single seal with a versatile design that can be used in applications with low demands: for pumping-indus trial wastewater and for household use.

Seal compliant with standard EN 12756 (NU).

11N 11±0.5 13 15 I6 Rα 2.5μm Rα 1 μ m

DIMENSIONS CHART FN / LS15 Dimensions in mm

Shaft	F	Rotary par	t		St		Total length		
mm	d₃	d ₄	l ₃	d ₆	d_7	l ₄	I ₅	l ₆	I _I
10	19.5	22	15	14.0	18.1	5.5	1.2	3	20.5
П	22.0	25	18	16.5	20.6	5.5	1.2	3	23.5
12	22.8	25	18	16.5	20.6	5.5	1.2	3	23.5
13	25.0	28	22	19.0	23.1	6.0	1.2	3	28.0
14	25.0	28	22	19.0	23.1	6.0	1.2	3	28.0
15	28.6	32	22	21.0	26.9	7.0	1.5	4	29.0
16	28.6	32	23	21.0	26.9	7.0	1.5	4	30.0
17	28.6	32	23	21.0	26.9	7.0	1.5	4	30.0
18	32.7	36	24	25.0	30.9	8.0	1.5	4	32.0
19	32.7	36	25	25.0	30.9	8.0	1.5	4	33.0
20	32.7	36	25	25.0	30.9	8.0	1.5	4	33.0
21	37.4	42	25	30.0	35.4	8.0	1.5	4	33.0
22	37.4	42	25	30.0	35.4	8.0	2.0	4	33.0
24	37.4	42	27	30.0	35.4	8.0	2.0	4	35.0
25	40.0	45	27	33.0	38.2	8.5	2.0	4	35.5
28	45.5	51	29	38.0	43.3	9.0	2.0	4	38.0
30	45.5	51	30	38.0	43.3	9.0	2.0	4	39.0
32	45.5	51	30	38.0	43.3	9.0	2.0	4	39.0
35	50.0	55	39	45.0	53.5	11.5	2.0	6	50.5
38	56.0	68	39	52.0	60.5	11.5	2.0	6	50.5
40	58.0	68	39	52.0	60.5	11.5	2.0	6	50.5

Dimensions subject to changes or modifications.

DIMENSIONS CHART FN.NU / LS15DIN Dimensions in mm

Shaft	F	Rotary pai	-t		Sta	tionary p	art		Total	length
mm	d ₃	d₄	l ₃	d_6	d_7	I ₄	I ₅	I ₆	I _{IN}	I_{l}
10	20.0	22	15	17	21	7	- 1	4	40	22
12	22.0	25	18	19	23	7	- 1	4	40	25
14	24.0	28	22	21	25	7	- 1	4	40	29
16	26.0	32	23	23	27	7	- 1	4	40	30
18	32.0	36	24	27	33	10	4	9	45	34
20	33.0	36	25	29	35	10	5	9	45	35
22	36.0	42	25	31	37	10	5	9	45	35
24	37.4	42	27	33	39	10	5	9	50	37
25	38.0	45	27	34	40	10	5	9	50	37
28	42.0	51	29	37	43	10	5	9	50	39
30	44.0	51	30	39	45	10	5	9	50	40
32	45.5	51	30	42	48	10	5	9	55	40
33	46.5	51	39	42	48	10	5	9	55	49
35	49.0	55	39	44	50	10	5	9	55	49
38	56.0	68	42	49	56	13	5	9	55	55
40	58.0	68	42	51	58	13	5	9	55	55

MSE18 / MSE19



COMPONENTS:

- l Rotating contact surface
- 3 O-rings
- 4 Spring 5 Metal frame
- 5a Ring

Type LS18:Working length of rotating plant Type LS19:Working length of rotating plant

DIMENSIONS CHART

Dimensions in mm

Shaft		Ro	tary part	
mm	d₃	d ₄	l ₃	l ₂₁
10	19	24	15,5	15,5
12	21	26	16	15,5
14	23	28	16,5	15,5
15	24	29	-	15,5
16	26	31	18	17,5
18	29	34	19,5	18,5
20	31	36	22	20
22	33	38	21,5	21,5
24	35	40	23,5	23
25	36	41	26,5	24,5
26	37	42	-	24,5
28	40	45	26,5	24,5
30	43	48	26,5	24,5
32	46	51	28,5	28
33	47	52	28,5	-
35	49	54	28,5	28
38	53	58	33,5	31
40	56	61	36	34
42	59	64	-	35
43	59	64	38,5	-
45	61	66	39,5	36,5
48	64	69	46	42
50	66	71	45	43
53	69	74	47	-
55	71	76	49	47
58	76	81	55	50
60	78	83	55	51
63	83	88	55	-
65	84	89	55	52
68	88	93	55	53
70	90	95	57	54
75	98	103	62	55
80	100	105	61,8	58

Dimensions subject to changes or modifications.

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- · Single conical spring.
- Dependent on the rotation direction.

OPERATING LIMITS:

 $d_i = 10 \div 80 \text{ mm}$ p= 10 kg/cm^2

v = 20 m/s $t = -20 \div +200 \circ \text{Q}^*$

 $(^{\!n})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Single mechanical seal with an extremely versatile and functional design. The rotating part of the seal can be combined with a large variety of stationary parts, which offers a wide range of combinations. Its structure allows secondary seals made of different materials to be used: FKM, Alas , FFKM, FEP, NBR, HNBR and materials complying with special standards such as FDA, USP, EC, etc.

This seal may be supplied with any of the station ary parts shown in pages 56 and 58.


MSE18B



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings O-rings

- Spring Metal frame



SECTORS:









CHARACTERISTICS:

- Balanced.
- Single conical spring.
- Dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 10 \div 80 \text{ mm}$ p= 25 kg/cm²

 $t = -20 \div +200 \circ Q^*$ v= 15 m/s

DESCRIPTION:

This mechanical seal has an extremely versatile and functional design and is suitable for working at pres sures of up to 25 kg/cm

The rotating part of the seal can be combined with a large variety of stationary parts, which offers a wide range of combinations.

Its structure allows secondary seals made of diffe rent materials to be used: FKM, Alas®, FFKM, FEP, NBR, HNBR and materials complying with special standards such as FDA, USP, EC 1935/2004, etc.

This seal may be supplied with any of the statio nary parts shown in pages 56 and 58.


Shaft		Rotary	part	
mm	d ₂	d ₃	d₄	l ₃
10	14	24	29	25.5
12	16	26	31	26.5
14	18	31	36	29.5
16	20	34	39	31.0
18	22	36	41	32.5
20	24	38	43	32.5
22	26	40	45	32.5
24	28	42	47	32.5
25	30	44	49	33.5
28	33	47	52	35.5
30	35	49	54	35.5
32	38	54	59	39.5
33	38	54	59	39.5
35	40	56	61	43.5
38	43	59	64	46.0
40	45	61	66	48.0
43	48	64	69	51.0
45	50	66	71	55.0
48	53	69	74	55.0
50	55	71	76	58.0
53	58	78	83	60.0
55	60	79	84	60.0
58	63	83	88	60.0
60	65	85	90	60.0
63	68	88	93	60.0
65	70	90	95	61.0
70	75	98	103	63.0
75	80	103	108	68.0
80	85	109	114	68.0

MSE60IL / MSE60IN




COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings
- O-rings
- Spring Metal frame



TYPE LS60 IL



TYPE LS60 IN

SECTORS:











CHARACTERISTICS:

- Unbalanced.
- Single conical spring.
- Dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 20 \div 100 \text{ mm}$ p= 10 kg/cm²

v= 20 m/s $t = -40 \div + 180 \circ Q^*$

DESCRIPTION:

A versatile, robust single seal that is widely used in many different industrial and household applica

DIMENSIONS CHAES60IL

Dimensions in mm

Shaft		Rotary part	
mm	d_3	d_4	l ₃
18	29	32	19,5
25	36	42,6	25
30	43	52	27
35	49	58,4	30
40	56	64,6	34
48	64	72,5	34
70	89,6	92	56

DIMENSIONS CHARSOIN

S	ihaft		Rotary pa	rt		Stationary p	Total length	
(")	mm	ď	d,		d ₆	d_7		l _i
0,875	22,22	34,00	46,00	25,50	29,00	37,30	10,00	35,50
1,00	25,24	37,00	50,00	24,90	32,00	40,50	10,60	35,50
1,25	31,75	45,00	62,00	33,50	39,00	50,80	11,50	45,00

RN / MSE60 and RN.NU / MSE60DIN



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- 3 O-rings 3a O-rings
- 4 Spring

Ra 2.5μm

- Spring
- 5 Metal frame
- A Spacer not provided with the seal

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Single conical spring.
- Dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 10 \div 140 \text{ mm}$ p= 10 kg/cm²

v = 20 m/s $t = -20 \div +200 \circ \text{Q}^*$

ी The temperature resistance depends on the material of the secondary seals used

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

A versatile, robust single seal that is widely used in many different industrial and household applications. The rotating part, with a compact design, only permits the use of secondary seals made of elastic materials. If it should be necessary to use secondary seals made of PTFE for reasons related to temperature, the RN6 model is recommended.

Types:

RN6 and RN6 DIN: Secondary seals made of PTFE and contact surfaces in GB.

RN.NU / MSE60DIN: standardised models in accordance with EN 12756 NU.

DIMENSIONS CHART RN / LS60

Dimensions in mm

Shaft		Rotary par	t						Total length
mm	d₃	d₄	 3	d_6					l _l
10	19.0 21.0	23.0 25.0	15 18	14.0	20.6	5.5 5.5	1.2	3	20.5
12	21.0	25.0	18	16.5	20.6	5.5	1.2	3	23.5
13	23.0 23.0	27.0 27.0	22	19.0	23.1	6.0	1.2	3	28.0
15	24.0	28.0	22	21.0	26.9	7.0	1.5	4	29.0
16	26.0	30.0	23	21.0	26.9	7.0 7.0	1.5	4	30.0
17 18	26.0 29.0	30.0 33.0	23 24	25.0	26.9	7.0	1.5	4	30.0
19	29.0 31.0	35.0	25	25.0	30.9	8.0	1.5	4	33.0
20 21	31.0 33.0	35.0 37.0	25 25	30.0	35.4	8.0	2.0	4	33.0
22	33.0	37.0	25	30.0	35.4	8.0	2.0	4	33.0
23 24	35.0 35.0	39.0 39.0	27 27	30.0	35.4	8.0	2.0	4	35.0
25	36.0	40.0	27	33.0	38.2	8.5	2.0	4	35.5
26 27	36.0 36.0	40.0 40.0	27 27	33.0 33.0	38.2	8.5 8.5	2.0	4	35.5 35.5
28	40.0	44.0	29	33.0	38.2 48.8	8.3	2.0	4	35.5
29	43.0	47.0	30	38.0	43.3	9.0	2.0	4	39.0
30 31	43.0 46.0	47.0 50.0	30 30	38.0	43.3	9.0	2.0	4	39.0
32	46.0	50.0	30	38.0	43.3	9.0	2.0	4	39.0
33 34	46.0 49.0	50.0 53.0	39 39	45.0	53.5	11.5	2.0	6	50.5
35	49.0	53.0	39	45.0	53.5	11.5	2.0	6	50.5
36 37	49.0 49.0	53.0	39 39	45.0 45.0	53.5 53.5	11.5	2.0	6	50.5 50.5
38	53.0	53.0 57.0	39	45.0	60.5	11.5	2.0	6	50.5
39	56.0	60.0	39	52.0	60.5	11.5	2.0	6	50.5
40 41	56.0 56.0	60.0 60.0	39 39	52.0	60.5	11.5	2.0	6	50.5
42	59.0	63.0	39	52.0	60.5	11.5	2.0	6	50.5
43 44	59.0 60.0	63.0 64.0	41	57.0	60.5	11.5	2.0	6	52.5
45	61.0	65.0	41	57.0	65.5	11.5	2.0	6	52.5
46 47	61.0 64.0	65.0	41 41	57.0 57.0	65.5 65.5	11.5	2.0	6	52.5 52.5
48	64.0	68.0 68.0	41	57.0	65.5	11.5	2.0	6	52.5 52.5
49	64.0	68.0	41	57.0	65.5	11.5	2.0	6	52.5
50 55	66.0 71.0	70.0 75.0	45 47	64.0	72.5	11.5	2.0	6	58.5
60	78.0	82.0	49	72.0	79.3	11.5	2.0	6	60.5
65 70	84.0 89.6	93.6	51 51	77.0	84.5	11.5	2.0	6	62.5
75	98.0	102.0	57	87.0	94.5	11.5	2.0	6	68.5
80 85	100.0	104.0	59	92.0	99.5	11.5	2.5	6	70.5
90	107.5	111.5 115.0	59 62	98.0	105.5	13.5	2.5	6	72.5 75.5
95	119.0	123.0	62	110.0	116.5	13.5	2.5	6	75.5
100	123.8 136.0	127.8 140.0	75 75	124.0	132.2	17.5	4.0	6 7	92.5
120	148.0	152.0	85	134.0	142.2	17.5	4.0	7	102.5
130	160.0	164.0 170.0	95 95	145.0	153.2	17.5	4.0	7 7	112.5
140	171.0	175.0	100	157.0	164.3	18.5	4.0	7	118.5

DIMENSIONS CHARIN.NU / LS60DIN

Dimensions in mm

Shaft	F	lotary pai							Total length		
mm	d_3	d_4	I ₃	d_6					I _{IN}	I _I	
10	19.0	22	15	17	21	7	1.5	4	40	22	
12	21.0	24	18	19	23	7	1.5	4	40	25	
14	23.0	26	22	21	25	7	1.5	4	40	29	
16	26.0	28	23	23	27	7	1.5	4	40	30	
18	29.0	34	24	27	33	10	2.0	4	45	34	
20	31.0	36	25	29	35	10	2.0	5	45	35	
22	33.0	38	25	31	37	10	2.0	5	45	35	
24	35.0	40	27	33	39	10	2.0	5	50	37	
25	36.0	41	27	34	40	10	2.0	5	50	37	
28	40.0	44	29	37	43	10	2.0	5	50	39	
30	43.0	46	30	39	45	10	2.0	5	50	40	
32	46.0	48	30	42	48	10	2.0	5	55	40	
33	46.0	49	39	42	48	10	2.0	5	55	49	
35	49.0	51	39	44	50	10	2.0	5	55	49	
38	53.0	58	42	49	56	13	2.0	6	55	55	
40	56.0	60	42	51	58	13	2.0	6	55	55	
43	59.0	63	47	54	61	13	2.0	6	60	60	
45	61.0	65	47	56	63	13	2.0	6	60	60	
48	64.0	68	47	59	66	13	2.0	6	60	60	
50	66.0	70	46	62	70	14	2.5	6	60	60	
53	69.0	73	56	65	73	14	2.5	6	70	70	
55	71.0	75	56	67	75	14	2.5	6	70	70	
58	76.0	83	56	70	78	14	2.5	6	70	70	
60	78.0	85	56	72	80	14	2.5	6	70	70	
63	81.0	88	56	75	83	14	2.5	6	70	70	
65	84.0	90	66	77	85	14	2.5	6	80	80	
68	88.0	93	64	81	90	16	2.5	7	80	80	
70	89.6	95	64	83	92	16	2.5	7	80	80	
75	98.0	104	64	88	97	16	2.5	7	80	80	
80	100.0	109	72	95	105	18	3.0	7	90	90	
85	107.5	114	72	100	110	18	3.0	7	90	90	
90	111.0	119	72	105	115	18	3.0	7	90	90	
95	119.0	124	72	110	120	18	3.0	7	90	90	
100	123.8	129	72	115	125	18	3.0	7	90	90	



RNB / MSE60B and RN.NB / MSE60BDIN



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings
- O-rings
- Spring Metal frame

SECTORS:



CHARACTERISTICS:

- Balanced.
- Single conical spring.
- Dependent on the rotation direction.

OPERATING LIMITS:

 $d_i = 10 \div 100 \text{ mm}$ p= 50 kg/cm²

v= 20 m/s $t = -20 \div +200 \circ Q^*$

DESCRIPTION:

A versatile, robust single seal that is widely used in many different industrial and household applications. Suitable for working at high pressures.

The rotating part, with a compact design, only per mits the use of secondary seals made of elastic materials.

Types:

RN.NB/MSE60BDIN: standardised models in accordan ce with EN 12756 NB.

Dimensions in mm

Shaft		Rota	ry part									Total length
mm	d_2	d₃	d_4	l ₃	d_6							I _I
10	13	22	27	30	14.0	18.1	12.0	5.5	1.2	3	1.5	35.5
12	15	24	30	30	16.5	20.6	12.0	5.5	1.2	3	1.5	35.5
14	17	26	31	31	19.0	23.1	12.5	6.0	1.2	3	1.5	37.0
15	18	32	36	32	21.0	26.9	13.5	7.0	1.5	4	1.5	39.0
16	19	32	36	34	21.0	26.9	14.5	7.0	1.5	4	1.5	41.0
18	21	35	41	34	25.0	30.9	15.5	8.0	1.5	4	1.5	42.0
20	23	36	41	36	25.0	30.9	15.5	8.0	1.5	4	1.5	44.0
22	26	39	45	37	30.0	35.4	16.0	8.0	2.0	4	2.0	45.0
24	28	42	50	39	30.0	35.4	16.0	8.0	2.0	4	2.0	47.0
25	29	43	50	40	33.0	38.2	16.5	8.5	2.0	4	2.0	48.5
28	32	46	50	40	38.0	43.3	17.0	9.0	2.0	4	2.0	49.0
30	34	48	60	49	38.0	43.3	17.0	9.0	2.0	4	2.0	58.0
32	36	50	60	49	38.0	43.3	17.0	9.0	2.0	4	2.0	58.0
35	39	55	68	51	45.0	53.5	21.5	11.5	2.0	6	2.0	62.5
38	42	57	68	51	52.0	60.5	21.5	11.5	2.0	6	2.0	62.5
40	44	60	72	53	52.0	60.5	21.5	11.5	2.0	6	2.0	64.5
42	46	62	72	53	52.0	60.5	21.5	11.5	2.0	6	2.0	64.5
43	47	63	72	53	52.0	60.5	21.5	11.5	2.0	6	2.0	64.5
45	49	65	72	54	57.0	65.5	22.4	11.5	2.0	6	2.0	65.5
50	54	70	80	59	64.0	72.5	23.5	11.5	2.0	6	2.0	70.5
52	57	75	87	62	64.0	72.5	24.0	11.5	2.0	6	2.5	73.5
55	60	80	87	64	64.0	72.5	24.0	11.5	2.0	6	2.5	75.5
60	65	85	92	66	72.0	79.3	24.0	11.5	2.0	6	2.5	77.5
65	70	90	97	66	77.0	84.5	24.0	11.5	2.0	6	2.5	77.5
70	75	99	102	72	82.0	89.5	24.0	11.5	2.0	6	2.5	83.5
75	80	104	107	75	87.0	94.5	25.0	11.5	2.0	6	2.5	86.5
80	85	109	113	75	92.0	99.5	25.0	11.5	2.0	6	2.5	86.5
85	90	114	120	78	98.0	105.5	27.0	13.5	2.5	6	2.5	91.5
90	95	119	130	78	105.0	111.5	27.0	13.5	2.5	6	2.5	91.5
95	100	124	136	91	110.0	116.5	27.0	13.5	2.5	6	2.5	104.5
100	106	130	150	93	114.0	119.5	28.5	13.5	2.5	6	3.0	106.5


Shaft		Rota	ry part									Total	length
													Ů
mm	d_2	d₃	d₄	l ₃	d_6							I _{IN}	l _l
10	14	24	26	43	17	21		10	7	1.5	4	50	50
12	16	26	28	43	19	23	3	18	7	1.5	4	50	50
14	18	32	34	39	17	23	3	10	7	1.3	4	55	46
16	20	34	36	40	23	27	3	18	7	1.5	4	55	47
18	22	36	38	41	27	27	2	20	ío	2.0	-	55	51
20	24	38	40	43	29	35	3	20	10	2.0	5	60	53
22	26	40	42	43	21	37	3	20	10	2.0	5	60	53
24	28	42	44	50	33	39	3	20	10	2.0	5	60	60
25	30	44	46	50	34	40	3	20	10	2.0	5	60	60
28	33	47	49	55	37	43	3	20	10	2.0	5	65	65
30	35	49	51	55	39	45	3	20	10	2.0	5	65	65
32	38	54	58	55	42	48	3	20	10	2.0	5	65	65
33	38	54	58	55	42	48	3	20	10	2.0	5	65	65
35	40	56	60	55	44	50	3	20	10	2.0	5	65	65
38	43	59	63	62	49	56	4	23	13	2.0	6	75	75
40	45	61	65	62	51	58	4	23	13	2.0	6	75	75
43	48	64	68	62	54	61	4	23	13	2.0	6	75	75
45	50	66	70	62	56	63	4	23	13	2.0	6	75	75
48	53	69	73	72	59						6	85	85
50	55	71	75	71	62	70	4	25	14	2.5	6	85	85
53	58	78	83	71	65	73	4	25	14	2.5	6	85	85
55	60	80	85	71	67	75	4	25	14	2.5	6	85	85
58	63	83	88	71	70	78	4	25	14	2.5	6	85	85
60	65	85	90	81	72	80	4	25	14	2.5	6	95	95
63	68	88	93	81	75	83	4	25	14	2.5	6	95	95
65	70	90	95	81	77	85	4	25	14	2.5	6	95	95
70	75	99	104	79	83	92	4	28	16	2.5	7	95	95
75	80	104	109	89	88	97	4	28	16	2.5	7	105	105
80	85	109	114	87	95	105	4	28	18	3.0	7	105	105
85	90	114	119	87	100	110	4	28	18	3.0	7	105	105
90	95	119	124	87	105	115	4	28	18	3.0	7	105	105
95	100	124	129	87	110	120	4	28	18	3.0	7	105	105
100	105	129	134	87	115	125	4	28	18	3.0	7	105	105

MSE40A



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- O-rings
- O-rings
- Spring
- Metal frame
- 5a Set screws



SECTORS:









CHARACTERISTICS:

- Unbalanced.
- Single cylindrical spring.
- Dependent on the rotation direction.
- System attached to the shaft by allen screws.

OPERATING LIMITS:

 $d_1 = 20 \div 100 \text{ mm}$ p= 12 kg/cm²

 $t = -20 \div +200 \circ Q^*$ v= 15 m/s

DESCRIPTION:

Single mechanical seal with an extremely versatile and functional design.

The fact that it is attached to the shaft with screws allows this seal to be installed in a large variety of applications with differing mounting dimensions. Its structure allows secondary seals made of diffe rent materials to be used: FKM, Alas, FFKM, FEP, NBR, HNBR and materials complying with special standards such as FDA, USP, EC, etc.


Shaft		Rotary part			Station	ary part		Total length
mm	d₃	d₄	l ₃					l _i
20	34	36	46	36	42	23	18	69
22	36	38	46	38	44	23	18	69
24	38	40	46	40	46	23	18	69
25	39	41	47	41	47	23	18	70
28	42	44	49	44	50	23	20	72
30	44	46	49	46	52	23	20	72
32	46	48	52	48	54	23	18	75
33	47	49	52	49	55	23	18	75
35	49	51	55	51	57	23	18	78
38	54	58	57	58	64	25	20	82
40	56	60	57	60	66	25	20	82
43	59	63	57	63	69	25	20	82
45	61	65	57	65	71	25	20	82
48	64	68	64	68	74	25	20	89
50	66	70	68	70	76	25	20	93
53	69	73	69	73	79	25	20	94
55	71	75	71	75	81	25	20	96
58	76	83	71	83	89	28	20	99
60	78	85	74	85	91	28	22	102
63	81	88	74	88	94	28	22	102
65	83	90	78	90	96	28	22	106
68	86	93	78	93	99	30	22	106
70	90	95	79	95	101	30	24	109
75	95	104	84	104	110	30	24	114
80	100	109	84	109	115	31	24	115
85	105	114	84	114	120	31	25	115
90	110	119	90	119	125	31	24	121
95	115	124	90	124	130	31	25	121
100	121	129	90	129	135	31	25	121

MSE40C



COMPONENTS:

- Rotating contact surface
- Stationary contact surface O-rings
- O-rings
- Spring Metal frame
- Set screws



SECTORS:









CHARACTERISTICS:

- Unbalanced.
- Single cylindrical spring.
- Dependent on the rotation direction.
- System attached to the shaft by allen screws.

OPERATING LIMITS:

 $d_1 = 20 \div 100 \text{ mm}$ p= 12 kg/cm²

 $t = -20 \div +200 \circ Q^*$ v= 15 m/s

DESCRIPTION:

Single mechanical seal with an extremely versatile and functional design.

The fact that it is attached to the shaft with screws allows this seal to be installed in a large variety of applications with differing mounting dimensions. Its structure allows secondary seals made of diffe rent materials to be used: FKM, Alas, FFKM, FEP, NBR, HNBR and materials complying with special standards such as FDA, USP, EC, etc.

Shaft		Rotary part						Total length
mm	d₃	d₄	l ₃	d_6				I _I
20	34.50	39.05	35.50	29.06	33.32	3.50	9.0	44.50
22	34.93	39.93	35.50	30.66	34.93	3.50	9.0	44.50
25	38.10	43.10	39.00	33.84	39.85	3.50	10.0	49.00
28	42.86	47.86	41.00	37.01	43.05	3.50	10.0	51.00
30	45.50	50.50	41.00	38.61	44.63	3.50	10.0	51.00
32	47.00	52.00	44.00	40.28	46.32	3.50	10.0	54.00
35	50.00	55.00	47.00	43.46	49.48	3.50	10.0	57.00
38	53.00	58.00	47.00	46.63	52.56	3.50	10.0	57.00
40	55.00	60.00	47.00	48.13	54.25	3.50	10.0	57.00
45	60.00	65.00	47.00	52.98	59.02	3.50	10.0	57.00
48	61.91	66.91	55.00	57.66	63.68	4.50	10.0	65.00
50	66.00	71.00	58.50	59.33	65.37	4.50	10.0	68.50
55	71.00	76.00	60.00	64.01	70.03	4.50	10.0	70.00
60	77.00	82.00	63.00	70.36	76.38	4.50	10.0	73.00
65	82.00	87.00	66.00	75.21	81.23	4.50	10.0	76.00
70	87.00	92.00	66.00	79.88	85.90	4.50	10.0	76.00
75	91.50	96.50	71.00	84.73	90.77	4.50	10.0	81.00
80	99.50	104.50	77.50	94.26	100.29	4.50	10.0	87.50
85	105.50	110.50	77.50	98.93	104.77	4.50	10.0	87.50
90	110.50	115.50	82.00	113.78	109.82	4.50	10.0	92.00
95	115.50	120.50	82.00	108.46	114.33	4.50	10.0	92.00
100	120.00	125.50	82.00	113.31	119.33	4.50	10.0	92.00

MSEB84



COMPONENTS:

- Rotating contact surface
- O-rings Metal bellows.
- Set screws
- Metal frame

SECTORS:







CHARACTERISTICS:

- Balanced.
- Spiral-wound metal bellows.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 18 \div 100 \,\text{mm}$ p= 20 kg/cm²

v= 25 m/s $t = -40 \div +200 \circ (7^*)$

DESCRIPTION:

Balanced by the bellows, without the need for a stepped shaft (models MSE10B, MSE20B). Suitable for working in applications with high pressures. The O-ring resting on the shaft does not cause wear as there is no axial movement (changes in pressure). Recommended for working with sticky or viscous luids that require cleaning processes (CIP) or-sterili sation processes (SIP) in situ due to the geometry of the spiral-wound bellows.

This seal may be supplied with any of the statio nary parts shown in pages 56 and 57. for mea surements in mm, and 58 for the measurements in inches.

Dimensions in mm

Shaft		Rotary part	t
mm	d₃	d ₄	l ₃
18	31	34	31,5
20	31	36	31,5
22	31	38	31,5
24	36	40	36,7
25	36	41	37
28	39	44	37,5
30	42	46	38
32	46	48	43
33	46	49	43
35	48,5	51	43
38	51,5	58	42
40	54	60	42
43	58,4	63	47
45	58,4	65	47
48	63,7	68	47
50	63,7	70	46,5
53	69	73	56,5
55	71	75	56,5
58	73,3	83	56,5
60	76,7	85	56,5
63	79,4	88	56,5
65	83	90	66,5
68	87,8	93	66,5
70	87,8	95	65,5
75	94	104	65,5
80	100,6	109	75
85	106	114	75
90	110,3	119	75
95	114,9	124	75
100	121,3	129	75

Dimensions in mm


Sh	aft		Rotary part	
(")	mm	d₃	d ₄	l ₃
0,750	19,05	31	34,9	31,5
0,875	22,23	36	38,1	37
1,000	25,40	39	41,3	37,5
1,125	28,58	42	44,5	38
1,250	31,75	46	47,6	43
1,375	34,93	48,5	50,8	43
1,500	38,10	51,5	57,2	42
1,625	41,28	58,4	60,3	47
1,750	44,45	58,4	63,5	47
1,875	47,63	63,7	66,7	46,5
2,000	50,80	63,7	69,9	46,5
2,125	53,98	69	73	56,5
2,250	57,15	73,3	76,2	56,5
2,375	60,33	76,7	79,4	56,5
2,500	63,50	79,4	82,6	56,5
2,625	66,68	83	85,7	66,5
2,750	69,85	87,8	96	65,5
2,875	73,03	94	99	65,5
3,000	76,20	94	100	65,5
3,125	79,38	100,6	104	75
3,250	82,55	100,6	108	75
3,375	85,73	106	Ш	75
3,500	88,90	110,3	115	75
3,625	92,08	114,9	118	75
3,750	95,25	114,9	121	75
3,875	98,43	121,3	124	75
4,000	101,60	121,3	127	75

MSEMB85



COMPONENTS:

- Rotating contact surface
- Stationary contact surface O-rings
- O-rings
- Metal bellows
- Metal frame
- Set screws



SECTORS:



CHARACTERISTICS:

- Balanced.
- Welded metal bellows.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_i = 16 \div 100 \,\text{mm}$ p= 20 kg/cm²

t= -40÷ +200oC v= 25 m/s

-40÷ +200 °C(up to 400° C with a special design) ()

DESCRIPTION:

Internally balanced, with no need for a stepped shaft (models MSEWS10B, MSEMS20B). The O-ring resting on the shaft does not cause wear as there is no axial movement. Appropriate for applications with sticky or high viscosity luids as its open leaf design genera tes a self-cleaning effect. In addition it is suitable for application at moderate pressures and high tempe ratures (for up to 400° C please enquire) and very aggressive luids in chemical and mechanical terms. Very often used in compressors.

Dimensions in mm

Shaft		Rotary part	
mm	d₃	d ₄	l ₃
16	30	34	32,5
18	32	36	30,5
20	33,5	37,5	30,5
22	36,5	40,5	30,5
24	39	43	28,5
25	39,6	43	28,5
28	42,8	46,8	31
30	45	49	31
32	46	50	31
33	48	52	31
35	49,2	63,2	31
38	52,3	56,3	31
40	55,5	59,5	31
43	57,5	61,5	31
45	58,7	62,7	31
48	61,9	65,9	31
50	65	69	32,5
53	68,2	72,2	32,5
55	70	74	32,5
58	71,7	75,7	37,5
60	74,6	78,6	37,5
63	79	83	37,5
65	84,1	88,1	37,5
68	87,3	91,3	34,5
70	87,3	91,3	42
75	95	99	42
80	98,4	102,4	41,8
85	104,7	108,7	41,8
90	111	115	46,8
95	114	118	47,8
100	117,4	121,4	47,8

Dimensions in inches

Sh	aft		Rotary part		S	Total length		
(")	mm	d ₃	d ₄	l ₃	d_6	d_7	l ₄	l _i
0,750	19,05	34	38	30,5	29,5	35	11,5	42
0,875	22,23	39	43	28,5	33,5	39	11,5	40
1,000	25,40	39,6	43,6	28,5	34,5			40
1,125	28,58	42,8	46,8	31	37,5	43	11,5	42,5
1,250	31,75	46	50	31	42,5	48	11,5	42,5
1,375	34,93	49,2	53,2	31	44,5	50	11,5	42,5
1,500	38,10	52,5	56,5	31	49,5	56	14	45
1,625	41,28	55,5	59,5	31	54,5	61	14	45
1,750	44,45	59,5	63,5	31	56,5	63	14	45
1,875	47,63	62,5	66,5	31	59,5	66	14	45
2,000	50,80	65	69	32,5	62,5	70	15	47,5
2,125	53,98	68,2	72,2	32,5	67,5	75	15	47,5
2,250	57,15	71,7	75,7	37,5	70,5	78	15	52,5
2,375	60,33	75	79	37,5	72,5	80	15	52,5
2,500	63,50	79	83	37,5	75,5	83	15	52,5
2,625	66,68	84, I	88, I	34,5	81,5	90	18	52,5
2,750	69,85	87,3	91,3	42	83,5	92	18	60
2,875	73,03	92	96	42	88,5	97	18	60
3,000	76,20	95	99	42	88,5	97	18	60
3,125	79,38	98,4	102,4	41,8	95,5	105	18,2	60
3,250	82,55	101,6	105,6	41,8	100,5	110	18,2	60
3,375	85,73	104,7	108,7	41,8	100,5	110	18,2	60
3,500	88,90	108	112	46,8	105,5	115	18,2	65
3,625	92,08	Ш	115	46,8	105,5	115	18,2	65
3,750	95,25	114	118	47,8	110,5	120	17,2	65
3,875	98,43	117,5	121,5	47,8	115,5	125	17,2	65
4,000	101,60	119	123	47,8	115,5	125	17,2	65




MSEMB86



COMPONENTS:

- l Rotating contact surface
- 3 Graphite wedge
- 4 Metal bellows
- 5 Metal frame
- 5a Set screws
- 5b Tightening screw



SECTORS:



CHARACTERISTICS:

- Balanced.
- · Graphite wedge
- Welded metal bellows.
- Not dependent on the rotation direction.

OPERATING LIMITS:

 $d_1 = 25 \div 100 \,\text{mm}$ p= 20 kg/cm²

v = 25 m/s $t = -75 \div -425 \circ Q^*$

(*) The temperature resistance depends on the material of the

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Internally balanced, with no need for a stepped shaft (models MSEWS10B, MSEMS20B). The graphite wedge allwos applications at very high temperatures. Appropriate for applications with sticky or high vis cosity luids as its open leaf design generates a self-cleaning effect.

In addition it is suitable for application at moderate pressures well as with very aggressive luids, both chemically and mechanically terms. Very often used in compressors.

This seal may be supplied with any of the statio nary parts shown in pages 56 and 57. for mea surements in mm, and 58 for the measurements in inches.

DIMENSIONS CHART

Dimensions in mm

Shaft		Rotary part	
mm	d ₃	d₄	l ₃
25	41,28	46,28	38,89
28	44,45	49,45	39,67
32	47,63	52,63	40,46
35	50,80	55,80	40,46
38	53,98	58,98	40,46
40	57,15	62,15	40,46
45	60,33	65,33	41,28
48	63,50	68,50	41,28
50	66,68	71,68	42,06
55	69,85	74,85	42,06
60	76,20	81,20	43,66
65	82,55	87,55	44,45
70	88,90	93,90	45,24
75	96,82	101,82	47,63
80	101,60	106,60	47,63
85	107,95	112,95	47,63
90	111,13	116,13	47,63
95	117,48	122,48	47,63
100	123,83	128,83	47,63

Dimensions subject to changes or modifications

Dimensions in inches


Sh	aft		Rotary part	
(")	mm	d_3	d₄	l ₃
1,000	25,40	41,28	46,28	38,89
1,125	28,58	44,45	49,45	39,67
1,250	31,75	47,63	52,63	40,46
1,375	34,93	50,80	55,80	40,46
1,500	38,10	53,98	58,98	40,46
1,625	41,28	57,15	62,15	40,46
1,750	44,45	60,33	65,33	41,28
1,875	47,63	63,50	68,50	41,28
2,000	50,80	66,68	71,68	42,06
2,125	53,98	69,85	74,85	42,06
2,250	57,15	73,03	78,03	43,66
2,375	60,33	76,20	81,20	43,66
2,500	63,50	82,55	87,55	44,45
2,625	66,68	85,73	90,73	45,24
2,750	69,85	88,90	93,90	45,24
2,875	73,03	93,65	98,65	47,63
3,000	76,20	96,82	101,82	47,63
3,125	79,38	101,60	106,60	47,63
3,250	82,55	104,78	109,78	47,63
3,375	85,73	107,95	112,95	47,63
3,500	88,90	111,13	116,13	47,63
3,625	92,08	114,30	119,30	47,63
3,750	95,25	117,48	122,48	47,63
3,875	98,43	120,65	125,65	47,63
4,000	101,60	123,83	128,83	47,63

MSERB00



COMPONENTS:

- l Rotating contact surface
- Stationary contact surface Bellows
- 3a Elastomeric cup
- 4 Spring
- 5 Ring
- 5a Drive ring
- 5b Metal frame



SECTORS:



CHARACTERISTICS:

- Balanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_1 = 9.52 \div 101.60 \text{ mm } p = 14 \text{ kg/cm}^2$

v= 13 m/s

 $t = -20 \div +200 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Mechanical seal with a simple, compact design for all-purpose use and in particular in applications with moderate pressures (up to 14 kg/cm $\,$) such as pumps and compressors.

DIMENSIONS CHARTEON

Dimensions in inches

SI	naft	F	Rotary part						Total length
(")	mm	ď	d,	l ₃				l ₆	l _i
3/8	9.52	28	32	25	11.0	24.6	8.7	7.1	33.7
1/2	12.70	32	36	25	13.5	27.8	8.7	7.1	33.7
5/8	15.88	35	39	25	17.0	30.9	10.5	8.7	35.5
3/4	19.05	40	44	25	20.0	34.1	10.5	8.7	35.5
13/16	20.63	41	45	25	22.0	35.7	10.5	8.7	35.5
7/8	22.22	43	47	25	23.0	37.3	10.5	8.7	35.5
1	25.40	47	51	25	26.5	40.5	10.5	8.7	35.5
I I/8	28.57	56	60	33	29.5	47.6	12.0	10.3	45.0
1 1/4	31.75	59	63	33	32.5	50.8	12.0	10.3	45.0
I 3/8	34.92	63	67	33	36.5	54.0	12.0	10.3	45.0
1 1/2	38.10	67	71	33	39.5	57.1	12.0	10.3	45.0
1 5/8	41.27	71	75	33	42.5	60.3	12.0	10.3	45.0
1 3/4	44.45	74	78	41	46.0	63.5	12.0	10.3	53.0
1 7/8	47.62	77	81	41	49.0	66.7	12.0	10.3	53.0
2	50.80	81	85	41	52.0	69.8	13.5	12.0	54.5
2 1/8	53.97	84	88	41	55.5	73.I	13.5	12.0	54.5
2 1/4	57.15	88	92	41	58.5	76.2	13.5	12.0	54.5
2 3/8	60.32	91	95	41	61.5	79.4	13.5	12.0	54.5
2 1/2	63.50	94	98	41	65.0	82.5	13.5	12.0	54.5
2 5/8	66.67	100	104	49	68.0	92.I	16.0	14.3	65.0
2 3/4	69.85	103	107	49	71.0	95.2	16.0	14.3	65.0
2 7/8	73.02	108	112	52	74.5	98.4	16.0	14.3	68.0
3	76.20	Ш	115	52	77.5	101.6	16.0	14.3	68.0
3 1/8	79.37	118	122	56	80.5	111.1	20.0	18.3	76.0
3 1/4	82.55	121	125	56	84.0	114.3	20.0	18.3	76.0
3 3/8	85.72	125	129	56	87.0	117.5	20.0	18.3	76.0
3 1/2	88.90	128	132	56	90.5	120.6	20.0	18.3	76.0
3 5/8	92.07	131	135	59	93.5	123.8	20.0	18.3	79.0
3 3/4	95.25	134	138	59	96.5	127.0	20.0	18.3	79.0
3 7/8	98.42	139	143	62	100.0	130.2	20.0	18.3	82.0
4	101.60	142	146	62	103.0	133.3	20.0	18.3	82.0





MSERBOOU and MSERBOOL



COMPONENTS:

- Rotating contact surface
- 2 Stationary contact surface
- 3 Bellows
- 3a Elastomeric cup
- 4 Spring
- 5 Ring
- 5a Drive ring
- 5b Metal frame





DIMENSIONS CHART MSERBOOU Dimensions in inches

Sh	naft		Rotary part			Stationa	ry part		Total length
(")	mm	d₃	d₄	₃	d_6	d_7	4	l ₆	I _I
5/8	15.88	27.8	31.8	33.3	23.80	31.75	10.3	8.7	43.6
3/4	19.05	30.9	34.9	33.3	26.98	34.93	10.3	8.7	43.6
7/8	22.23	34.1	38.1	33.3	30.15	38.10	10.3	8.7	43.6
1	25.40	38.1	42.1	39.7	33.32	41.28	11.1	9.5	50.8
1 1/8	28.58	41.3	45.3	41.3	36.50	44.44	11.1	9.5	52.4
1 1/4	31.75	46.0	50.0	41.3	39.70	47.63	11.1	9.5	52.4
1 3/8	34.93	47.6	51.6	42.9	42.84	50.80	11.1	9.5	54.0
1 1/2	38.10	50.8	54.8	42.9	46.05	53.98	11.1	9.5	54.0
1 5/8	41.28	57.2	61.2	50.8	50.80	60.33	12.7	11.1	63.5
1 3/4	44.45	60.4	64.4	50.8	53.97	63.50	12.7	11.1	63.5
1 7/8	47.63	63.5	67.5	54.0	57.15	66.68	12.7	11.1	66.7
2	50.80	66.7	70.7	54.0	60.32	69.85	12.7	11.1	66.7
2 1/8	53.98	71.4	75.4	60.3	60.32	76.20	14.2	12.7	74.5
2 1/4	57.15	74.6	78.6	60.3	61.90	79.38	14.2	12.7	74.5
2 3/8	60.33	78.3	82.3	63.5	67.39	82.55	14.2	12.7	77.7
2 1/2	63.50	81.0	85.0	63.5	68.25	85.73	14.2	12.7	77.7
2 5/8	66.68	85.7	89.7	69.9	71.42	85.73	15.8	14.5	85.7
2 3/4	69.85	88.9	92.9	69.9	74.60	88.90	15.8	14.5	85.7
2 7/8	73.03	92.1	96.1	73.0	77.77	95.25	15.8	14.5	88.8
3	76.20	95.3	99.3	73.0	80.95	98.43	15.8	14.5	88.8
3 1/8	79.38	101.6	105.6	79.4	84.12	101.60	19.8	16.6	99.2
3 1/4	82.55	104.8	108.8	79.4	87.30	104.78	19.8	16.6	99.2
3 3/8	85.73	108.0	112.0	79.4	90.47	107.95	19.8	16.6	99.2
3 1/2	88.90	111.1	115.1	79.4	93.65	111.13	19.8	16.6	99.2
3 5/8	92.08	114.3	118.3	82.6	96.82	114.30	19.8	16.6	102.4
3 3/4	95.25	117.7	121.7	82.6	100.00	117.48	19.8	16.6	102.4
3 7/8	98.43	120.7	124.7	85.7	103.17	120.65	19.8	16.6	105.5
4	101.60	123.8	127.8	85.7	106.35	123.85	19.8	16.6	105.5

Dimensions subject to changes or modifications.

DIMENSIONS CHART MSERBOOL Dimensions in inches

Sh	aft		Rotary part	:		Station	ary part		Total length
(")	mm	d₃	d₄	l ₃	d_6	d_7	l ₄	l ₆	I _I
	15.00		21.0			20.0	10.5		
5/8	15.88	27.8	31.8	44	17.0	30.9	10.5	8.7	54.5
3/4	19.05	30.9	34.9	44	20.0	34.1	10.5	8.7	54.5
7/8	22.23	34.1	38.1	44	23.0	37.3	10.5	8.7	54.5
I	25.40	38.1	42.1	44	26.5	40.5	10.5	8.7	54.5
1 1/8	28.58	41.3	45.3	60	29.5	47.6	12.0	10.3	72.0
1 1/4	31.75	46.0	50.0	60	32.5	50.8	12.0	10.3	72.0
1 3/8	34.93	47.6	51.6	60	36.5	54.0	12.0	10.3	72.0
I I/2	38.10	50.8	54.8	60	39.5	57. I	12.0	10.3	72.0
1 5/8	41.28	57.2	61.2	60	42.5	60.3	12.0	10.3	72.0
I 3/4	44.45	60.4	64.4	71	46.0	63.5	12.0	10.3	83.0
1 7/8	47.63	63.5	67.5	71	49.0	66.7	12.0	10.3	83.0
2	50.80	66.7	70.7	71	52.0	69.8	13.5	12.0	84.5
2 1/8	53.98	71.4	75.4	71	55.5	73.1	13.5	12.0	84.5
2 1/4	57.15	74.6	78.6	71	58.5	76.2	13.5	12.0	84.5
2 3/8	60.33	78.3	82.3	71	61.5	79.4	13.5	12.0	84.5
2 1/2	63.50	81.0	85.0	71	65.0	82.5	13.5	12.0	84.5
2 5/8	66.68	85.7	89.7	70	68.0	92.1	16.0	14.3	86.0
2 3/4	69.85	88.9	92.9	70	71.0	95.2	16.0	14.3	86.0
2 7/8	73.03	92.1	96.1	73	74.5	98.4	16.0	14.3	89.0
3	76.20	95.3	99.3	73	77.5	101.6	16.0	14.3	89.0
3 1/8	79.38	101.6	105.6	79	80.5	111.1	20.0	18.3	99.0
3 1/4	82.55	104.8	108.8	79	84.0	114.3	20.0	18.3	99.0
3 3/8	85.73	108.0	112.0	79	87.0	117.5	20.0	18.3	99.0
3 1/2	88.90	111.1	115.1	79	90.5	120.6	20.0	18.3	99.0
3 5/8	92.08	114.3	118.3	83	93.5	123.8	20.0	18.3	103.0
3 3/4	95.25	117.7	121.7	83	96.5	127.0	20.0	18.3	103.0
3 7/8	98.43	120.7	124.7	86	100.0	130.2	20.0	18.3	106.0
4	101.60	123.8	127.8	86	103.0	133.3	20.0	18.3	106.0



MSERB01-MSERB01S -MSERB04 - MSERB04A and MSERB06

SECTORS:



COMPONENTS:

- Rotating contact surface Stationary contact surface
- Bellows
- Elastomeric cup
- Spring
- Ring
- 5a Drive ring5b Metal frame













CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_1 = 9.52 \div 101.60 \text{ mm p} = 10 \text{ kg/cm}^3$

v= 10 m/s


 $t = -15 \div +200 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Mechanical seal with a simple design for general use. Type MSERB04/ MSERB04A are standardised models in ac cordance with EN 12756 (KU).



DIMENSIONS CHARREOI Dimensions in inches

S	ihaft		Rotary par	t		Statio	onary pai	t		Total length
(")	mm	d₃	d ₄	l ₃	d ₆	d_7	I ₄	I ₅	l ₆	I _I
3/8	9.52	23.80	28.80	22.20	15.90	22.22	6.3	1.3	5.1	28.50
1/2	12.70	23.80	28.80	20.60	19.05	25.40	8.0	1.3	5. l	28.60
5/8	15.88	26.50	31.50	22.20	22.20	31.75	10.3	1.3	7.5	32.50
3/4	19.05	30.50	35.50	22.20	25.40	34.93	10.3	1.3	7.5	32.50
7/8	22.20	34.00	39.50	24.00	28.60	38.10	10.3	1.3	7.5	34.30
1	25.40	40.00	45.00	25.40	31.80	41.28	11.0	1.3	8.3	36.40
1 1/8	28.60	44.50	49.50	27.00	35.70	44.45	11.0	1.3	8.3	38.00
1 1/4	31.75	46.50	52.00	27.00	38.90	47.66	11.0	1.3	8.3	38.00
1 3/8	34.92	51.50	56.50	28.50	42.10	50.80	11.0	1.3	8.3	39.50
1 1/2	38.10	54.00	60.00	28.50	45.20	54.00	11.0	1.3	8.3	39.50
1 5/8	41.27	58.00	63.00	35.00	48.80	60.30	12.7	1.3	9.8	47.70
I 3/4	44.45	61.50	66.50	35.00	51.60	63.50	12.7	1.3	9.8	47.70
1 7/8	47.62	65.50	70.50	38.00	54.80	66.65	12.7	1.3	9.8	50.70
2	50.80	70.50	75.50	38.00	58.00	69.85	12.7	1.3	9.8	50.70
2 1/8	53.97	75.00	80.00	43.00	62.00	76.20	14.3	1.3	11.4	57.30
2 1/4	57.15	79.00	84.00	43.00	65.00	79.40	14.3	1.3	11.4	57.30
2 3/8	60.32	82.00	87.00	46.00	68.00	82.55	14.3	1.3	11.4	60.30
2 1/2	63.50	87.00	92.00	46.00	71.20	85.70	14.3	1.3	11.4	60.30
2 5/8	66.68	88.00	96.50	49.20	71.00	85.70	15.9	1.3	13.2	65.10
2 3/4	69.85	90.00	98.00	49.20	74.60	88.90	15.9	1.3	13.2	65.10
2 7/8	73.03	95.00	104.00	52.40	77.80	95.25	15.9	1.3	13.2	68.30
3	76.20	99.00	104.00	52.40	81.00	98.43	15.9	1.3	13.2	68.30
3 1/8	79.38	104.00	109.00	55.50	80.10	101.60	19.8	1.3	15.4	74.90
3 1/4	82.55	109.00	114.00	55.50	87.30	104.78	19.8	1.3	15.4	74.90
3 3/8	85.73	109.00	114.00	55.50	90.50	107.95	19.8	1.3	15.4	74.90
3 1/2	88.90	114.00	119.00	55.50	93.60	111.13	19.8	1.3	15.4	74.90
3 5/8	92.08	119.00	124.00	58.70	96.80	114.30	19.8	1.3	15.4	78.50
3 3/4	95.25	119.00	124.00	58.70	100.00	117.48	19.8	1.3	15.4	78.50
3 7/4	98.43	124.00	129.00	61.90	103.10	120.65	19.8	1.3	15.4	81.70
4	101.60	124.00	129.00	61.90	106.30	123.83	19.8	1.3	15.4	81.70

Dimensions subject to changes or modifications.


DIMENSIONS CHARTBOIS Dimensions in inches

Sh	naft	ı	Rotary pa	rt		Sta	ntionary pa	art		Total length
(")	mm	d ₃	d₄	l ₃	d_{ϵ}	d_7	I ₄	l _s	l ₆	l _l
							·			
3/8	9.52	22	27	25.4	16	24.6	8.7	1.3	6.2	34.1
1/2	12.70	26	31	25.4	19	27.8	8.7	1.3	6.2	34.1
5/8	15.88	32	37	25.4	22	30.9	10.3	1.3	9.0	35.7
3/4	19.05	36	41	25.4	25	34.1	10.3	1.3	9.0	35.7
7/8	22.20	39	44	25.4	28	37.3	10.3	1.3	9.0	35.7
1	25.40	42	47	25.4	32	40.5	10.3	1.3	9.0	35.7
1 1/8	28.60	46	51	33.3	36	47.6	12.0	1.3	9.2	45.5
1 1/4	31.75	49	54	33.3	39	50.8	12.0	1.3	9.2	45.5
1 3/8	34.92	54	59	33.3	42	53.9	12.0	1.3	9.2	45.5
1 1/2	38.10	59	64	33.3	45	57.1	12.0	1.3	9.2	45.5
1 5/8	41.27	61	66	33.3	48	60.3	12.0	1.3	9.2	45.5
I 3/4	44.45	64	69	40.5	52	63.5	12.0	1.3	9.2	52.5
1 7/8	47.62	66	71	40.5	55	66.7	12.0	1.3	9.2	52.5
2	50.80	69	74	40.5	58	69.8	13.5	1.3	10.7	54.0
2 1/8	53.97	78	83	41.0	62	73.1	13.5	1.3	10.7	54.5
2 1/4	57.15	80	85	41.0	65	76.2	13.5	1.3	10.7	54.5
2 3/8	60.32	83	88	41.0	68	79.4	13.5	1.3	10.7	54.5
2 1/2	63.50	85	90	41.0	71	82.5	13.5	1.3	10.7	54.5
2 5/8	66.68	90	95	49.0	78	92.1	15.9	1.3	13.2	64.9
2 3/4	69.85	95	100	49.0	81	95.2	15.9	1.3	13.2	64.9
2 7/8	73.03	99	104	49.0	84	98.4	15.9	1.3	13.2	64.9
3	76.20	99	104	49.0	88	101.6	15.9	1.3	13.2	64.9
3 1/8	79.38	104	109	56.0	94	111.1	20.0	1.3	17.2	76.0
3 1/4	82.55	109	114	56.0	97	114.3	20.0	1.3	17.2	76.0
3 3/8	85.73	109	114	56.0	100	117.5	20.0	1.3	17.2	76.0
3 1/2	88.90	114	119	56.0	103	120.6	20.0	1.3	17.2	76.0
3 5/8	92.08	119	124	59.0	106	123.8	20.0	1.3	17.2	79.0
3 3/4	95.25	119	124	59.0	109	127.0	20.0	1.3	17.2	79.0
3 7/4	98.43	124	129	62.0	113	130.2	20.0	1.3	17.2	82.0
4	101.60	124	129	62.0	116	133.3	20.0	1.3	17.2	82.0



DIMENSIONS CHART MSERB04 / MSERB04A Dimensions in mm

Shaft		Rota	ry part				Station	ary part			Total lengt
mm	d ₃	d_4	l ₃	I_{3A}	d ₆	d_7	I_4	I_{4A}	l _s	l ₆	l _i
10	20	25	23.9		17	21	8.6		1.5	4	32.5
12	22	27	23.9	26	19	23	8.6	6,5	1.5	4	32.5
14	24	29	26.4		21	25	8.6		1.5	4	35.0
16	26	31.5	26.4	24.7	23	27	8.6	10.3	1.5	4	35.0
18	32	37	27.5		27	33	10.0		2.0	4	37.5
20	34	39.5	27.5		29	35	10.0		2.0	5	37.5
22	36	41	27.5	26.5	31	37	10.0	- 11	2.0	5	37.5
24	38	45	30.0	29.0	33	39	10.0	П	2.0	5	40.0
25	39	45	30.0	29.0	34	40	10.0	- 11	2.0	5	40.0
28	42	49.5	32.5	31.5	37	43	10.0	11	2.0	5	42.5
30	44	52	32.5	31.5	39	45	10.0	- 11	2.0	5	42.5
32	46	52	32.5	31.5	42	48	10.0	- 11	2.0	5	42.5
33	47	55.5	32.5	31.5	42	48	10.0	- 11	2.0	5	42.5
35	49	56.5	32.5	31.5	44	50	10.0	- 11	2.0	5	42.5
38	54	60	34.0		49	56	11.0		2.0	6	45.0
40	56	63	34.0	32.3	51	58	11.0	12.7	2.0	6	45.0
43	59	66.5	34.0	32.3	54	61	11.0	12.7	2.0	6	45.0
45	61	66.5	34.0	32.3	56	63	11.0	12.7	2.0	6	45.0
48	64	70.5	34.0	32.3	59	66	11.0	12.7	2.0	6	45.0
50	66	75	34.5	34.8	62	70	13.0	12.7	2.5	6	47.5
53	69	79	34.5	33.2	65	73	13.0	14.3	2.5	6	47.5
55	71	81	34.5	33.2	67	75	13.0	14.3	2.5	6	47.5
58	78	84	39.5	38.2	70	78	13.0	14.3	2.5	6	52.5
60	80	87	39.5	38.2	72	80	13.0	14.3	2.5	6	52.5
63	83	91	39.5	38.2	75	83	13.0	14.3	2.5	6	52.5
65	85	92	39.5	36.5	77	85	13.0	16	2.5	6	52.5
68	88	96.5	37.2	36.5	81	90	15.3	16	2.5	7	52.5
70	90	98	44.7	44.0	83	92	15.3	16	2.5	7	60.0
75	99	104	44.7		88	97	15.3		2.5	7	60.0
80	104	109	44.3		95	105	15.7		3.0	7	60.0
85	109	114	44.3		100	110	15.7		3.0	7	60.0
90	114	119	49.3		105	115	15.7		3.0	7	65.0
95	119	124	49.3		110	120	15.7		3.0	7	65.0
100	124	129	49.3		115	125	15.7		3.0	7	65.0




Dimensions subject to changes or modifications.

DIMENSIONS CHART MSERB06

Dimensions in mm

Shaft		Rotary par	t		St	ationary part			Total length
mm	d₃	d₄	l ₃	d_6	d_7	I_4	I ₅	I ₆	I ₁
10	20	25	25.4	16.0	24.6	8.7	1.5	7.5	34.1
12	22	27	25.4	19.0	27.8	8.7	1.5	7.5	34.1
13	24	29	25.4	19.0	27.8	8.7	1.5	7.5	34.1
14	24	29	25.4	22.2	30.9	10.3	1.5	7.5	34.1
15	26	31	25.4	22.2	30.9	10.3	1.5	7.5	35.7
16	26	31	25.4	22.2	30.9	10.3	1.5	7.5	34.1
18	32	37	25.4	25.4	34.1	10.3	1.5	7.5	34.1
19	34	39	25.4	25.4	34.I	10.3	1.5	7.5	34.1
20	34	39	25.4	27.0	35.7	10.3	1.5	7.5	35.7
22	36	41	25.4	28.6	37.3	10.3	1.5	7.5	34.1
24	38	43	25.4	31.7	40.5	10.3	1.5	7.5	34.1
25	39	44	25.4	31.7	40.5	10.3	1.5	7.5	35.7
28	42	47	33.3	35.7	47.6	12.0	2.0	8.5	45.3
30	44	49	33.3	38.9	50.8	12.0	2.0	8.5	45.3
32	46	51	33.3	38.9	50.8	12.0	2.0	8.5	45.3
33	47	52	33.3	42.1	54.0	12.0	2.0	8.5	45.3
34	49	54	33.3	42.1	54.0	12.0	2.0	8.5	45.3
35	49	54	33.3	42.1	54.0	12.0	2.0	8.5	45.3
38	54	59	33.3	45.2	57.2	12.0	2.0	8.5	45.3
40	56	61	33.3	48.8	60.3	12.0	2.0	8.5	45.3
42	59	64	40.5	51.6	63.5	12.0	2.0	8.5	52.5
43	59	64	40.5	51.6	63.5	12.0	2.0	8.5	52.5
44	61	66	40.5	51.6	63.5	12.0	2.0	8.5	52.5
45	61	66	40.5	51.6	63.5	12.0	2.0	8.5	52.5
48	64	69	40.5	54.8	66.7	12.0	2.0	8.5	52.5
50	66	71	40.5	58.0	69.8	12.0	2.0	8.5	52.5
53	69	74	41.0	62.0	73.0	13.5	2.0	10.0	54.5
55	71	76	41.0	65.0	76.2	13.5	2.0	10.0	54.5
58	78	83	41.0	68.0	79.4	13.5	2.0	10.0	54.5
60	80	85	41.0	68.0	79.4	13.5	2.0	10.0	54.5
63	83	88	41.0	71.2	82.5	13.5	2.0	10.0	54.5
65	85	90	49.0	78.3	92.I	15.9	2.0	12.0	64.9
70	90	95	49.0	81.1	95.5	15.9	2.0	12.0	64.9
75	99	104	49.0	88.1	101.6	15.9	2.0	12.0	64.9
80	104	109	56.0	97.0	114.3	20.0	2.0	16.5	76.0
85	109	114	56.0	100.0	117.5	20.0	2.0	16.5	76.0
90	114	119	59.0	107.0	123.8	20.0	2.0	16.5	79.0
95	119	124	59.0	110.0	127.0	20.0	2.0	16.5	79.0
100	124	129	62.0	1160	1333	20.0	2.0	16.5	82.0




MSERB02



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- Bellows Elastomeric cup
- Spring
- Metal frame



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_1 = 9.52 \div 25.40 \text{ mm}$ p= 7 kg/cm²

v= 10 m/s $t = -15 \div +200 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Seal with a compact design for applications with low demands that require small diameters and often used for water pumps.

DIMENSIONS CHART Dimensions in inches

SH	naft		Rota	ry part			S	tationary par	t		Total length
(")	mm	d₃	d₄	d₅	I ₃	d₄	d_7	l ₄	I ₅	l ₆	l _l
3/8	9.52	23.80	28.80	17.46	16.00	14.3	22.22	6.2	1.3	5.1	22.2
1/2	12.70	26.97	31.97	20.63	18.30	17.5	25.40	8.0	1.3	5.1	26.3
5/8	15.88	30.94	35.94	23.81	18.70	20.6	31.75	10.3	1.3	7.5	29.0
3/4	19.05	34.11	39.11	26.98	18.70	23.8	34.93	10.3	1.3	7.5	29.0
1	25.40	42.85	47.85	33.33	20.60	30.2	41.28	11.0	1.3	7.5	31.6

MSERB03 - MSERB03A - MSERB03B



TYPE LRB03

COMPONENTS:

- Rotating contact surface
- 2 Stationary contact surface
- Bellows
- 3a Elastomeric cup
- 4 Spring
- Metal frame

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_i = 10 \div 30 \text{ mm}$ p= 6 kg/cm²

v = 10 m/s $t = -20 \div +100 \circ Q^*$

 $(^{\!\!\!\!/})$ The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Mechanical seal with a compact design and small dimensions which is ideal for simple hydromassage or drinking water pumps.

The rotating part is attached to the pump impeller, rotates together with it. The stationary part is secured to the housing on its external diameter.


DIMENSIONS CHARREO3

Dimensions in mm

Sha	aft	Rotar	y part			Stationary par	t	
(")	mm	d_7	<u>l</u> 4	d₃	d₄	d₅	l_2	l ₃
1/2	13	25.0	7.5	28.5	32.0	14.5	8.0	13.2
I/2 B	13	25.0	5.0	28.5	32.0	14.5	8.0	13.2
1/2 C	13	25.0	5.0	30.0	34.5	14.0	7.5	13.2
5/8	16	31.7	10.0	36.5	41.0	17.5	8.5	16.3
5/8 B	16	31.0	5.0	36.5	41.0	17.5	8.5	16.3
3/4	19	35.0	10.0	40.0	43.0	21.5	9.5	16.0
3/4 B	19	35.0	5.0	40.0	43.0	21.5	9.5	16.0
I	25	41.0	11.0	47.0	51.0	26.5	11.0	18.0
1 1/8	29	48.0	8.5	52.0	57.0	31.0	11.0	18.5

MSERB03A





TYPELRB03A

DIMENSIONS CHART MSERB03A

Dimensions in mm

Shaft	Rotai	ry part	Stationary part							
mm	d_7	I ₄	d₃	d₅	l ₂	l ₃				
10	23.0	4	27	11.0	7.5	14.0				
12	25.0	5	32	14.2	8.5	14.2				
16	31.0	5	41	18.2	10.0	16.8				
20	35.0	5	45	21.4	10.0	17.5				
25	41.3	П	52	26.4	11.5	20.0				
30	48.0	8	58	31.0	12.5	21.0				

Dimensions subject to changes or modifications.

MSERB03B



TYPE LRB03B

DIMENSIONS CHART MSERB03B

Dimensions in mm

Sha	ft				
mr	n	d ₃	d₄	d_7	- 1
12	12.0	30.00	35.0	25.0	17.7
12 B	12.0	28.55	32.0	25.0	17.7
12 C	12.0	33.40	38.0	25.0	17.5
13	13.0	30.00	35.0	25.0	17.7
15	15.0	36.50	41.5	30.0	20.0
16	16.0	36.50	41.5	30.0	20.0
16 B	16.0	38.10	41.3	28.5	20.0
20	20.0	40.00	43.7	37.0	22.0
20 B	20.0	38.00	43.7	37.0	22.0




MSERB05



COMPONENTS:

- Rotating contact surface Stationary contact surface
- 3 Bellows
- Elastomeric cup 3a
- Spring

- 5 Ring 5a Drive ring 5b Metal frame



SECTORS:



CHARACTERISTICS

- Unbalanced.
- Not dependent on the rotation direction.
- · Single cylindrical spring.

OPERATING LIMITS:

d₁=12 ÷ 25.4 mm p= 7 kg/cm ²

v = 10 m/st= -20 ÷ +100oC (*)

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

(*) The temperature resistance depends on the material of the

DESCRIPCIÓN:

secondary seals used.

Mechanical seal with a simple design for general use.


DIMENSIONS CHART Dimensions in mm

5	haft		Rotary part		Stationa	ıry part	Total length
(")	mm	d ₃	d_4	I_3	d ₇	I_4	l ₁
	12.00	23.30	28.30	16.30	24	4.5	20.8
	14.00	30.40	35.40	18.60	30	8.5	27.1
5/8	15.88	30.40	35.40	18.60	30	8.5	27.1
3/4	19.05	33.00	38.0	17.70	35	10.3	28.0
7/8	22.20	36.30	41.30	20.60	38	10.3	30.9
1	25.40	39.40	44.40	20.70	41.3	11.0	31.7

MSERBI7 - MSERBI7A - MSERBI7E - MSERBI7KU - LRBI7NU

SECTORS:





COMPONENTS:

- Rotating contact surface
- Bellows
- 4 5 Spring
- Ring
- Ring



CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_{1} = 10 \div 100 \, \text{mm}$ p= 12 kg/cm²

 $t = -15 \div +200 \circ Q^*$ v= 10 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

A versatile, robust single seal that is widely used in many different industrial and household applica tions.

The different type MSERB17 varieties can be combined with a wide range of stationary parts, thereby increasing its versatility due to the combination of different materials and working lengths.

MSERB17KU-L6 / MSERB17KU-L60: standardised dimen sions in accordance with standard EN 12756 (KU). MSERB17NU -L6 / MSERB17NU-L60: standardised dimensions in accordance with standard EN 12756 (NU).

DIMENSIONS CHARRBI7A

Dimensions in mm

Shaft		Rota	ry part		Stationary part					
mm	dı	d₃	d ₄	I _{3A}	d ₆	d_7	l ₄			
15	15	28	33	17	29	35	4			
20	20	37	42	21.5	29	35	7.5			
25	25	41	46	23	34	40	7.5			
30	30	48	53	24	45	51	9.5			
45	45	65	70	30	58	65	12.5			
55	55	80	85	43	67	76.5	14			

DIMENSIONS CHART MSERB17 - MSERB17E - MSERB17KU- MSERB17NU Dimensions in mm


Shaft			Rotary	part													S	tationary pa	art									
mm	d ₃	d ₄	l ₃	I _{3E}	I _{3KU}	I _{3NU}	d_6	d 7	d ₈	d ₁₁	d ₁₂	d ₁₄	d ₁₆	l ₅	l ₆	l ₇	l ₈	l ₉	I ₁₀	I ₁₁	I ₁₂	I ₁₃	I ₁₄	I ₁₅	I ₁₆	I ₁₇	l ₂₈	l ₂₉
10	22.5	25.0	14.5	25	25.9	33.4	17	21	3	15.5	19.2	11.0	24.60	1.5	4	8.5	17.5	10.0	7.5		7.5	-	6.6	1.2	3.8	7.5	6.6	9.0
12	25.0	27.5	15.0	25	25.9	33.4	19	23	3	17.5	21.6	13.5	27.80	1.5	4	8.5	17.5	10.0	7.5		6.5		5.6	1.2	3.8	7.5	6.6	9.0
14	28.5	32.0	17.0	25	28.4	33.4	21	25	3	20.5	24.6	17.0	30.95	1.5	4	8.5	17.5	10.0	7.5		6.5		5.6	1.2	3.8	9.0	6.6	10.5
15	28.5	32.0	17.0	25	-				-	20.5	24.6	17.0	30.95				-	-	-	-	7.5		6.6	1.2	3.8	9.0		10.5
16	28.5	32.0	17.0	25	28.4	33.4	23	27	3	22.0	28.0	17.0	30.95	1.5	4	8.5	17.5	10.0	7.5		8.5	-	7.5	1.5	5.0	9.0	6.6	10.5
18	32.0	34.5	19.5	25	30.0	37.5	27	33	3	24.0	30.0	20.0	34.15	2.0	5	9.0	19.5	11.5	8.5	12.5	9.0	10.0	8.0	1.5	5.0	9.0	7.5	10.5
20	37.0	39.5	21.5	25	30.0	37.5	29	35	3	29.5	35.0	21.5	35.70	2.0	5	9.0	19.5	11.5	8.5	12.5	8.5	9.5	7.5	1.5	5.0	9.0	7.5	10.5
22	37.0	39.5	21.5	25	30.0	37.5	31	37	3	29.5	35.0	23.0	37.30	2.0	5	9.0	19.5	11.5	8.5	12.5	8.5	9.5	7.5	1.5	5.0	9.0	7.5	10.5
24	42.5	45.0	22.5	25	32.5	42.5	33	39	3	32.0	38.0	26.5	40.50	2.0	5	9.0	19.5	11.5	8.5	12.5	8.5	9.5	7.5	1.5	5.0	9.0	7.5	10.5
25	42.5	45.0	23.0	25	32.5	42.5	34	40	3	32.0	38.0	26.5	40.50	2.0	5	9.0	19.5	11.5	8.5	12.5	8.5	9.5	7.5	1.5	5.0	9.0	7.5	10.5
28	49.0	51.5	26.5	33	35.0	42.5	37	43	3	36.0	42.0	29.5	47.65	2.0	5	9.0	19.5	11.5	8.5	14.0	10.0	11.0	9.0	1.5	5.0	10.5	7.5	12.0
30	49.0	51.5	26.5	33	35.0	42.5	39	45	3	39.2	45.0	32.5	50.80	2.0	5	9.0	19.5	11.5	8.5	14.0	11.5	11.0	10.5	1.5	5.0	10.5	7.5	12.0
32	53.5	56.0	27.5	33	35.0	47.5	42	48	3	42.2	48.0	32.5	50.80	2.0	5	9.0	19.5	11.5	8.5	14.0	11.5	11.0	10.5	1.5	5.0	10.5	7.5	12.0
33	53.5	56.0	27.5	33	35.0	47.5	42	48	3	44.2	50.0	36.5	54.00	2.0	5	9.0	19.5	11.5	8.5	14.5	12.0	11.5	11.0	1.5	5.0	10.5	7.5	12.0
35	57.0	59.5	28.5	33	35.0	47.5	44	50	3	46.2	52.0	36.5	54.00	2.0	5	9.0	19.5	11.5	8.5	14.5	12.0	11.5	11.0	1.5	5.0	10.5	7.5	12.0
38 40	59.0 62.0	61.5	30.0	33	36.0	46.0	49	56	4	49.2	55.0	39.5	57.15	2.0	6	9.0	22.0	14.0	10.0	14.5	11.3	11.5	10.3	1.5	5.0	10.5	9.0	12.0
43	65.5	68.0	30.0	33 41	36.0 36.0	46.0 51.0	51	58 61	4	52.2	58.0 62.0	42.5 46.0	60.35	2.0	6	9.0	22.0	14.0	10.0	14.5	11.8	11.5	10.8	1.5	5.0 6.0	10.5	9.0	12.0
45	68.0	70.5	30.0	41	36.0	51.0	56	63	4	55.3	64.0	46.0	63.50	2.0	6	9.0	22.0	14.0	10.0	17.0	12.8	14.3	11.6	2.0	6.0	10.5	9.0	12.0
48	70.5	73.0	30.5	41	36.0	51.0	59	66	4	59.7	68.4	49.0	66.70	2.0	6	9.0	22.0	14.0	10.0	17.0	12.8	14.3	11.6	2.0	6.0	10.5	9.0	12.0
50	74.0	74.5	30.5	41	38.0	50.5	62	70	4	60.8	69.3	52.0	69.85	2.5	6	9.0	23.0	15.0	10.5	17.0	12.8	14.3	11.6	2.0	6.0	12.0	9.5	13.5
53	78.5	82.5	33.0	41	36.5	59.0	65	73	4	63.8	72.3	55.5	73.05	2.5	6	9.0	23.0	15.0	12.0	17.0	13.5	14.3	12.3	2.0	6.0	12.0	11.0	13.5
55	81.0	85.5	35.0	41	36.5	59.0	67	75	4	66.5	75.4	58.5	76.20	2.5	6	9.0	23.0	15.0	12.0	18.0	14.5	15.3	13.3	2.0	6.0	12.0	11.0	13.5
58	85.5	89.5	37.0	41	41.5	59.0	70	78	4	69.5	78.4	61.5	79.40	2.5	6	9.0	23.0	15.0	12.0	18.0	14.5	15.3	13.3	2.0	6.0	12.0	11.0	13.5
60	85.5	92.5	38.0	41	41.5	59.0	72	80	4	71.5	80.4	61.5	79.40	2.5	6	9.0	23.0	15.0	12.0	18.0	14.5	15.3	13.3	2.0	6.0	12.0	11.0	13.5
65	93.5	97.5	40.0	49	41.5	69.0	11	85	4	76.5	85.4	68.0	92.10	2.5	6	9.0	23.0	15.0	12.0	18.0	14.2	15.3	13.0	2.0	6.0	14.5	11.0	16.0
68	96.5	100.5	40.0	49	41.2	68.7	81	90	4	82.7	91.5	71.0	95.25	2.5	7	9.0	26.2	18.0	12.5	19.0	14.9	16.0	13.7	2.0	6.0	14.5	11.3	16.0
70	99.5	103.5	40.0	49	48.7	68.7	83	92	4	83.0	92.0	71.0	95.25	2.5	7	9.0	26.2	18.0	12.5	18.0	14.2	15.3	13.0	2.0	6.0	14.5	11.3	16.0
75	107.0	111.0	40.0	52	48.7	68.7	88	97	4	90.2	99.0	77.5	101.60	2.5	7	9.0	26.2	18.0	12.5	18.0	15.2	15.3	14.0	2.0	6.0	14.5	11.3	16.0
80	112.0	116.0	40.0	56	48.0	78.0	95	105	4	95.2	104.0	84.0	114.30	3.0	7	9.0	26.2	18.2	13.0	19.0	16.2	16.3	15.0	2.0	6.0	18.5	12.0	20.0
85	120.0	124.0	41.0	56	46.0	76.0	100	110	4	100.2	109.0	87.0	117.50	3.0	7	9.0	26.2	18.2	15.0	19.0	16.0	16.3	14.8	2.0	6.0	18.5	14.0	20.0
90	127.0	131.0	45.0	59	51.0	76.0	105	115	4	105.2	114.0	93.5	123.85	3.0	7	9.0	26.2	18.2	15.0	19.0	16.0	16.3	14.8	2.0	6.0	18.5	14.0	20.0
95	132.0	136.0	46.0	59	51.0	76.0	110	120	4	111.6	120.3	96.5	127.00	3.0	7	9.0	25.2	17.2	15.0	20.0	17.0	17.3	15.8	2.0	6.0	18.5	14.0	20.0
100	137.0	141.0	47.0	59	51.0	76.0	115	125	4	114.5	123.3	103.0	133.35	3.0	7	9.0	25.2	17.2	15.0	20.0	17.0	17.3	15.8	2.0	6.0	18.5	14.0	20.0

Dimensions subject to changes or modifications.

13NU 13KU 13E 13E 13 13 13

TYPE MSERB17 - TYPE MSERB17E - TYPE MSERB17KU - TYPE MSERB17NU

The usual stationary part types:



Tolerances I $_{_{1}}$ d, I0... I2 mm \pm 0.5; I4... I8 mm \pm 1.0; 20... 25 mm \pm 1.5; 28... I00 mm \pm 2.0



MSERB25-R - MSERB25KU-R and MSERB25NU-R

SECTORS:



Ra 2.5µm



CHARACTERISTICS:

- Balanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_1 = 10 \div 100 \,\text{mm}$ p= 20 kg/cm²

v = 15 m/s $t = -15 \div +200 \circ Q^*$

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

An extremely versatile general-use mechanical seal. It has metal tabs that reduce fatigue and tension in the rubber bellow when in the working position. A balanced seal without the need for a stepped shaft. The seal can operate in applications with high pres sures without suffering premature wear. Types:

MSERB25KU-R and MSERB25NU-R: standardised dimensions in accordance with standard EN 12756 (KU and NU respectively).

DIMENSIONS CHART

Dimensions in mm

Shaft			Rotary p	art		St	ationary pa	rt
mm	d₃	d ₄	l ₃	I _{3KU}	l₃ _{NU}	d ₆	d ₇	I ₄
10	20	22	15	27.5	35.0	15	21	5.0
12	22	24	15	26.5	34.0	17	23	6.0
14	24	26	15	29.0	34.0	19	25	6.0
15	25	27	15	29.0	34.0	20	26	6.0
16	26	28	15	29.0	34.0	23	27	6.0
18	32	34	20	31.5	39.0	25	33	6.0
20	34	36	20	31.5	39.0	27	35	6.0
22	36	38	20	31.5	39.0	29	37	6.0
24	38	40	20	34.0	44.0	31	39	6.0
25	39	41	20	34.0	44.0	32	40	6.0
28	42	44	26	36.5	44.0	35	43	6.0
30	44	46	26	35.5	43.0	37	45	7.0
32	46	48	26	35.5	48.0	40	48	7.0
33	47	49	26	35.5	48.0	40	48	7.0
35	49	51	26	34.5	47.0	42	50	8.0
38	54	58	30	37.0	47.0	47	56	8.0
40	56	60	30	37.0	47.0	49	58	8.0
43	59	63	30	37.0	52.0	52	61	8.0
45	61	65	30	37.0	52.0	54	63	8.0
48	64	68	30	35.0	50.0	57	66	10.0
50	66	70	30	37.5	50.0	60	70	10.0
53	69	73	30	37.5	50.0	63	73	10.0
55	71	75	30	37.5	50.0	65	75	10.0
58	78	83	33	42.5	60.0	68	78	10.0
60	80	85	33	40.5	58.0	70	80	12.0
63	83	88	33	40.5	58.0	73	83	12.0
65	85	90	33	40.5	68.0	75	85	12.0
68	88	93	33	40.5	68.0	79	90	12.0
70	90	95	33	48.0	68.0	81	92	12.0
75	99	104	40	48.0	68.0	86	97	12.0
80	104	109	40	47.5	77.5	92	105	12.5
85	109	114	40	47.5	77.5	97	110	12.5
90	114	119	40	52.5	77.5	102	115	12.5
95	119	124	40	52.5	77.5	117	120	12.5
100	124	129	40	52.5	77.5	122	125	12.5

Dimensions subject to changes or modifications.

Dimensions in inches


SH	naft		Rotary par	t	Stationa	ary part
(")	mm	d₃	d₄	l ₃	d_7	l 4
0,375	9,53	20	22	15	22,23	7,9
0,500	12,70	24	26	15	25,40	7,9
0,625	15,88	26	28	15	31,75	10,3
0,750	19,05	32	34	20	34,93	10,3
0,875	22,23	36	38	20	38,10	10,3
1,000	25,40	39	41	20	41,28	11,1
1,125	28,58	42	44	26	44,45	11,1
1,250	31,75	46	48	26	47,63	11,1
1,375	34,93	49	51	26	50,80	11,1
1,500	38,10	54	58	30	53,98	11,1
1,625	41,28	56	60	30	60,33	12,7
1,750	44,45	61	65	30	63,50	12,7
1,875	47,63	64	68	30	66,68	12,7
2,000	50,80	66	70	30	69,85	12,7
2,125	53,98	69	73	30	76,20	14,3
2,250	57,15	78	83	33	79,38	14,3
2,375	60,33	80	85	33	82,55	14,3
2,500	63,50	83	88	33	85,73	14,3
2,625	66,68	88	93	33	85,73	15,9
2,750	69,85	90	95	33	88,90	15,9
2,875	73,03	96	101	33	95,25	15,9
3,000	76,20	99	104	40	98,43	15,9
3,125	79,38	103	108	40	101,60	19,8
3,250	82,55	104	109	40	104,78	19,8
3,375	85,73	108	114	40	107,95	19,8
3,500	88,90	112	117	40	111,13	19,8
3,625	92,08	114	119	40	114,30	19,8
3,750	95,25	118	124	40	117,48	19,8
3,875	98,43	122	127	40	120,65	19,8
4,000	101,60	124	129	40	123,83	19,8

AR / MSERB31



COMPONENTS:

- Rotating contact surface Stationary contact surface
- Bellows.
- Elastomeric cup
- Spring
- Ring
- 5a Blocking ring 5b Metal frame



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_1 = 6 \div 70 \text{ mm}$ p= 6 kg/cm²

t= -20÷ +140oC (*) v= 10 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Economic mechanical seal with small dimensions, used in large household pump productions for re circulating water or for working conditions with low demands.

DIMENSIONS CHART

Dimensions in mm

Shaft		Rota	ry part				Stationary	part	
mm	d₃	d₄	ļ	3	d_6	d_7	I_4	I_5	l ₆
6	18	23	8.0	+0.5	8	22.0	4.0	0.5	3.5
6 A	18	23	11.0	+0.5	8	22.0	4.0	0.5	3.5
8	20	23	11.0	+0.5	10				
8 A	20	27	11.0	+0.5	10	26.0	5.5	1.0	5.0
8 B	24	27	11.0	+0.5	10	26.0	8.0	1.0	6.0
10	24	27	11.0	+0.5	12	26.0	8.0	1.0	6.0
H	24	27	11.0	+0.5	13	26.0	8.0	1.0	6.0
IIA	24	27	13.0	+0.5	13	26.0	8.0	1.0	6.0
I2A	24	27	11.0	+0.5	14	26.0	8.0	1.0	6.0
12 B	24	27	12.8	+0.7	14	26.0	8.0	1.0	6.0
12 C	24	27	13.0	+0.7	4	26.0	5.5	1.0	6.0
13 13 A	24	27 27	12.8 13.0	+0.7	15	26.0	8.0	1.0	6.0
14A	32	35	12.8	+0.7 +0.7	16	29.5	8.0	1.0	6.0
14 B	28	30	12.8	+0.7	10	27.3	8.0	1.0	6.0
14 C	28	30	13.0	+0.7	18	28.5	8.0	1.0	5.5
15	32	35	12.8	+0.7	17	29.5	8.0	1.0	6.0
15 A	28	35	13.0	+0.7	17	30.0	8.0	1.0	6.0
16A	32	35	12.8	+0.7	18	29.5	8.0	1.0	6.0
16 B	39	43	12.8	+0.7	18	38.0	8.0	1.0	6.0
17	39	43	12.8	+0.7	19	42.0	8.0	1.0	6.0
18	39 39	43 43	12.8 12.8	+0.7 +0.7	20	42.0	8.0	1.0	6.0
20 A	39	43	12.8	+0.7	22	42.0	8.0	1.0	6.0
20 B	42	47	12.8	+0.7	22	45.0	0.0	1.0	8.0
22	42	47	12.8	+0.7	24	45.0	10.0	1.0	8.0
22 A	39	47	13.0	+0.7	24		8.0	1.0	8.0
23	47	52	13.5	+1.0	25	50.0	10.0	1.0	8.0
24	47	52	13.5	+1.0	26	50.0	10.0	1.0	8.0
25 A	42	52	13.5	+1.0	27	50.0	10.0	1.0	8.0
25 B	47	52	13.5	+1.0	27	50.0	10.0	1.0	8.0
25 C	42	52	13.0	+1.0	27	45.0	10.0	1.0	8.0
26 27	47 47	52 52	13.5 13.5	+1.0	30	50.0	10.0	1.0	8.0
28	54	60	15.0	+1.0	30	57.0	10.0	1.0	6.0
30	54	60	15.0	+1.0	33	57.0	10.0	1.0	8.0
32	54	60	15.0	+1.0	35	57.0	10.0	1.0	3.0
35	60	70	16.0	+1.0	38	63.0	10.0	1.0	8.0
38	65	75	18.0	+1.0	41	68.0	12.0	2.0	9.0
40	65	75	18.0	+1.0	43	68.0	12.0	2.0	9.0
45	70	80	20.0	+1.0	48	73.0	12.0	2.0	9.0
50	85	95	23.0	+1.0	53	88.0	15.0	2.0	12.0
55	85	95	23.0	+1.0	95	88.0	15.0	2.0	12.0
60	105	115	30.0	+1.0	63	110.0	15.0	2.0	12.0
65	105	115	30.0	+1.0	68	110.0	15.0	2.0	12.0
70	105	115	32.0	+1.0	73	110.0	15.0	2.0	12.0




LRB50



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- Bellows
- O-rings
- Spring
- 5 Ring 5a Metal frame



SECTORS:



CHARACTERISTICS:

- · Balanced.
- · Not dependent on the rotation direction.
- · Single cylindrical spring.

OPERATING LIMITS:

d₁= 14 ÷100mm p= 20 kg/cm²

t= -15÷ +200o℃) v= 15 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

A balanced seal without the need for a stepped shaft. The casing of the rotating part protects the bellows from abrasion and from the rotation transmission tensions, and the spring from blocking in the event of being contaminated by ibres and particles.

It is recommended for use with highly viscous or stic ky luids containing ibres or particles, or with luids that produce a chemical attack on the shaft.

DIMENSIONS CHART Dimensions in mm

Shaft		Rotary par	t t			Stationary p	part		Total length
mm	d ₃	d ₄	l ₃	d_6	d_7	I_4	5	I_6	I _{1K}
14	24	26	23.0	21	25	12.0	1.5	4	35.0
16	26	28	23.0	23	27	12.0	1.5	4	35.0
18	32	34	24.0	27	33	13.5	2.0	4	37.5
20	34	36	24.0	29	35	13.5	2.0	5	37.5
22	36	38	24.0	31	37	13.5	2.0	5	37.5
24	38	40	26.7	33	39	13.5	2.0	5	40.2
25	39	41	27.0	34	40	13.0	2.0	5	40.0
28	42	44	30.0	37	43	12.5	2.0	5	42.5
30	44	46	30.5						
32	46	48	30.5	42	48	12.0	2.0	5	42.5
33	47	49	30.5	42	48	12.0	2.0	5	42.5
35	49	51	30.5	44	50	12.0	2.0	5	42.5
38	54	58	32.0	49	56	13.0	2.0	6	45.0
40	56	60	32.0	51	58	13.0	2.0	6	45.0
43	59	63	32.0	54	61	13.0	2.0	6	45.0
45	61	65	32.0	56	63	13.0	2.0	6	45.0
48	64	68	32.0	59	66	13.0	2.0	6	45.0
50	66	70	34.0	62	70	13.5	2.5	6	47.5
53	69	73	34.0	65	73	13.5	2.5	6	47.5
55	71	75	34.0	67	75	13.5	2.5	6	47.5
58	78	83	39.0	70	78	13.5	2.5	6	52.5
60	80	85	39.0	72	80	13.5	2.5	6	52.5
63	83	88	39.0	75	83	13.5	2.5	6	52.5
65	85	90	39.0	77	85	13.5	2.5	6	52.5
68	88	93	39.0	81	90	13.5	2.5	7	52.5
70	90	95	45.5	83	92	14.5	2.5	7	60.0
75	95	104	45.5	88	97	14.5	2.5	7	60.0
80	104	109	45.0	95	105	14.5	2.5	7	60.0
85	109	114	45.0	100	110	14.5	2.5	7	60.0
90	110	119	50.0	105	115	15.0	3.0	7	65.0
95	119	124	50.0	110	120	15.0	3.0	7	65.0
100	124	129	50.0	115	125	15.0	3.0	7	65.0

MSETB16



COMPONENTS:

- Rotating contact surface
- Stationary contact surface
- Bellows PTFE gasket
- Spring
- Ring Set screw

13+0.5 Ra 2.5μm Ra <u>0.2 μ</u>m

SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- External mounting.

OPERATING LIMITS:

 $d_{1} = 25 \div 100 \, \text{mm}$ p= 12 kg/cm²

t= -40÷ +200oC (*) v= 16 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

This mechanical seal model is mostly made of PTFE and other materials that are resistant to chemically aggressive products. The metal parts are isolated from the process luid.

DIMENSIONS CHART

Dimensions in mm

Shaft	Rota	ry part		Station	ary part	
mm	d ₃	l ₃	d₄	d_7	4	l _s
20	57	31	51	40.6	8	4.8
25	61	33	54	42.86	8.0	4.8
28	67	36	65	50.80	11.0	8.0
30	70	37	68	53.98	11.0	8.0
32	70	37	68	53.98	11.0	8.0
33	73	38	71	57.15	11.0	8.0
35	73	38	71	57.15	11.0	8.0
38	76	38	78	63.50	11.0	8.0
40	80	40	81	66.68	11.0	8.0
43	83	40	84	69.85	11.0	8.0
45	83	40	84	69.85	11.0	8.0
48	89	43	97	79.38	14.3	9.5
50	89	43	97	79.38	14.3	9.5
53	103	53	100	82.55	14.3	9.5
55	107	53	103			
58	110	53	106	88.90	14.3	9.5
60	110	53	106	88.90	14.3	9.5
63	113	53	110	92.08	14.3	9.5
65	116	53	113	95.25	14.3	9.5
68	118	53	116	98.43	14.3	9.5
70	118	53	116	98.43	14.3	9.5
75	126	53	121	103.19	14.3	9.5
80	150	73	132	114.30	14.3	9.5
85	156	73	138	120.65	14.3	9.5
90	163	73	144	127.00	14.3	9.5
95	163	73	144	127.00	14.3	9.5
100	169	73	151			

Dimensions subject to changes or modifications.

Dimensions in inches

Sh	aft	Rota	ry part		Station	ary part	
(")	mm	d₃	l ₃	ф	d_7	4	I_5
0,875	22,23	57	31	51	40,6	8	4,8
1,000	25,40	61	33	54	42,9	8	4,8
1,125	28,58	67	36	65	50,8	11	8
1,250	31,75	70	37	68	54	П	8
1,375	34,93	73	38	71	57,2	11	8
1,500	38,10	76	38	78	63,5	11	8
1,625	41,28	80	40	84	69,9	11	8
1,750	44,45	83	40	84	69,9	П	8
1,875	47,63	86	43	97	79,4	14,3	9,5
2,000	50,80	89	43	97	79,4	14,3	9,5
2,125	53,98	103	53	103	95,7	14,3	9,5
2,250	57,15	107	53	106	88,9	14,3	9,5
2,375	60,33	110	53	106	88,9	14,3	9,5
2,500	63,50	113	53	110	92, I	14,3	9,5
2,625	66,68	116	53	116	98,4	14,3	9,5
2,750	69,85	118	53	116	98,4	14,3	9,5
2,875	73,03	122	53	121	103,2	14,3	9,5
3,000	76,20	126	53	121	103,2	14,3	9,5
3,250	82,55	150	73	138	120,7	14,3	9,5
3,500	88,90	156	73	144	127	14,3	9,5
3,750	95,25	163	73	144	127	14,3	9,5
4,000	101,60	169	73	151	133,4	14,3	9,5




PNMSE



COMPONENTS:

- Rotating contact surface Stationary contact surface
- Bellows
- Elastomeric cup
- Spring
- Ring
- 5a Drive ring 5b Metal frame



SECTORS:



CHARACTERISTICS:

- Unbalanced.
- Not dependent on the rotation direction.
- Single cylindrical spring.

OPERATING LIMITS:

 $d_1 = 8 \div 40 \text{ mm}$ p= 12 kg/cm^2

 $t = -20 \div + 120 \circ Q^*$ v= 10 m/s

(*) The temperature resistance depends on the material of the secondary seals used.

The operating limits are deined by the PV factor which is determined for the sealing system characteristics and those of the application.

DESCRIPTION:

Mechanical seal with a simple design for general use.


DIMENSIONS CHART

Dimensions in mm

Shaft		Rotary part				Stationary par	t		Total lengt
mm	d₃	d ₄	l ₃	d_6	d_7	l ₄	I_5	I_6	$ I_1$
8	22	27	15.5	14	26.00	5.5	0.5	4.5	21.0
10	22	27	15.5	14	26.00	5.5	0.5	4.5	21.0
11	22	27	15.5	14	26.00	5.5	0.5	4.5	21.0
12	22	27	15.5	14	26.00	5.5	0.5	4.5	21.0
13 A	28	33	18.0	17	29.50	8.0	0.1	6.0	26.0
13 B	32	37	13.0	17	29.50	8.0	1.0	6.0	21.0
14 B	28	33	18.0	17	29.50	8.0	1.0	6.0	26.0
14 C	28	33	22.0	19	23.10	6.0	1.2	3.0	28.0
I4A	32	37	13.0	17	29.50	8.0	1.0	6.0	21.0
15 A	28	33	18.0	17	29.50	8.0	1.0	6.0	26.0
15 B	32	37	13.0	17	29.50	8.0	1.0	6.0	21.0
16 C	28	33	18.0	17	29.50	8.0	1.0	6.0	26.0
16 F	28	33	23.0	21	26.90	7.0	1.5	4.0	30.0
16 E	31	36	29.0	17	29.50	8.0	1.0	6.0	37.0
I6A	32	37	13.0	17	29.50	8.0	1.0	6.0	21.0
16 D	32	37	13.0	17	42.00	8.0	1.0	6.0	21.0
16 B	33	38	16.3	17	29.50	8.0	1.0	6.0	24.0
I8A	32	37	24.0	20	42.00	8.0	1.0	6.0	32.0
18 B	32	37	24.0	25	30.90	8.0	1.5	4.0	32.0
19.05	32	37	19.0	22	35.00	10.2	1.2	7.8	24.0
19.05	32	37	22.0	22	35.00	10.2	1.2	7.8	32.2
20 A	32	37	22.0	22	42.00	8.0	1.0	6.0	30.0
20 B	44	49	14.0	22	42.00	8.0	0.1	6.0	22.0
22 A	39	44	25.0	30	35.40	8.0	2.0	4.0	33.0
22	44	49	14.0	23	42.00	8.0	1.0	6.0	22.0
25.4	42	47	27.2	29	41.25	11.0	1.5	8.5	38.2
30 B	52	57	28.0	33	52.00	12.0	1.5	8.5	40.0
30A	60	65	22.0	33	52.00	12.0	1.5	8.5	34.0
31.75	52	57	49.2	34	47.62	11.0	1.5	8.5	60.2
40	63	68	35.0	45	68.00	12.0	1.5	8.5	47.0

MSEC





SECTORS:



CHARACTERISTICS:

- Working pressure: 64 bar.
- Temperature: up to 125° C
- Materials: Stainless steel.

DESCRIPTION:

Working luids often contain sand particles, incrus ted residue from boilers and pipes etc. which can damage the mechanical seal and reduce its durabili ty. Situations of this type can be avoided by installing a cyclone.

This type of element is installed outside the pump, between the discharge zone and the mechanical seal chamber. A current or vortex of pressurised luid is generated inside it and the effect of the cen trifugal force separates the particles suspended in the luid. The particles that are heavier than the luid are thrown towards the walls and dragged to the lower part of the LC, while the clean luid emerges from the top and is returned to the chamber where the mechanical seal is located.

API31 and API41 coniguration.

These elements require no maintenance and do not become blocked over time.

MSEHP



SECTORS:




CHARACTERISTICS:


- Temperature: 30° C to +110° C.
- Working pressure: 30 bar.
- Volume (L) : 2 l.
- Flow rate: I5 ml / run-out
- Materials: Stainless steel / polyethylene.

DESCRIPTION:

LHP with a built-in tank for placing on the reservoir. Installed directly in the LTS reservoir.

MSEQT





SECTORS:



CHARACTERISTICS:

- Temperature: -60° C to +200° C.
- Working pressure: up to 25 bar.
- Volume: 4, 6, 10 l.
- Materials: Stainless steel.


DESCRIPTION:

MSE for supplying barrier luid with or without pressure in double cartridge or mechanical seal installations which enables the circulation of the barrier luid due to the thermosyphon effect or the pumping ring (mechanical seal). API52,API53 and API53A coniguration.

MSEHP



DIMENSIONS CHART Dimensions in mm



Shaft		
mm	d₃	l _i
12.0	21.0	7.5
12.7	21.0	7.5
14.0	23.0	7.5
15.0	24.0	7.5
15.8	25.0	7.5
16.0	25.0	7.5
18.0	31.0	7.5
19.1	31.0	7.5
20.0	33.0	7.5
22.0	35.0	7.5
22.2	35.0	7.5
24.0	37.0	7.5
25.0	38.0	7.5
25.4	38.0	7.5
28.0	41.0	7.5
28.6	41.0	7.5
30.0	43.0	7.5
31.7	45.0	7.5
32.0	45.0	10.0
33.0	46.0	10.0
35.0	48.0	10.0
38.0	53.0	10.0
40.0	55.0	10.0

SECTORS:



CHARACTERISTICS:


• Ring with two allen screws for attaching it to the shaft.

DESCRIPTION:

This element is attached to the shaft to permanently ensure the compression of the rotating part of the mechanical seal. It can be used with rubber bellows or single spring mechanical seals.

Shaft		
mm	d₃	I_{l}
41.2	55.0	10.0
43.0	58.0	10.0
44.4	60.0	10.0
45.0	60.0	10.0
47.6	63.0	10.0
48.0	63.0	10.0
50.0	65.0	10.0
50.8	65.0	10.0
53.0	68.0	10.0
53.9	68.0	10.0
55.0	70.0	10.0
57. I	70.0	10.0
60.0	79.0	10.0
60.3	79.0	10.0
63.5	82.0	10.0
65.0	84.0	12.0
66.6	84.0	12.0
69.8	89.0	12.0
70.0	89.0	12.0
73.0	95.0	12.0
75.0	98.0	12.0
76.2	98.0	12.0

MSEST



SECTORS:



CARACTÉRISTIQUES:

- Temperature: -60° C to +200° C.
- Working pressure: up to 25 bar.
- Volume: 4, 6, 10 I.
- Materials: Stainless steel.

DESCRIPTION:

LST for supplying barrier luid with or without pressure in double cartridge or mechanical seal installations which enables the circulation of the barrier luid due to the thermosyphon effect or the pumping ring (mechanical seal). API52,API53 and API53A coniguration.


It may be supplied with instruments for auto matic level, pressure and temperature control and veriication and a cooling coil to regulate the luid barrier temperature.


Model	Capacity	d		Н	Connection
	,			170	2/0.0
LST-4	4	133	175	470	3/8 G
LST-6	6	159	260	690	I/2 G
LST-10	10	219	260	840	1/2 G

With O-Ring

With anti-rotation pin and housing dimensions EN 12756

							LI6	LIDIN	L9
d_{l}	d_6	d_7	d ₈	I_5	l ₆	l ₈		l ₄	
10	17	21	3	1.5	4	8.5			10
12	19	23	3	1,5	4	8,5	-	-	10
14	21	25	3	1,5	4	8,5	_	-	10
16	23	27	3	1,5	4	8,5	-	-	10
18	27	33	3	2	5	9	7	-	11,5
20	29	35	3	2	5	9	7	10	11,5
22	31	37	3	2	5	9	7	10	11,5
24	33	39	3	2	5	9	7	10	11,5
25	34	40	3	2	5	9	7	10	11,5
28	37	43	3	2	5	9	7	10	11,5
30	39	45	3	2	5	9	7	10	11,5
32	42	48	3	2	5	9	7	10	11,5
33	42	48	3	2	5	9	7	10	11,5
35	44	50	3	2	5	9	7	10	11,5
38	49	56	4	2	6	9	7	11	14
40	51	58	4	2	6	9	8	П	14
43	54	61	4	2	6	9	8	11	14
45	56	63	4	2	6	9	8	П	14
48	59	66	4	2	6	9	8	П	14
50	62	70	4	2,5	6	9	9,5	13	15
53	65	73	4	2,5	6	9	9,5	13	15
55	67	75	4	2,5	6	9	9,5	13	15
58	70	78	4	2,5	6	9	10,5	13	15
60	72	80	4	2,5	6	9	10,5	13	15
65	77	85	4	2,5	6	9	10,5	13	15
68	81	90	4	2,5	7	9	Ш	15	18
70	83	92	4	2,5	7	9	11,5	15	18
75	88	97	4	2,5	7	9	11,5	15	18
80	95	105	4	3		-	1,5	15,5	18,2
85	100	110	4	3	7	9	11,5	15,5	18,2
90	105	100	4	3		9	В	15,5	18,2
95	110	120	4	3	7	9	13	15,5	17,2
100	115								






PF. MSE1 DIN PF. MSE9 PF. MSE16


PF. MSE9

Without anti-rotation pin and housing dimensions EN 12756

			L606/ L6	LDIN		
d_{l}	d_6	d_7	l ₄		l ₅	l ₆
10	17	21	6,6	7	1,5	4
12	19	23	6,6	7	1,5	4
14	21	25	6,6	7	1,5	4
16	23	27	6,6	7	1,5	4
20	29	35	7,5	10	2	5
24	33	39	7,5	10	2	5
28	37	43	7,5	10	2	5
30	39	45	7,5	10	2	5
32	42	48	7,5	10	2	5
33	42	48	7.5	10	2	5
35	44	50	7,5	10	2	5
38	49	56	9	13	2	6
40	51	58	9	13	2	6
43	54	61	9	13	2	6
45	56	63	9	13	2	6
48	59	66	9	13	2	6
50	62	70	9,5	14	2,5	6
53	65	73	1,2	14	2.5	6
55	67	75	П	14	2,5	6
58	70	78		14	2.5	6
60	72	80	П	14	2,5	6
65	77	85		14	2.5	6
68	81	90	11,3	16	2,5	7
70	88	92	11,3	16	2.5	7
75	88	97	11,3	16	2,5	7
80	95	105	11,3	18	2,3	<u> </u>
85	100	110	14	18	3	7
90	100	110	17 M	10	3	7
95	110	120	14	18	3	7
100	110	120	17	10	3	



PF. MSE DIN PF. MSE606



PF. MSE DIN PF. MSE6


(Only supplied in carbon).




With O-Ring

Without Anti-Rotation Pin

	L4/L7/L13	L	L4/L7/L13	L	L7		L4/ L7	LI3			L7
d_{l}	d ₆		d ₇	,	d ₁₃		I_4		I_5	k	, 0
10	15,5	14	19,2	18,1	17	5,5	6,6	-	1,5	4	2
12	17,5	16,5	21,6	20,6	19	5,5	5,6	-	1,5	4	- 1
14	20,5	19	24,6	23,1	21,5	6	5,6	-	1,5	4	- 1
16	22	21	28	26,9	24	7	7,5	-	1,5	4	1,5
18	24	25	30	30,9	27,5	7	8	10	2	5	2
20	29,5	25	35	30,9	32	8	7,5	9,5	2	5	1,5
22	29,5	30	35	35,4	32	8	7,5	9,5	2	5	1,5
24	32	30	38	35,4	35	8	7,5	9,5	2	5	1,5
25	32	33	38	38,2	35	8,5	7,5	9,5	2	5	1,5
28	36	38	42	43,3	38	9	9	П	2	5	3
30	39,2	38	45	43,3	42	9	10,5	-11	2	5	3,5
32	42,2	38	48	43,3	45	9	10,5	П	2	5	4,5
33	44,2	45	50	53,5	46	11,5	- 11	11,5	2	5	5
35	46,2	45	52	53,5	48	11,5	11	11,5	2	5	5
38	49,2	52	55	60,5	52	11,5	10,3	11,5	2	6	4,3
40	52,2	52	58	60,5	55	11,5	10,8	11,5	2	6	4,8
43	53,3	57	62	60,5	59	11,5	12	14,3	2	6	2,5
45	55,3	57	64	65,5	59	11,5	11,6	14,3	2	6	2,2
48	59,7	57	68,4	65,5	65	11,5	11,6	14,3	2	6	2,2
50	60,8	64	69,3	72,5	64	11,5	11,6	14,3	2,5	6	2,2
53	63,8	-	72,3	-	69	-	12,3	14,3	2,5	6	2,5
55	66,5	64	75,4	72,5	71	11,5	13,3	15,3	2,5	6	2,5
58	69,5	-	78,4	-	75,5	-	13,3	15,3	2,5	6	3,5
60	71,5	72	80,4	79,3	75	11,5	13,3	15,3	2,5	6	2,5
65	76,5	77	85,4	84,5	81,5	11,5	13	15,3	2,5	6	3,2
68	82,7	-	91,5	-	87	-	13,7	16	2,5	7	3,7
70	83	82	92	89,5	87	11,5	13	15,3	2,5	7	3,7
75	90,2	87	99	94,5	91	11,5	14	15,3	2,5	7	3,2
80	95,2	92	104	99,5	100	11,5	15	16,3	3	7	4,7
85	100,2	98	109	105,5	102	13,5	14,8	16,3	3	7	4,5
90	105,2	105	114	111,5	110	13,5	14,8	16,3	3	7	3
95	111,6	110	120,3	116,5	116	13,5	15,8	17,3	3	7	4
100	114,5	114	123,3	119,5	119	13,5	15,8	17,3	3	7	4




(Only supplied in carbon).



With cup


		/ CDIN		L5	0		R	L60	CDIN	L50
dı	d_6	d_7	d_6	d_7	I_5	l ₆			4	
10	17	21	11.0	24,6	1,5	4	5	6,6	8,6	9
12	19	23	13.5	27,8	1,5	4	6	6,6	8,6	9
16	23	27	17.0	30,95	1,5	4	6	6,6	8,6	10,5
18	27	33	20.0	34,15	2	5	6	7,5	10	10,5
20	29	35	21.5	35,7	2	5	6	7,5	10	10,5
22	31	37	23.0	37,3	2	5	6	7,5	10	10,5
24	33	39	26.5	40,5	2	5	6	7,5	10	10,5
25	34	40	26.5	40,5	2	5	6	7,5	10	10,5
28	37	43	29.5	47,65	2	5	6	7,5	10	12
30	39	45	32.5	50,8	2	5	7	7,5	10	12
32	42	48	32.5	50,8	2	5	7	7,5	10	12
33	42	48	36.5	54	2	5	7	7,5	10	12
35	44	50	36.5	54	2	5	8	7,5	10	12
38	49	56	39.5	57,15	2	6	8	9	- 11	12
40	51	58	42.5	60,35	2	6	8	9	П	12
43	54	61	46.0	63,5	2	6	8	9	- 11	12
45	56	63	46.0	63,5	2	6	8	9	П	12
48	59	66	49.0	66,7	2	6	10	9	- 11	12
50	62	70	52.0	69,85	2,5	6	10	9,5	13	13,5
53	65	73	55.5	73,05	2,5	6	10	- 11	13	13,5
55	67	75	58.5	76,2	2,5	6	10	Ш	13	13,5
58	70	78	61.5	79,4	2,5	6	10	Ī	13	13,5
60	72	80	61.5	79,4	2,5	6	12	Ш	13	13,5
65	77	85	68.0	92,1	2,5	6	12	- 11	13	16
68	81	90	71.0	95,25	2,5	7	12	11,3	15,3	16
70	83	92	71.0	95,25	2,5	7	12	11,3	15,3	16
75	88	97	77.5	101,6	2,5	7	12	11,3	15,3	16
80	95	105	84.0	114,3	3	7	12,5	12	15,7	20
85	100	110	87.0	117,5	3	7	12,5	14	15,7	20
95	110	120	96.5	127	3	7	12,5	14	15,7	20




PF. R PF. C DIN PF. L50 PF. L60


In inches

d ₁ (")	mm	d ₆ mm	d ₇ inch	mm	d ₈ mm	l ₅ mm	l ₆ mm	L ₄ mm	mm
0,250	6,350	14,45	0,75	19,05	3				5,9
0,375	9,525	17,63	0,88	22,23	3	1,5	4,9	7.92	5,9
0,500	12,700	20,80	1,00	25,40	3	1,5	4,9	7.92	5,9
0,625	15,875	27,15	1,25	31,75	3	1,5	7,3	10.31	6,6
0,750	19,050	50,66	1,38	34,93	3	2	6,8	10.31	6,6
0,875	22,225	33,50	1,50	38,10	3	2	6,8	10.31	6,6
1.105	20,400	30.05	1.75	441.46	2	2	7.6	11.10	6.6
1,125	28,575	39,85	1,75	44,45	3	2	7,6	11.10	6,6
1,375	34,925	46,20	2,00	50,80	3	2	7,6	11.10	6,6
1,570	38 400	47.08	2.18	58.08	4	2	7,6	11.10	7.5
1,625	41,275	54,33	2,38	60,33	4	2	9,1	12.70	8,2
1,750	44,450	57,50	2,50	63,50	4	2	9.1	12.70	8.2
1,875	47,625	60,68	2,63	66,68	4	2	9,1	12.70	8,2
2,000	50,800	63,85	2,75	69,85	4	2,5	8,6	12.70	8,2
2,125	53,975	70,20	3,00	76,20	4	2,5	10,2	14.27	9,5
2,250	57,150	73,38	3,13	79,38	4	2,5	10,2	14.27	9,5
2,375	60,325	76,55	3,25	82,55	4	2,5	10,2	14.27	9,5
2,500	63,500	79,73	3,38	85,73	4	2,5	10,2	14.27	9,5
2,625	66,675	79,73	3,38	85,73	4	2,5	11,8	15.88	9,5
2,750	69,850	82,90	3,50	88,90	4	2,5	11,8	15.88	9,5
2,875	73,025	85,65	3,75	95,25	4	2,5	11,8	15.88	11,3
3,000	76,200	88,83	3,88	98,43	4	3	11,3	15.88	11,3
3,125	79,375	92,00	4,00	101,60	4	3	13,7	19.84	14,3
3,250	82,550	95,18	4,13	104,78	4	3	18,7	19.84	14.5
3,375	85,725	98,35	4,25	107,95	4	3	13,7	19.84	14,3
0.005	00,900	101,53	4,38	444.00	4	3	18,7	19.84	44.5
3,625	92,075	104,70	4,50	114,30	4	3	13,7	19.84	14,3
3,875	98,425	111,05	4,75	120,65	4	3	13,7	19.84	14,3
4,000	90,425	111,00	4,70	120,05	4	ن -	10,1	19.04	14,3




PF. L12






PF. A



PF. L22

d_1		d_7	d_{10}	\mathbf{l}_9	I ₁₀
(")	mm	mm	mm	mm	mm
0,750	19,050	36,51	48,00	4,8	8
0,875	22,225	39,69	51,00	4,8	8
1,000	25,400	42,86	54,00	4,8	8
1,125	28,575	50,80	65,00	8	11
1,250	31,750	53,98	68,00	8	11
1,375	34,925	57,15	71,00	8	11
1,500	38,100	63,50	78,00	8	11
1,625	41,275	66,68	81,00	8	11
1,750	44,450	69,85	84,00	8	11
1,875	47,625	73,03	87,00	8	11
2,000	50,800	79,38	97,00	9,5	14,3
2,125	53,975	82,55	100,00	9,5	14,3
2,250	57,150	85,73	103,00	9,5	14,3
2,375	60,325	88,90	106,00	9,5	14,3
2,500	63,500	92,08	110,00	9,5	14,3
2,625	66,675	95,25	113,00	9,5	14,3
2,750	69,850	98,43	116,00	9,5	14,3
2,875	73,025	100,01	117,00	9,5	14,3
3,000	76,200	103,19	121,00	9,5	14,3
3,125	79,375	-	-	-	14,3
3,250	82,550	114,30	132,00	9,5	14,3
3,375	85,725	-	-	-	14,3
3,500	88,900	120,65	138,00	9,5	14,3
3,625	92,075	-	-		14,3
3,750	95,250	127,00	144,00	9,5	14,3
3,875	98,425	-	-	-	14,3
4,000	101,600	133,35	151,00	9,5	14,3



Special designs

It is not always possible to use a conventional mechanical seal. Com plex applications with special requirements and pumps with small housings need mechanical seals with non-standard proiles.

Our engineering centre designs and manufactures customised-solutions adapted to the speciic needs of our customers, in large or small production runs.











RMS seals


The RMS seal range is compatible with the most popular pump brands: Flygt®, Grundfos-Sarlin®, ABS®, Alfal Laval®, Hilge®, APV®, Fristam®, etc. These mechanical seals have special designs for wastewater pumps, heating, food products, pharmaceuticals and many applications in all kinds of industrial sectors. In most cases, when a pump is repaired, the mechanical seal is not the only element that is replaced. The renewal of other parts is also recommended, such as O-rings or joints with special proiles, bearings, pins, lat gaskets, etc. We offer kits containing these elements which are supplied along with the mechanical seal.



TYPE Alfa Lava

Contherm AL-PR-50.8 AL-PR-38.1 AL-ML-38.1 AL-ML-50.8 SECTORS SECTORS 4 1 AL-CQ-50.8 AL-PF-38.1 SECTORS SECTORS \$ 4

TYPE Amstrong



TYPE Apec




TYPE AP♥



TYPE Calpeda

TYPE

Ebara



TYPE EM®




TYPE Flygt[®]




TYPE Fristam

	FR-LG-22		FR-SH-22		FR-LG-30
	SECTORS		SECTORS		SECTORS
	FR-SH-30		FR-LG-35		FR-SH-35
	SECTORS		SECTORS		SECTORS
0.090	FR-30	60000	FR-35		FR-G-22
	SECTORS		SECTORS		SECTORS
	FR-PFD-22		FR-PD-22 FR-PD-30		FR-Z-12, FR-Z-18 FR-Z-21 FR-Z-28
	SECTORS		SECTORS		SECTORS
	FR-ZB-18, FR-ZB-22 FR-ZB-30		FR-EN-22		FR-EN-30, FR-EN-35
	SECTORS		SECTORS		SECTORS
	FR-EN-22BS FR-EN-30BS		FR-ENS-22		FR-ENC-22
	SECTORS		SECTORS		SECTORS
	FR-FT-22, FR-FT-30	00	FR-GL-50	0	FR-GL-30-35
	SECTORS	00	SECTORS	0	SECTORS

TYPE Fristan®



TYPE
Grundfos-Sarlin



TYPE Hidrostal





HI-15'80, HI-28'60 HI-38'10, HI-50'80 SECTORS

\$ 4



HI-107-28'60, HI-107-38'10 HI-107-50'80, HI-107-63'50 HI-107-76'20 SECTORS



HB-A-24, HB-A-28 HB-A-38 SECTORS

\$ 4



SECTORS



SECTORS

HI-130-76'20

\$ 4

TYPE Hilge



HG-28
SECTORS



HG-19-S, HG-28-S HG-38-S SECTORS



HG-28-SP
SECTORS



SECTORS

HG-NV-45



RN/LS60

SECTORS



HG-30-SP SECTORS

0 111

TYPE Hisaka



HSK-20 HSK-35 HSK-45 SECTORS TYPE Inbea®



IB-15, IB-20 IB-25, IB-35 SECTORS TYPE Imo®



IM-G-22
SECTORS

TYPE
Jabsco



JA-LH-31'75 JA-LH-47'6 SECTORS



TYPE
Johnson



JH-OL-25, JH-OL-40 JH-OL-53, JH-OL-75 SECTORS



JH-LP-35 JH-LP-50 SECTORS



272-IN-50
SECTORS

272-IN-28, 272-IN-35



JH-AC-24, JH-AC-40 JH-AC-60 SECTORS



JH-TW-30, JH-TW-48 JH-TW-63 SECTORS TYPE **KSB**

> LRB17 SECTORS \$ A

KS-D-40 SECTORS \$ 4

LWS110 \$ 4

SECTORS

MVX-C-35

SECTORS

TYPE Lowara

> LW-155-14, LW-155-22 LW-155-28, LW-155-33 SECTORS \$ 4

LW-B-16 LW-B-22 SECTORS \$ 4

LW-FH-12, LW-FH-16, LW-FH-22, LW-FH-25 SECTORS \$ 0

TYPE

TYPE

Marell®

TYPE Nikuni Pumps



NK-A-15, NK-A-17 NK-A-20, NK AOR-17 SECTORS 第四章



NK-B-30 NK-B-55 SECTORS Pedroll®



PD-VX-20 SECTORS 1 2

AR/LRB31

SECTORS

\$ 2

SECTORS

\$ 4

LRB17KU-L60

TYPE Pumpe®

TYPE

Mouve®



PX-SUP-25 SECTORS



PX-INF-25 SECTORS \$ 4 PX-KP-40



TYPE

Salmsof

SM-AC-14, SM-AC-18, SM-AC-22, SM-AC-28, SM-AC-38 SECTORS \$ 4

SECTORS \$ 4

PX-SUP-PC-25



SECTORS \$ 4 **TYPE** Sedical



SD-A-12, SD-A-18 SD-A-20, SD-A-25 SD-A-32 SECTORS \$ 4



SECTORS \$ 4

PX-KP-50

TYPE Somelu[®]



TYPE Sunte®



TYPE Tuchenhagen



TYPE
Tsurum®



TYPE Viking®



TYPE Waukesha



TYPE Wilo®



TYPE Witt®



Repair workshop



Mech seals modern, adequate equipment enables it to execute repair and transformation operations on mechanical seals and cartridges.

The process commences by diagnosing the condition of the part, and after this, we execute the necessary processes for cleaning, polishing and lapping the contact surfaces, grinding parts and replacing components, etc.



After carrying out these operations, the sealing of the repaired parts is checked by pressure test, to ensure that the part is ready for ope ration in any application that requires sealing of the highest standard.

We also offer additional services such as a diagnostic report on the sample received and a detailed analysis of the faults ebser ved or laser marking of parts to facilitate their identification and traceability.

Quality control, checking and testing

All the mechanical seals manufactured or repaired by mech seals are subject to the strictest quality controls. We guarantee their operation in the most demanding applications.

Furthermore, if the customer wishes, we can provide other services such as sealing controls in static or dynamic conditions and at different pressures before delivering the product. Working along this line we perform static sealing controls on all our cartridges before delivering them to the customer.





Certifications:

The standards that regulate industrial sectors are becoming more and more stringent. Our mechanical seals may be supplied with the following certificates:



Mechanical seals suitable for use in equipment installed in explosive atmospheres in cate gories 2 and 3of group II (2 G / D) cT2 in accordance with Directive 2014/34 / EU (ATEX) of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to equipment and protective systems for use in potentially explosive atmospheres.



The FDA (Food & Drug Administration) is a US-based organisation whose mission is to safe guard health and safety in food and medicines. The CFR 21 (Code of Federal Regulations) is a series of standards and rules that must be met by materials that enter into are intended to be in contact with food and medicines. This code of regulations includes different parts, depending on the type of material in question. For instance, part 177 refers to polymers and in particular, section 2600 refers to elastomers (FDA CFR 21 §177.2600).

European Regulation (EC) 1935/2004:

One of the objectives of this regulation is to establish a basis for guaranteeing a high stan dard of protection for human health and the interests of consumers with respect to materials and objects that come into direct or indirect contact with food. It is enforced in the European Union. It also establishes that those materials and objects must be manufactured in accordance with a best practice code.



Regulation EC 2023/2006 is a best practice code for manufacturing objects and materials that come into direct or indirect contact with food.

Regulation EU 10/2011 is a specific measure included in Regulation EC 1935/2004 which applies to polymers that are designed to come into contact with food. It also establishes that they must comply with a series of special additional provisions governing composition, as well as being compliant with the provisions of Regulations EC 1935/2004 and EC 2023/2006.

We can provide materials for mechanical seals that are compliant with Regulation EC 1935/2004 and with Code EC 2023/2006 and Regulation EU 10/2011 in the case of elasto mers for secondary seals.



British agency responsible for determining the requirements for materials in contact with drinking water

General information

Introduction

Mechanical seals are elements that ensure the sealing between a rotating shaft and a structural part (usually ixed) of the application as sembly. This sealing effect is achieved through the rotating movement between two contact surfaces which are extremely lat and the luid ilm generated between them, which prevents the passage of the rest of the luid.

Mechanical seals perform much better than other sealing elements for rotating shafts such as lip seals or retaining elements. Since they are made of harder materials, they make the system more solid and durable. They also allow sealing in applications which are especially demanding chemically aggressive, abrasive, dense or viscous luids, high temperatures, high pressures, high rotating speeds, etc.

Mechanical seal elements

1. Primary ring:

This part of the mechanical seal contains the contact surface. It has a spring-operated device which makes it lexible enough to offset small axial or radial displacements or oscillations that may occur during operation. This generally refers to the rotating part of the mechanical seal.

2. Mating ring:

In most cases, this part of the mechanical seal is housed in a rigid casing or static lange of the application but it may also be mounted on the shaft. It contains the contact surface. In addition to generating the air tightness with the contact surface of the primary ring, it serves as a guide for ensuring perpendicularity.

3. Secondary seals:

These elements generate air tightness between the static parts of the mechanical seal, for instance, between the primary ring and the shaft, the mating ring and the lange or between the different parts of the primary ring that rotate together. For this purpose, elastomers are normally used, with O-rings being the most common element. Bellows seals, square cut seals, collars, wedge seals and in general, any seal that provides air static or linear tightness can also be used. In addition to elastomers, special materials such as PTFE and seals with a graphite base can be used in heavy-duty working conditions.

Springs

This element is responsible for maintaining the tension between the contact surfaces when there is no pressure in the system,


to ensure sealing in static and depressurised conditions. Different types of spring can be used. The most common ones are: axial cylindrical springs, axial conical springs, multi-spring systems, welded wave springs, "super sinus" wave springs and metal be - llows seals.

Other metal parts:

It is common to ind mechanical seals with construction elements for joining and ixing the above parts. These are usually metal parts or plates, rings, screws, etc.


5. Drive mechanism:

This transmits the rotating movement of the shaft to the rotating part of the mechanical seal. This mechanism may consist of laps, an anti-rotating pin, screws elastomer bellows, etc.



Mechanical seal classification

Different criteria exist for classifying mechanical seals. They are usually classified based on their hydraulic balance, construction and assembly characteristics.




K Hydraulic balance:

Mechanical seals can be classified based on the ratio between the pressure of the luid to be sealed and the contact pressure between the contact surfaces, i.e., the ratio bet - ween the surface with the hydraulic pressure (A) and the contact surface (a).

A non-balanced mechanical seal has the following ratio: K = A/a > I and a balanced mechanical seal has a ratio of K = A/a > I.

In designing mechanical seals, K values of between 0.6 and 1.2 are used. A value under 0.6 favours the duration and life of the mechanical seal, but will not guarantee adequate sealing.



Construction

This classification is related to the characteristics and design of the different components that are used to make the mechanical seal. Each variation responds to special application needs or characteristics.

· Conical spring seal:

These seals are defined by the type of spring they use, and their function. They have an axial conical-shaped spring with one end fixed to the primary ring and the opposite end to the shaft. The spring maintains the tension between the contact surfaces and transmits the shaft movement to the rotating part of the mechanical seal. Conical spring seals are usually mechanical seals with a dependent rotation direction, i.e., they can only function properly in the direction

of the rotation for which they are designed. They are normally supplied with the rotation direction to the right, and the left rotation option is only supplied if specifically ordered.

Secondary seals are usually O-rings, since they require no bellows to transmit the movement.

· Bellows seals:

These mechanical seals have a secondary bellow seal on the shaft. There are bellows of different types made of different materials, and each one gives a different, speciic performance:

- Elastomer bellows seals: The bellows are made of elastomer material and are responsible for generating static sealing on the shaft, and also for transmitting the shaft movement to the mechanical seal. The spring mechanism that is normally used is an axial cylindrical spring, which means that the performance of these mechanical seals does not depend on the shaft rotation direction.
- Metal bellows seals: The spring mechanism in these seals are metal bellows. Their main advantage is in how they perform: they are more resistant to abrasion and chemicals (particularly in combination with chrome-nickel alloys) than elastomer bellows, and have a higher temperature resistance (when secondary seals made of graphite are mounted), and prevent particles or traces of luid from becoming trap ped in the spring coils (the folds of the bellows act like a pumping ele ment) and they permit the use of a "static O-ring" as a secondary seal.


In other seals the O-ring or the bellows are in the primary ring of the seal, generating static sealing. However, their behaviour in real operating conditions is not strictly static and there may be: movement due to wear of the contact surfaces, vibrations or oscillations which lead to the axial shifting of the shaft or other factors that have a dynamic effect on the O-ring. In the worst case, if combined with a poor


surface inish of the shaft, this causes wear or damage in the O-rings. However, the "static O-ring" system permitted by this type of seal is through the bellow, which absorbs the displacements. The O-ring is at the opposite end of the bellows with respect to the primary ring and not at all affected by these defects.

There are two different types of metal bellows seals, depending on the bellows construction characteristics.

<u>-Welded bellows seals:</u> They are formed by ring plates welded to gether along their perimeter at the ends, which is the most common type.

<u>-Rolled bellows seals:</u> They are more complex in construction terms and is formed by an undulated metal tube. It has a larger elastic run and is often used in applications that involve demanding sterilisation processes, as there are no comers or closed angles where undesi rable particles could accumulate, which makes them easy to clean.





- PTFE bellows seals:

PTFE is a plastic with high chemical resistance to practically all working luids and a temperature resistance that is higher than most elas tomers. These features make them extremely useful in certain applications. PTFE bellows are used for the same purpose as metal bellows. They have a more limited resistance to temperature and abrasion but higher chemical resistance. With respect to the secondary seals, it has a bushing or wedge that is also made of PTFE, which operates on a static basis. This is a very special type of seal that is used for working luids that are extremely aggressive in chemical terms.



• Multispring seals:

These have a spring mechanism formed by small springs distributed diametrically inside the mechanical seal. The function of these springs is to homogeneously generate tension between the contact surfaces. In addition they absorb vibrations or errors in alignment that arise while the seal is being mounted and during its operation. They are normally used in stirring devices or in pumping applications with clean luids.

· Wave spring seal:

Wave springs have a higher elasticity constant than other springs, and require less space to generate the necessary working pressure. In this seal design, the length of the seal assembly is an important parameter and greater attention to this should be paid than in other cases. As well as permitting mechanical seals with smaller assembly measurements, lwave spring seals are not as affected by dirt (ibres, particles) or by the high density or viscosity of the luid. For this reason they are very useful in waste or sewage water applications and when used with dense, thick, sticky luids.





Two different types of wave spring seals are normally used: the welded wave spring type and the "super sinus" type. The welded wave spring type consists of two folded metal rings welded together which create a spring-like effect when they are forced by compression. The "super sinus" type is a rolled, undulated metal tape that generates a spring-like effect when compressed due to the elasticity of the metal.

· Cartridge seals:

Unlike conventional mechanical seals, cartridge seals have a compact presentation. The components are mounted on a metal sleeve inside a lange. They are very easy to install. All that must be done is to slide and fasten the sleeve to the shaft and secure the lange to the application casing, which ensures ease in assembly.


In some cases the cartridges require more complex assemblies than one the described above, for instance when they must be installed in lush, recirculation, barrier luid or quench systems with one or two mechanical seals, as will be described later on. A distinction should be made between single and double cartridges depending on whether they have one or two sets of contact surfaces inside them. In addition the cartrid ges may contain different spring systems such as axial cylindrical, multispring, wave spring and metal bellows systems, with the multispring system being the most common one.


Assembly characteristics

The mechanical seal assembly type (internal or external, single or double) is determined by the application, the working conditions and different factors related to the environment.


- Single assemblies:
- Internal single assembly:

This is the most common type. The luid is in contact with all the mechanical seal components; the chemical compatibility of these with the luid must be ensured. It is best to use it when working with dean luids or loaded ones with a concentration that does not endanger the lubricating characteristics of the luid.









- Single external assembly:

This is used when the luid contains ibres or solids which could block the spring, when the medium to be sealed is chemically very aggressive and may attack the metals used to make the springs, or in certain hygienic applications that require exhaustive deaning or sterilising processes (usually within the scope of food and pharmaceutical processing industries).

Double assemblies:

In some cases a single assembly is not sufficient to ensure sealing or the desired performance of an application. Some examples of these special applications are:

- · Applications with costly, dangerous or contaminant fluids.
- Applications where it is essential to immediately detect a failure in the sealing system.
- · Applications with non-lubricating fluids.
- Applications with fluids at high temperatures where cooling is neces sary.
- · Applications that operate with fluids at very high pressures.

The main conigurations of double assemblies are as follows:


- "Back-to-back" assemblies:


This type is recommended for sealing non-lubricating luids, gases, luids with a high concentration of solids or with a tendency to crystallise, adhesives, pastes, paints or dangerous luids.


This assembly requires the injection of a luid known as buffer or barrier luids in the chamber formed by the two seals. The barrier luid pres sure must be 1.5 to 2 bar above the pressure of the luid to be sealed. Therefore, if there is a leak on the product side, the leak will be towards the interior of the system and the barrier luid will be mixed with the product luid. This characteristic is especially interesting in cases in which the working luid is dangerous or pollutant.

It is not advisable to use this installation with no pressure in the barrier luid, as the product luid pressure could open up a leak route through the secondary seal of the stationary part or between the contact surfaces.

One advantage of this type of assembly compared to the others is that it permits a very short assembly length, which usually incurs fewer costs.









- "Face-to-face" assemblies:

This type is recommended for sealing non-lubricating luids, gases, luids with a high concen tration of solids or with a tendency to crystallise, adhesives, pastes, paints or dangerous luids. This type of assembly makes it possible to work with pressurised barrier luids or non-pressurised ones, depending on the application needs, which makes it a versatile, reliable assembly. It has improved tolerance to the pressure oscillations of the barrier luids, and to axial shifting and vibrations in the system.

Given that it can work at excess pressure and low pressure, the leak can be directed in the most appropriate direction: towards the product or towards the barrier luid. In all cases, the hydraulic balancing must be considered.


Since one rotating part of the mechanical seal has no components in the internal chamber of the sealing system, it is advisable to add a mechanism that will generate a pumping move ment.





- "Tandem" assembly:

This is used to seal non-lubricating luids, gases or dangerous luids. In this case the luid to be sealed is in contact with the seal components in contact with the product. The barrier luids should be at a pressure of approximately I kg/cm2 below the pressure of the luid to be sealed, meaning that the direction of a leak would be towards the barrier luid. This is particularly interesting for working luids which must not contaminate the barrier luid.




• Auxiliary assemblies :

- Circulation:

This system consists of circulating a small quantity of the luid, aspired or piped, to make it act on the contact surfaces. In this way the heat generated is eliminated and particles and sediments are removed from the mechanical seal closure. It is recommended to install a cyclonic ilter:


Corresponds to Plan API 11.



- Flush:

This consists of injecting an external luid that is compatible with the mechanical seal closure. The pressure of this luid must approximately 2 bar above that of the luid to be sealed. It is used in applications where the luid is sticky, very thick or contains a high concentration of abrasive substances.


Corresponds to Plan API 32.



- Quench or drain:

In this system, a luid is injected on the external side of the mechanical seal. Normally, an auxiliary sealing system must be provided.

It is used in cases where there is a possibility that the luid to be sealed will freeze, during short periods of dry operation and with gases or very dangerous luids. Corresponds to Plan API 62.




- Pressurised barrier fluid:

This system is used in double mechanical seal assemblies. A luid is injected into the interior chamber between the two mechanical seals, at a speciic pressure. This pressure may be above or below the working luid pressure, depending on the application needs.

Excess pressure will be used if the working luids must be directed towards the exterior in the event of a sealing failure. This way, the barrier luid will enter the product side and be mixed with it. It is recommended in cases of toxic, dangerous or pollutant luids or if the product is not harmed with mixed with the barrier luid. It must be used at a lower pressure than that of the working luid if the aim is to prevent the working luid from contaminating the barrier luid, for instance, with very costly working luids.

A lubricating luid is normally used which can evacuate the heat generated between the contact surfaces. It is advisable for it to have a pressure I and 2 bar above (or below) the pressure of the working luid.

The circulation of the barrier luid takes place through a thermosyphon effect; ele ments which facilitate this circulation exist, such as a pumping ring on the mechanical seal casing. By placing the appropriate devices in the tank the level, pressure, temperature can be read, or the barrier luid pressure can be generated. Corresponds to Plan API 52, 53A.



- Cyclonic ilter:

A cyclonic ilter is an auxiliary accessory used in the circulation assembly. The circulation luid would pass through the cyclonic ilter before reaching the sealing area. The cyclonic ilter is a iltering system which separates the particles in sus pension in the working luid through a kinetic effect generated by the movement of the pumped luid and by the geometry of the ilter. This way, the luid reaching the sealing area is free from particles in suspension, as these are expelled to the pump intake area.

Corresponds to Plan API 31.

Names and codes of the materials

The continuous development of European standards has also brought about the uniication of mechanical seals with respect to their dimensions and the materials used to make them.

The mechanical seals manufactured by MECH seal are identified in accordance with the following chart.

Туре	Balancing	Diameter	Normal length	Stationary part			۲	1aterials	code			
					1	2	3	4	5	6	7	8
LRB17		35	KU	L6	В	Q	Е	F	F			
LMS20T	В	I-7/8"		L22	Q	Q	Т	G	G			
LMS10D		60		L9	QI	Q	٧	G	G	В	Q	V
LS60	В	20	DIN	LDIN	FI	В	Р	G	FI			
LMB85		2"		Α	В	Q	Н	G2	G			
LDC38		65			Α	QI	Κ	MI	G	В	Q	٧

- Ej: LRB17KU-35-L50 (BQPFF) LRB17 type single mechanical seal, not balanced, for a shaft of 35 mm, length and housing measurements in accordance with EN 12756, with an L50-type stationary part.
 - -LWS10B-90-L1 DIN (QQVGG)LWS10B-type single mechanical seal, balanced, for a shaft of 90 mm, with an LI DIN type stationary part and housing measure ments in accordance with EN 12756
 - LMS10D-2 1/2" (UUKM1G2BQV) LMS10D type double mechanical seal, not balanced, for a shaft of 2 1/2", with standard stationary parts in accordance with catalogue.

Type: See index.

Balancing: B if balanced, generally not indicated if not balanced (see K hydraulic balancing section).

Diameter: Shaft output diameter (in shafts with steps, this is the lower diameter). It may be in mm or in inches.

Normal length: Length LI of mechanical seal in accordance with the indications of standard EN 12756. May be for short assemblies (KU), long ones (NU or DIN) or non-7- Friction face of the stationary part on the atmospheric side standard assemblies (not indicated).

Stationary part: See stationary parts section. The stationary parts indicated as DIN comply with the housing dimensions of standard EN 12756.

Materials:

- For single seals:
- I- Friction face of the rotating part
- 2- Friction face of the stationary part
- 3- Secondary seals
- 4- Spring
- 5- Other metal parts
- For double seals:
- I- Friction face of the rotating part on the product side
- 2- Friction face of the stationary part on the product side
- 3- Secondary seals on the product side and shaft
- 4- Spring
- 5- Other metal parts

- 8- Secondary seals on the atmospheric side

See materials codes in section "materials".

Additional technical specifications:

For special applications certain additional specifications are required, to deine the necessary characteristics of the mechanical seal.

· Rotation direction: This only affects mechanical seals with a dependent rotation direction. They are normally supplied by default for working with "right" rotation directions. To indicate the "left" rotation direction, add L after the seal type.

P. Ej. LS18-40L-L4 (BQVGG)

· Cartridge seals: The nomenclature for mechanical cartridge seal references has some differences. The stationary parts and balancing are not speciied, and neither are the standardisation of the dimensions or the rotation direction.



However the type of assembly is indicated:


- S: Single assembly. One set of sealing faces, usually with a washing system.
- D: Double assembly. Two sets of sealing faces with a barrier luid system ready for pressurising. The layout of the faces may be "tandem", "back-to-back" or "face-to-face" (see "Assemblies" section).
- SQ: Single assembly with Quench (see "Assemblies" section).


Installation

Mechanical seals are precision parts that need to be installed correctly and accurately. The assembly dimensions and tolerances indicated in the catalogue must be respected in full. It is very important to ensure they are not assembled in dirty or contaminated environments.

-Surface inish of the shaft and housing:

All the surfaces in contact with the mechanical seal must be free from burrs and sharp edges. It is essential to respect the Ra roughness indicated below:





- Assembly method:

- I. It is preferable to lubricate the areas. To do this, it is advisable to use an aqueous 2-3% neutral liquid soap solution. In all cases, do not use lubricants with a mineral base when manipulating seals made of EPDM material.
- 2. The stationary part must be facing the housing and be inserted perpendicularly, taking care not to damage the contact surface. It is very important to ensure that the contact surface is not knocked by any part of the housing and in particular, of the shaft. When using materials such as silicon carbide, this point is especially delicate as they are extremely fragile materials which could easily be damaged.

3. It is advisable to use assembly tools to ensure an even distance from the axial forces and thereby prevent incorrect positioning or bending stress which could damage the part.

In the case of cartridge mechanical seals:

4. Lubricate the shaft with an aqueous 2-3% neutral liquid soap solution. Also lubricate the screws and nuts of the pump.


5. Slide the cartridge along the shaft until the lange meets the casing. Check that the lat joint has not moved from its housing.

6. Tighten the lange screws

- 7. Tighten the drive screws on the shaft.
- 8. Remove the positioning staples setting clips and keep them for subsequent use.
- 9. Check the centring of the seal on the shaft. Move the shaft with your hand in order to detect a potential metal-on-metal noise. If you hear the noise, put the setting clips back in place and loosen the lange screws and the drive screws. Repeat the process from step 2. If the noise continues, check the centring of the shaft.

10.Couple the corresponding washing, circulation, barrier luid and Quench connections. These connections are usually threaded, pursuant to the NPT standard. Their diameter is indicated in the cartridge iles.

II. In a double cartridge, connect an external luid to cool the secondary seal. In all cases it is essential to make sure that the working luid is in contact with the seal before starting up the application, as dry operation



could seriously damage the sealing provided by the contact surfaces, even if operating for only short periods of time. Although it is true that in some applications, dry operation cannot be avoided, special combinations of materials can be recommended to reduce the negative impact of this situation.

Selecting the mechanical seals

The following information should be taken as a general reference and for preliminary guidance purposes in selecting the mechanical seals. For technical or economic reasons, other types of mechanical seals can be provided, made of different materials from those described here. For a selection that is more precise and in keeping with the special requirements of each application and each customer; please contact your MECH sales team.

The selection of the mechanical seal coniguration, depending on the luid and the working conditions, is set out in the "Sectors" section.

When selecting the materials of the mechanical seal, the following criteria can be followed:

Contact surfaces:

The materials used for the contact surfaces are classified as "hard" and "soft". The "hard" ones include steel, carbide, oxide and ceramic. "Soft" materials include carbon and PTFE. As a general rule, combinations with one surface made of a hard material and the other of a soft material or both surfaces of a hard material are used.

- "Soft"-"hard" material combinations:

Whenever possible, it is best to use a combination of hard-soft materials as this has a series of advantages in comparison with a combination of hard materials. The most common are:

- BV, BX \rightarrow Economic combination: normally used in applications involving running water. It is not suitable for dry operation, and in operations with little lubrication or with sudden changes in temperature. Ceramic has very low thermal conductivity and, since it undergoes enormous increases in temperature, it may cause fractures due to thermal shock.
- BF, BG \Rightarrow "Soft" combination: stainless steel, despite being considered "hard", may be marked and damaged by contaminant particles found in working fluids. The friction coefficient is not optimum but the material has an excellent capacity to conduct and evacuate the heat generated. In addition, the steel surface has great tenacity in the face of oscillation or knocks which could occur during assembly and while the application is in operation.
- BQ, BU→ "Hard" combination: it has a good friction coeficient and is suitable for difficult working conditions.
- AQ, AU \rightarrow Combination for high temperatures: antimony-impregnated carbon is suitable for working in conditions without solids in suspension of up to 350° C.

- YV,Y $_1V$ \Rightarrow Combination for strong acids: PTFE has great chemical resistance and ceramic is chemically resistant to most wor - king luids.

The beneits of a combination of soft-hard materials are:

- -lower friction coeficient which means a smaller loss of power and less heat generation between surfaces. It should be considered that excessive heating is a major cause of damages and subsequently, leaks in mechanical seals.
- -In most cases, a lower cost and greater availability of the mate rial.
- -They can be used in environments with little lubrication or luids with low lubrication. They are better able to withstand the conditions of hypothetical dry operation.

The only disadvantage is their wear, which is greater than a hard combination and the ensuing shortening of the useful life of the seal.



- Hard-hard material combinations:


When working with fluids containing particles in suspension, fluids which can chemically attack carbon impregnation or which require a durable assembly, it is best to use a combination of hard materials. The most common are:

- QQ \rightarrow Silicon-Silicon: This is the hard combination most often used. It has greater chemical resistance and the best friction coefficient of all the hard combinations. However, it is also the most fragile material and has the greatest risk of being damaged during assembly. Different silicon carbide grades can be used to obtain special performances in the surfaces (Q₁, Q₆).
- **UU Tungsten-Tungsten:** This is the most resistant option in mechanically aggressive working conditions. It has good resistance to impact, to vibrations, and to a large variety of chemicals. It is usually more expensive than silicon. Its friction coefficient is greater and so it is advisable to ensure good lubrication. This combination is widely used in wastewater and fluids loaded with particles such as sand or silt.

Secondary seals

The material used for the secondary seals is selected based on two criteria: the working temperature and the potential chemical attack of the working fluid.

With respect to the working temperature, the following graph is given as a guide:



NBR is the most economical material and the one with the lowest useful working temperature range and graphite is the most suitable material for working at high temperatures. Within the elastomer group, FFKM is the material that is most resistant to temperature, allowing temperatures of 320° C to be reached in some special compounds, on demand.

With respect to chemical resistance, the following table is given as a guide pag 92.

Materials Codes

Contact surfaces (position I and 2)

SYNTHETIC CARBONS

A: Antimony-impregnated carbon B: Resin-impregnated carbon B₂: Resin-impregnated carbon B₃: Pure non-impregnated carbon

Hot pressed carbon B₅:

METALS

E: Chromium steel; AISI 420 (1.4021; 1.4028) Nickel-chromium steel; AISI 431 (1.4057) F_i:

G: Nickel-chromium-molybdenum steel; AISI 316 (1.4401)

D: Duplex stainless steel (1.4462; 1.4162) Z: Nickel-chromium-molybdenum steatite steel

C: Brass

CARBIDES

U: Tungsten carbide with welded / inserted nickel

U: Solid tungsten carbide with nickel

Sintered silicon carbide with no free silicon Q:

Q: Sintered silicon carbide

Q: Sintered silicon carbide with carbon

CERAMIC MATERIALS

۷: Alumina oxide 99,5% Alumina oxide 95% V₂:

X: Steatite

SYNTHETIC MATERIALS

Glass-illed PTFE Yı: PTFE-graphite

Secondary seals (position 3)

ELASTOMERS

P: Nitrile butadiene rubber (NBR)

H: Hydrogenated nitrile butadiene rubber (HNBR).

Chloroprene rubber(CR) N:

E: Ethylene-propylene diene monomer (EPDM)

X: Ethylene-propylene diene monomer peroxide (EPDMPX)

S: Methyl-vinyl silicon rubber (MVQ)

V: Fluorocarbon (FKM or Vitor Rubber)

K: Perluorocarbon rubber (FFKM)

Viton® Rubber coated with PTFE (FEP-FKM / FEP-MVQ) M:

Tetraluoro-ethylene Propylene Rubber (TFE/P or Alas ®) A:

NON-ELASTOMERS

G: Graphite T: **PTFE**

Springs and other metal parts (position 4 and 5)

E: Chromium steel; AISI 420 (1.4021; 1.4028)

F: Nickel-chromium steel; AISI 304 (1.4301)

Fı: Nickel-chromium steel; AISI 431 (1.4057)

Nickel-chromium-molybdenum steel; AISI 316 (1.4401) G:

G: AM350 nickel-chromium-molybdenum steel. AM350.

Ŀ NIckel-chromium-molybdenum steel; AISI 316L (1.4404)

D: Nickel-chromium-molybdenum duplex stainless steel (1.4462)

M: Hastelloy® C276 M₂: Inconel® 718

M₄: Monel®400

R٠ **Brass**

Alloy® 20 G3:

G4: 316 Ti (1.4571)

Synthetic carbons

Synthetic carbons are the materials most often used due to their intrinsic characteristics: they are self-lubricating, economical and have good chemical resistance. There are several types:

Code A: Antimony-impregnated carbon.

It has less chemical resistance than resin-impregnated carbon but is used due to its resistance to high temperatures (350°C). It is recommended for high pressure applications with hydrocarbons, thermal oils or gases.

Code B: Resin-impregnated carbon.

The most standard and economical. It can withstand temperatures of up to 180°C.

Code B2: Resin-impregnated carbon.

A mechanised carbon with a more compact internal structure which gives it greater chemical resistance than type B graphite.

Code B: Non-impregnated carbon.

A carbon with no resin or metal content with a very high resistance to temperature (3000° C) and chemicals.

Ceramic materials

Ceramic materials have extremely high purity, are very resistant to wear and have high chemical resistance. However, they become fragile in the presence of sudden changes in temperature (thermal shock).

· Code X: Stéatite.

Its composition is silica oxide (SiO2) 52%, magnesium oxide (MgO) 23%, alumina oxide (Al2O3) 5.1%. It is ochre in colour and used in clean water applications. An economical material. Has low chemical resistance and low thermal conductivity, for which reason it does not dissipate heat well. Low resistance to thermal shock.

Code V: Alumina oxide with a purity of 99.5%.

It is chemically inert and has excellent resistance to wear. Due to its purity, it can withstand a higher degree of thermal shock than other types of ceramic. It is recommended in clean water operations, in combination with graphite (B).

Low thermal conductivity and poor heat dissipation. Low resistance to thermal shock.



Metal carbides

Metal carbides are extremely hard materials manufactured by sintering. They have high chemical and wear resistance and are used in environ ments with solids or particles which can attack soft materials such as carbon.

• Code U: Inserted / welded tugsten carbide.

An extremely hard and tenacious material. It is appropriate for applications with a pH of more than 6 (in the case of welded parts). Good behaviour with respect to wear under severe conditions. Good thermal conductivity. High elastic modulus, meaning it is not likely to become deformed, especially in high pressure applications. Limited chemical resistance, especially to acid products. A very high density material, which can be critical in high speed rotating operations. Limited capacity to withstand dry operation conditions or extremely limited lubrication conditions, especially when working with the same material.

· Códe U: Solid tungsten carbide with nickel.

An extremely hard and tenacious material. Limited chemical re-sistance, especially to acid products. Suitable for applications with pH values above 2. Good behaviour with respect to wear under severe conditions. Good thermal conductivity. High elastic modulus, meaning it is not likely to become deformed in comparison with metal materials. A very high density material, which can be critical in high speed rotating operations.

Limited capacity to withstand dry operation conditions or extremely limited lubrication conditions, especially when working with the same material.

· Code Q: Silicon carbide.

Good resistance to wear and to friction in heavy duty work. It is the per fect material for working in contact with abrasive and corrosive luids, and at high pressures. Its main characteristics are as follows:

- -High thermal conductivity, comparable to tungsten carbide.
- -Low resistance to thermal shock.
- -High elasticity modulus.
- -Good chemical resistance.
- -Lower density than tungsten carbide.

May be subject to chemical attack by certain strong alkaline products. For that reason it is important to choose the most appropriate silicon carbide grade:

- Q: Contains no free silicon. It has the best chemical resistance of all carbides, but low tenacity. Its friction characteristics are poorer than grade Q2, but higher than those of tungsten carbide.
- Q: Contains free silicon. It has the best friction characteristics of all silicon carbides. Some acid or alkaline substances may cause lixiviation in free silicon but in general, it is more inert than tungsten carbide. Q: Has a silicon and graphite carbide base. This mixture combines the high resistance to wear of silicon carbide and the lubricant properties of graphite.

Silicon carbide normally runs against resin-impregnated graphite (B), but metal carbons may also be used for high performance (hot water applications). The silicon carbide and carbon combination is frequently used, providing long life in a wide range of conditions due to its excellent resistance to thermal shock.

In applications with abrasives, it is advisable to use silicon carbide against tungsten carbide, which is the most effective combination due to its resistance to wear and friction.

Silicon carbide may work against itself in very abrasive conditions but the friction characteristics are not as good as silicon carbide against tungsten carbide.

When silicon carbide is used against itself, the best results are obtained using different types, for instance Q_1 against Q_2 or Q against Q_6 .

When hard material is worked against hard, the limited conditions of the application may give rise to sudden changes in surface tem perature and dry operation. Although this occurs with a short space of time, it is best to use silicon carbide with graphite-impregnated silicon carbide (Q_6). Due to its graphite content, this combination is resistant to the absence of lubrication for a limited time.

Metals

- Code E:AISI 420 chromium steel. This is tempered stainless steel with a surface hardness of less than 50 HRc. It is used with fluids such as water or oils.
- · Code F: Nickel-chromium steel AISI 304. Stainless steel used to manufacture springs and auxiliary parts.
- · Code Fi: Nickel-chromium steel. Stainless steel with good chemical resistance, used for fluids such as water, oils, chemicals, etc.
- Code G: AISI 316 nickel-chromium-molybdenum steel. Stainless steel with very good chemical resistance used with water; oils, hydro carbons and chemicals.
- Code G:AM350 nickel-chromium-molybdenum steel.
- Specifically for metal bellows that must work at high temperatures up to +300°C.
- Code L: Nickel-chromium-molybdenum steel; AISI 316L. Stainless steel with excellent chemical resistance. It provides a homogeneous surface with no pores and is recommended for hygienic applications.
- Code Z: Nickel-chromium-molybdenum stellite steel. To obtain it, the steel surface is treated with plasma, leaving a thickness of 0.2 to 0.3 mm. with considerable surface hardness and increased resistance to wear:
- · Code D:Nickel-molydenum duplex stainless steel, used for highly corrosive environments: marine, industrial, etc.
- Code M: Hastelloy ® C276. A nickel, chromium and molybdenum alloy with great mechanical resistance and excellent chemical resistance for general use. It is used to make springs or auxiliary parts.



- Code M: Inconel ®718. A nickel (53%), chromium (18%), tantalum-niobium (5%) and molybdenum (3%) alloy. Good resistance to corrosion and excellent resistance to extreme temperatures, both high (600°C) and low (-250°C).
- Code M_i: Monel ®400. A nickel (63%) and copper (23%) alloy. High resistance to corrosion in saline, caustic and acid environments (hydro-chloric acid, hydrofluoric acid, sulphuric acid) and at high and low temperatures. Good mechanical properties. Due to its copper content, it has low resistance to nitric acid and ammonia. Very often used in the naval sector:

Synthetic or plastic materials

These materials are widely recommended for cases in which carbon lacks the adequate chemical resistance. They are manufactured with a PTFE base mixed with different additives and have very high chemical resistance. They withstand temperatures of up to +240 C. Their use is limited to low pressures and speeds (PV factor).

- · Code Y: Glass-filled
- Code Y1: Graphite-illed PTFE

Secondary seals

• Code P: Nitrile butadiene rubber NBR.

For working with water, oil, grease, etc. Temperature resistance from -30°C to $+100^{\circ}\text{C}$.

• Code H: Hydrogenated NBR.

Excellent resistance to lubricants and products refrigerants at tempe - ratures of up to + 150°C .

- $^{\circ}$ Code N: Chlorobutadiene rubber Neoprene $^{\circledcirc}$ or CR. For fluids such as refrigerants, ozone, glycols, etc.Temperature resis tance of from -40°C to +100°C.
- $^{\circ}$ Code E: Ethylene-propylene diene monomer EPDM. Good behaviour in the presence of hot water; steam, acetone, alcohol, etc.Temperature resistance from -40°C to +120°C.
- $^{\circ}$ Code X: CEthylene-propylene rubberhardened with peroxide (EPDMPX). Good behaviour in the presence of hot water, steam, acetone, alcohol, etc. In contact with steam up to +130°C in continuous operation and peaks of +150°C.
- Code S: Methyl-vinyl silicon rubber MVQ.

Indicated for applications at low temperatures from -60°C to +200°C.

· Code V: FKM.

High chemical and temperature resistance. Withstands temperatures of -15°C to +200°C except in hot water applications, in which case the temperature should not exceed 120°C.

• Code K: Perfluorelastomer rubber FFKM.

Excellent chemical resistance to a wide range of working fluids. Withs -tands temperatures ranging from -30 to +250 or +320°C depending on the type.

• Code M: FEP encapsulated seals.

Their chemical resistance is similar to that of PTFE. They are suitable for working at high temperatures ranging from -15°C to +200°C. Their main problem is the plastic behaviour of their surface, which makes them difficult to assemble in closed housings and they have a greater risk of being damaged.

- Code A:Tetrafluoroethylene rubber; Aflas $\,^{\circ}$ or TPE/P. A material with high chemical resistance to most products and suitable for working with steam at temperatures up to +170°C and lubricants at temperatures up to +200° C.
- · Code G:

Non-elastomer material with a graphite base used for high temperature applications. With stands temperatures up to $\pm 400^{\circ}$ C

• Code T: Polytetraluorethylene PTFE.

High chemical resistance to practically all substances. Withstands tem -peratures ranging from -200°C to +260°C.



Chemical resistance chart

The information in the following table refers to the chemical compatibility of mechanical seals with luids, and should be considered as a general guideline for an initial orientation in the selection of a mechanical seal. For technical or economic reasons, other types of mechanical seals with different materials than those indicated here may be proposed.

			Mate	erials	_	
	- 1	- 11	III	IV	٧ - رو	•
	Rotary face	Stationary face	mers	São	Other metal parts	Notes
FI : I	Rotar	Statio	Elastomers	Springs	Othe	ž
Fluid						
Acetaldehyde	В	٧	Ţ	G	G	D
Acetic acid < 30 % Acetic acid ester	В	V	Е	G	G	
(Propyl acetate)	В	٧	Т	G	G	
Acetic acid, glacial Acetic anhydride	B B	V	T T	G G	G G	
Acetone	FI	В	Ė	G	FI	
Acetyl chloride	٧	В	٧	G	G	
Acetyl salicylic acid Acetylene	B V	V B	E E	G G	G G	D
Acrylonitrile	Q	Q	T	G	G	D
Adipic acid	G	В	٧	G	G	
Alum (ammonia) Alum (chrome)	Q X	Q B	P P	G G	G G	
Alum (potash)	Q	Q	Р	G	G	
Aluminium	٧	В	E	G	G	
Aluminium acetate Aluminium chloride	Q V	Q B	E V	G G	F G	
Aluminium nitrate	V	В	P	G	G	
Aluminium sulphate	Q	Q	٧	G	G	
Ammonia and oil Ammonia gas	X	B B	N E	G G	G G	D
Ammonia liquid	X	В	Ē	G	F	
Ammonium acetate < 10%	٧	В	E	G	G	
Ammonium bromide < 10% Ammonium carbonate	V	B B	P E	G G	G G	D
Ammonium chloride	V	В	Ē	G	G	D
Ammonium hydrogen carbonate < 10%	٧	В	E	G	G	
Ammonium hydroxyde	FI	В	E	G	FI	D
Ammonium nitrate Ammonium pebulfate < 20 %	Q V	B B	P P	G G	G G	
Ammonium phosphate < 15%	٧	В	P	G	G	
Ammonium sulide	V	В	Р	G	G	
Ammonium sulphate < 10 %	0	0	Р	G	G	
Amyl acetate	٧	В	Е	G	G	
Amyl alcohol	FI FI	B B	E E	G G	FI FI	
Amyl benzoate Amyl butyrate	FI	В	E	G	FI	
Amyl formate	FI	В	Е	G	FI	
Amyl nitrate Amyl propionate	FI	B B	E	G	FI	
Aniline	G	В	T	G	G	
Anthracene	Q	Q	٧	G	G	
Arachic oil (peanut oil) Arsenic acid	V	B B	P V	G G	G G	D
Ascorbic acid	V	В	E	G	G	
Barium chloride	٧	В	E	M2	M2	D
Barium hydroxide Barium nitrate	V Q	B Q	P P	G G	G G	
Barium sulide	٧	В	Р	G	Ğ	
Barium sulphate	٧	В	E	G	G	
Beer Benzene (benzol)	X FI	B B	V	G G	F FI	
Benzoic acid	٧	В	٧	G	G	
Borax (solution)	Q	Q	E P	G	G	
Boric acid Brine	Q Q	Q B2	V	G G	G G	
Bromemethane	FI	В	٧	G	FI	D
Butadiene	V FI	B B	E V	G G	G FI	D
Butane Buthyl alcohol	X	В	P	G	F	
Butter	Χ	В	Р	G	F	
Butyl benzoate Butyl butyrate	FI FI	B B	E	G G	FI FI	
butyr butyrate	TT	D		J	TT.	

	Materials					
	- 1		III	IV	٧	•
	Rotary face	Stationary face	Elastomers	Springs	Other metal parts	Notes
Fluid	~		ш		U	
Butyl cellosolve	Υ	٧	Т	G	G	
Butyl formate	FI	В	Е	G	FI	
Butyl lactate	FI	В	E	G	FI	
Butyl phosphate Butyl phthalate	FI	B B	E	G	FI	
Butylamine	В	٧	T	G	G	
Butylene	FI	В	V	G	FI	
Butyric acid	V	В	T	G	G	
Calcium acetate Calcium carbonate	V Q	В	E P	G	G G	
Calcium chloride	Õ	B2	V	G	G	
Calcium hydrogen sulphate < 10%	Х	В	Р	G	F	
Calcium hydroxide > 10 %	Q	Q	Р	G	G	
Calcium hypochlorite 10 %	CI	V	Е	G	G	
Calcium nitrate	X	В	P	G	G	
Calcium phosphate Calcium sulide	B V	V B	P P	G	G	
Camphor	Q	Q	Т	G	G	
Carbinol	Χ	В	Р	G	G	
Carbitol	G	В	T	G	G	
Carbolic acid Carbon dioxide	G	B B	V P	G	G	
Carbon disulide	Ğ	В	T	G	G	D
Carbon monoxide	G	В	E	G	G	D
Carbon tetrachloride	٧	В	٧	G	G	
Carbonic acid	Q	В	E	G	G	
Carbonic anhydride Castor oil	V	B B	P P	G	G	D
Cellulose acetate	V	В	T	G	G	D
Cheese	Q	Q	V	G	F	D
Chloline, dry	Y	V	V	G	G	/D
Chlorine solvents Chlorine, wet	Y	B V	T V	G MI	G MI	
Chlorobenzene	G	В	V	G	G	
Chloroethane	FI	В	٧	G	FI	
Chloroform	Q	В	V	G	F	
Chloromethane Chloropentane	G	B B	V	G	G	
Chromic acid	Q	Q	V	G	G	D
Citric acid	X	В	E	G	G	
Cocoanut oil	V	B B	P P	G	G	_
Cod liver oil Coffee	X	В	P	G G	G F	
Copper chloride	Q	Q	V	G	G	
Copper cyanide	٧	B2	Р	G	G	D
Copper sulphate	٧	В	P	G	G	
Cresol Cresylic acid	G	B B	T	G	G	
Cumene	G	В	V	G	G	
Decahydronaphthalene FI	В	٧	G	FI		
Diacetone alcohol	G	В	E	G	G	
Dichloroacetic acid Dichlorobenzene	Y G	B B	T V	MI G	MI G	
Dichloroethane	G	В	Ť	G	G	
Dichloroethylene	G	В	٧	G	G	
Dichloromethane	G	В	V	G	G	
Diethanolamine Diethyl carbonate	G V	B B	T E	G	G	
Diethyl phthalate	G	В	T	G	G	
Diethylamine	G	В	Т	G	G	
Diethylene glycol	FI	В	P	G	FI	
Dimethil sulphoxide Dimethyl formamide	G B	V	B T	G G	G	
Dimethyl phthalate	G	В	٧	G	Ğ	
Dinitrochlorobenzene	G	В	Т	G	G	

CHEMICAL RESIST	TANC	E C	HAR	T		
			Mate	erials		
	I	ll .	III	IV	<u>_</u> E	•
	Rotary face	Stationary face	Elastomers	عقار	Other metal parts	tes
	otar	fac	lasto	Springs	Othe	Notes
Fluid	~	\ S	ш		U	
Dioctyl phthalate	G	В	Т	G	G	
Dirty water Distiled water	Q X	Q B	Р Р	G	F	
Drinking water	Х	В	Р	G	F	
Epichlorhydrin Essences	V G	B B	T E	M2 G	M2 G	D
Ethane	Q	В	V	G	F	
Ethanodiol Ethanol	X	B B	Р Р	G	F	
Ethanolamine	G	В	Т	G	G	
Ethyl acetate Ethyl alcohol (etanol)	V X	B B	T P	G G	G F	
Ethyl benzoate	G	В	٧	G	G	
Ethyl butyrate Ethyl chloride	G B	B V	E T	G	G	
Ethyl formate	FI	В	Е	G	FI	
Ethyl phthalate Ethyl propionate	FI FI	B B	E E	G G	FI FI	
Ethyl sulphate	FI	В	Е	G	FI	
Ethyleen oxide (gas T) Ethylene	V 0	B B	T V	G	G F	D
Ethylene chloride	٧	В	Т	G	G	
Ethylene glycol Fat	X Q	B Q	E P	G G	F	
Fatty acids	٧	В	V	G	G	
Ferric chloride Ferric sulphate < 20 %	Y B	V	Р Р	G G	G G	
Ferrous sulphate < 20 %	В	٧	Р	G	G	
Food products Formaldehyde	Q V	Q B	P T	G G	G G	D
Formic acid	В	٧	Е	MI	MI	
Formic acid> 40o C Freon II	QI O	B2 B2	K T	G G	G F	
Freon 112	FI	В	٧	G	FI	
Freon 113 Freon 114	X	B B	N N	G G	F F	
Freon 115	Χ	В	N	G	F	
Freon 12 Freon 13	X	B B	N	G	F	
Freon 14	Х	В	Ν	G	F	
Freon 21 Freon 22	Q FI	B2 B	T N	G G	F FI	
Freon 31	FI	В	N	G	FI	
Freon 32 Freon TF	FI X	B B	N P	G	FI	
Fruit (juice)	٧	В	Р	G	G	
Fumaric acid Furfurol	V Q	B Q	P T	G G	G G	
Furfuryl alcohol	Q	Q	Т	G	G	
Gallic acid Gas oil	V	B2 B	V	G	G F	
Gas town	٧	В	٧	G	G	D
Gelatine Glucose	Q FI	Q B	P V	G G	F FI	
Glycerine	Q	B2	Р	G	F	
Glycol ethylene Grain oil	X	B B	E P	G	F G	
Grape juice	Q	Q	Р	G	F	
Heavy water Helium	G V	B B	P E	G G	G G	D
Heptane	Ğ	В	V	G	G	
Hexane Hexanone	G G	B B	V T	G	G G	
Hidraulic oil	FI	Α	P	G	FI	
Hydrazine Hydrochloric acid	V	B B2	E	G G	G	
Hydrochloric acid Hydrocianic	V	B2	V	G	G G	
Hydrocyanic acid	V T	B Y	E T	G G	G T	/D
Hydroluoric acid 40 % Hydrogen	FI	В	P	G	FI	D D
Hydrogen peroxide	Υ	V	٧	G	G	D
Hydrogen sulphide	Y	٧	٧	G	G	
Ice-cream Ink	V	B2 B	P V	G G	G G	
lodine	Y	V	V	G	G	
Isoamyl alcohol	٧	В	Е	G	G	
Kerosene	FI	В	V	G	FI	
Lactic acid	G	В	٧	G	G	

			M-+			
				erials		
	1	ll l	III	IV		•
	Rotary face	Stationary face	Elastomers	S.	Other metal parts	S.
	<u> </u>	io ic ic ic	E O	Springs	her m parts	Notes
	ζota	Stat	Elast	Ŝ	E CH	Z
Fluid	-	0,	ш		U	
Lard	Q	Q	Р	G	F	
Lead nitrate	٧	B2	Р	G	G	
Linseed oil	٧	В	Р	G	G	
Liquers	G	В	V	G	G	
Lubricants	FI	A	Р	G	FI	
Lubricating oil	FI G	A B	E	G	FI G	
Lysoform Magnesium chloride > 5%	V	В	Ė	MI	MI	
Magnesium						
hydroxide < 10 %	٧	В	Е	G	G	
Magnesium sulphate	٧	В	Е	G	G	
Maleic acid	٧	В	V	G	G	
Maleic anhydride	Q	В	T	G	G	
Malic acid	٧	M	Р	G	G	
Malonic acid	G	В	P V	G	G	
Manganese chloride	G V	B B	E	G G	G G	
Manganese nitrate Manganese sulphate	G	В	V	G	G	
Mayonnaise	Q	Q	P	G	F	
Mercaptane						
(ethyl mercaptane)	٧	В	Т	G	G	D
Mercury chloride	٧	В	Е	G	G	D
Mercury nitrate	٧	В	V	G	G	
Methane	Q	B2	T	G	F	D
Methanol Methyl accepta	G	B B	E T	G G	G G	
Methyl acetate Methyl acrylate	G	В	Ť	G	G	
Methyl alcohol (methanol)		В	P	G	F	
Methyl benzoate	G	В	V	G	G	
Methyl bromide	٧	В	٧	G	G	
Methyl butyrate	G	В	Т	G	G	
Methyl formate	G	В	T	G	G	
Methyl methacrylate	G	В	T	G	G	
Methyl propionate	G	В	T	G	G	
Methylamina Methylamina	G V	В	T	G	G	
Methyl-butyl ketone Methylchloride	G	B B	E V	G	G	D
Methylene chloride	G	В	T	G	G	
Methylene oxide	G	В	T	G	G	
Methyl-ethyl ketone	G	В	Е	G	G	
Methyl-isobutyl ketone	G	В	Е	G	G	
Milk 100 ° C	٧	В	E	G	G	
Mineral oil	FI	A	Р	G	FI	
Molasses	Q	Q	P V	G	F F	_
Naphtalene	Q FI	Q A	V	G	FI	
Naphtha Nickel chloride	V	В	P	G	G	
Nickel sulphate	V	В	P	G	G	
Nitric acid < 20 %	V	B2	V	G	G	
Nitric acid > 20 %	Q	Q	Т	G	G	
Nitro benzene	G	В	Т	G	G	
Nitro solvents	٧	В	Т	G	G	
Nitrocellulose	Q	Q	T	G	F	
Nitrogen	V	В	P	G	G	D
Nitroglycerine	FI G	B B	V	G G	FI G	
Nonil phenol Octyl alcohol	FI	В	E	G	FI	
Oil (cutting solubre)	FI	A	P	G	FI	
Oil (domestic fuel)	Q	Q	Р	G	F	
Oil (parafin base)	V	B2	٧	G	G	
Oil (transformer)	FI	Α	Р	G	FI	
Oil and ammonium	FI	В	N	G	FI	
Oleic acid	V	В	Ţ	G	G	
Olive oil	V G	B B2	P	G	G G	D
Oven gas	V	В	E	G	G	<i>D</i>
Oxalic acid Oxigen (gas)	Ϋ́	V	V	G	G	/D
Ozone Ozone	Y	V	E	G	G	D
P.V.A. (polyvinyl acetate)	Q	Q	Ē	Ğ	G	
P.V.C. (polyvinyl chloride)	Q	Q	E	G	G	
Palmitic acid	V	В	V	G	G	
Parafins	FI	В	V	G	FI	
	E	В	V	G	FI	
Pentane	V	В	V	G	G	
Perchloro etylene	V	В	P	G	G	
Petrol < 97 octanes	V	В	V	G	G	
Petrol > 97 octanes	Q	Q	V	G	G	
Petroleum	V	V	•	9	J	

			M-+			
	Materials					
	. 8				etal	
	Rotary face	Stationary face	Elastomers	Springs	Other metal parts	Notes
Fluide	Rot	Star	Elas	\ <u>\range \range </u>	ð	_
Petroleum (kerosene)	FI	В	٧	G	FI	
Petroleum ether	FI	В	٧	G	FI	
Petroleum oil Phenol	FI G	A B	P V	G G	FI G	
Phenoloctyl	G	В	Т	G	G	
Pheny chloride Phosphoric acid < 10 %	G V	В В2	V	G	G G	
Phosphoric acid concentrated	٧	Υ	٧	MI	MI	
Phthalic acid	٧	В	Т	G	G	D
Phthalic anhydride Picric acid	Q V	Q B	T	G	G G	
Potassium acetate	٧	В	E	G	G	
Potassium bromide Potassium carbonate	Q V	Q B	T P	G G	G G	
Potassium chlorate Potassium chloride	V	B B	T P	G M2	G M2	
Potassium cyanide	V	В	P	G	G	D
Potassium hydrogen carbonate	V	В	Р	G	G	
Potassium phosphate	٧	В	٧	G	G	
Potassium silicate Potassium sulphate	V	B B	P P	G G	G G	
Propane	FI	B2	Р	G	FI	
Propellant Propil acetate	G Y	B V	T	G	G G	
Propionate butyl	FI	В	E	G	FI	
Propionic acid Propyl benzoate	B FI	V B	T E	G G	G Fl	
Propyl butyrate	FI FI	B B	E E	G G	FI FI	
Propyl formate Propyl phthalate	FI	В	Е	G	FI	
Propyl propionate Propylene	FI	B B	E	G	FI G	ר
Propylene glycol	FĨ	В	٧	G	FI	
Propylene oxide Pyridine	V G	B B	T T	G G	G G	D
Pyrogallic acid	٧	В	٧	G	G	
Rapeseed oil Resin (alkyd)	G Q	B Q	V	G	G G	D
Resin (melamine)	Q	Q	T V	G	G	D D
Salicylic acid	Q	V	В	E	G	G
Sandy water (high concentration)	Q	Q	Р	G	F	
Sea (salt) water Silicone liquid	V 0	B B	P E	G	G F	
Silicone oil	FĬ	Α	Е	G	FI	
Soap solution Sodium acetate >10%	V	B B	P E	G G	F G	D
Sodium carbonate	٧	В	Р	G	G	
Sodium chloride < 10% Sodium citrate	V	В	E	G	G G	D
Sodium cyanide	٧	В	Р	G	G	D
Sodium dichromate Sodium disulite	Y	B B	T P	G G	G G	
Sodium hydrogen carbonate	٧	В	Р	G	G	
Sodium hydrogen sulphate < 20%	٧	В	Р	G	G	_
Sodium hydroxide < 10 %	Q	Q	Е	G	F	
Sodium hydroxide > 10 % Sodium hypochlorite	Q Y	Q V	E V	G MI	F MI	D
Sodium nitrate	٧	В	Е	G	G	
Sodium silicate Sodium sulide	Q V	Q B	P P	G G	G G	
Sodium sulide < 2 %	٧	В	Р	G	G	
Sodium sulphate Sodium tetraborate	Q	Q	P E	G	G G	
Sodium thiocyanate	٧	В	Р	G	G	D
Sodium thiosulfate Soyabean oil	V	B B	E P	G G	G G	
Starch	Q	Q	E	G	F	
Stearic acid	٧	В	Т	G	G	
Stoddard solvent Styrene	G Q	B Q	V T	G G	G G	
Succinic acid	V	В	E	G	G	
Sugar juice	٧	В	Р	G	G	

	Materials						
1	II	III	IV	V	•		
Rotary face	Stationary face	Elastomers	Springs	Other metal parts	Notes		

-			
-1	1 1	17	0

riuide						
Sugar juice < 10 %	0	0	Р	G	G	
Sugar juice > 10 %	o	Õ	P	G	G	/D
Sulphonated oils	V	B2	V	G	G	,=
Sulphuric acid < 10 %	V	B2	V	G	G	
Sulphuric acid < 35 %	Y	V	V	M	M	
Sulphuric acid	Y	V	V	М	М	
concentrated		<u> </u>				
Tannic acid	V	В	Р	G	G	
Tannin	٧	В	P	G	G	
Tartaric acid	V	В	Р	G	G	
Tetrachloro ethane	٧	В	V	G	G	
Tetrachloro ethylene	٧	В	V	G	G	
Tetrahydrofuron	٧	В	Т	G	G	
Thermic oil	FI	Α	V	G	FI	
Toluene	٧	В	V	G	G	
Tomatoe juice	Q	Q	Р	G	G	
Tooth paste	Q	Q	P	G	F	
Trichloro acetic acid < 50 %	V	B2	Т	G	G	
Trichloro ethane	G	В	Т	G	G	
Trichloro ethylene	V	В	V	G	G	
Tricresyl phosphate	V	В	Ē	G	G	
Triethanolamine	G	В	Ť	G	G	
Triethylamine	V	В	P	G	G	
Turpentine	X	В	P	G	FI	
Turpentine	X	В	P	G	F	
Urea	V	В	T	G	G	D
Urea formaldehyde resins	Ö	Ö	Ť	G	G	D
Varnish	Q	Õ	V	G	G	D
Varnish (solvent nitro)	Ŏ	Ŏ	Ť	G	G	D
Vegetable oil	FI	Ā	P	G	FI	
Vinegar	FI	В	E	G	FI	
Vinyl acetate	G	В	Ť	G	G	
Vinyl acetate Vinyl chloride	Q	Q	Ť	G	G	D
Viscose	Ŏ	Õ	Ť	G	G	D
Water	X	В	P	G	F	
Water (de-ionised)	Ğ	В	P	G	G	
Water (demineralised)	X	В	P	G	F	
Water (detergent)	X	В	P	G	F	
Water (mud)	Q	Q	P	G	F	
Water (sandy)	Õ	Ô	Р	G	F	
Water (soapy)	X	В	P	G	F	
Water < 140 °C	Ô	B2	E	G	F	
Water < 90 °C	V	B	P	G	F	
Water and oil (emulsion)	FI	A	Р	G	FI	
Wax	FI	В	V	G	FI	
Whisky	X	В	P	Ğ	F	
Wine	Χ	В	Р	G	F	
Xylene (xylol)	٧	В	V	G	G	
Zinc chloride	٧	В	Р	G	G	
Zinc cyanide	٧	В	Р	G	G	D
Zinc nitrate	٧	В	Р	G	G	
Zinc sulphate 2 %	٧	В	Р	G	G	D

D: Back to back double seal assembly (with barrier luid com - patible with the product at a pressure of 1,5 to 2 Bar above the pressure of the pressure to be sealed).

: Consult a technical ofice.

Compatibility chart

MECH SEAL	CRANE	BURGMANN	AES	VULCAN	ROTEN	OTHERS
MULTISPRING SEALS						
MSEII		M74		-	-	-
MSE20/ MSE20T	109 / 909 / 8 / 8T / 58U / 9 / 9	-	M01/ M03	1609	90	Flowserve 8, Usseal VGMD, Usseal X
MSE20B / MSE20BT	9B / 8-1 / 8B / 58B / 59B /109B		M04	1609B / 1609BS	-	Usseal W
MSE13	7B / 8-1 / 8B / 38B / 37B / 107B	-	I*I ∪4 -	- 1609B / 1609BS	-	FLUITEN UM3A
				-		DEPAC 186, Flowserve BPO,
MSE14		HJ4		-	-	Chesterton 891
MSEI5D		-	-	-	877	-
MSE22						Flowserve Dura R0
MSE28	32	-		-		
MSE29 LMSI0D		HRN M74D	- -	-	822	DEPAC 196, CHETRA 208, 210
WAVE SPRING SEALS	•	11/ 1 D	-	-	022	<u>-</u>
		M7NI / M70NI	\\/\07.DM	1777		Flavorance Frances (00 Learn LK9
MSEW10 MSEW10B		M7N / M78N H7N	W07 DM -	1677 1678	-	Flowserve Europac 600, Latty U68 Latty B68
MSEW12	R33	-	-	1633	_	-
MSEW30 / MSEW30A	1.00	HJ92 / HJ977GN	M02 / H010	1609B / 40L	EHS	Chesterton 40S, 880, Latty B23
MSEW70 / MSEW71	80-87 / 80(DF / FP)	-	W01 /W02	1688 / 1688L	7 / UN 7	Flowserve 168
AXIAL SPRING SEALS						
MSE18/ MSE19		M3N	TOI	8 / 8 DIN	L4B	Flowserve CRO, 38, Latty U1000,
		1.1214	101	676 DIN		Usseal VGME-2, Usseal VGME-3
MSE60IN		-	7700		2E	
RN / MSE60 RN.NU / MSE60DIN			T03 DIN	12 12 DIN	2 UN 2	Flowserve 42 Flowserve 42D
MSE18B		HI2N	T02	12 DIN 8B	UN Z	Flowserve CRO / 39 Usseal VGME-I
RNB / MSE60B y RN.NB / MSE60BDIN		HIZIN -	-	-	E / UN E	- Tiowserve CRO / 37 Ossedi VGI IL-I
FN / LS15		-	T04	13	3	Flowserve 43, Usseal VGMB
FN NU / MSEI5DIN			T04 DIN	I3 DIN	UN 3	Flowserve 43D, Usseal VGMC-13
FH/FHC		-	-	7	5/5H2	-
MSE40A	RD / 8TD / 8RTD / 1507	-	P080	98	U2	Flowserve ARO, FRO
MSE40C	RD / 8TD / 8RTD / 1507	-	-	97	U2	Flowserve ARO, FRO
BELLOWS SEALS						
AR / MSERB31	PR / DR	-	BOI	18	37B / L5	Flowserve 118, Usseal VGMA
MSERB00	2	-	P02 / P04U	A2 / A4		Flowserve 52, 31, Usseal D
MSERB00L	IA (N SEAT)	MG910 / D1-G50	POI / POIT	AI / 10	51	Flowserve 100, Usseal U
MSERB00U + PF L50	I (US)	MG901 / D1-G55	P05 U	A5 / 22	-	Flowserve 51, Usseal E
MSERB01	21 / 43 CU short	MG921 / D1-G55	P04 / P04T	II	2IA	Usseal C
MSERBOIS	FOL	MG920 / DI-G50	P02,P02T	20	F2 / L4K	Flowserve 200 Flowserve 240, Usseal VGMG
MSERB04 / MSERB06 PNL	521	MG912 / D1-G60 -	P03	24	52 / L4K	Howserve 240, Usseal VGMG
MSERB02	6	-	B-04 / B-04 U	65	16	Flowserve PAC SEAL 16, Usseal A/AV
MSERB03/MSERB03A / MSERB03B	6A / 7	A2	B-03 / B03 U	75	68	Flowserve 68, 170, Usseal B/BV
MSERB17	_	MGI	B02	AI9	L3	Flowserve 190, Usseal VGMC-1
MSERB17A					NTA	
MSERB17E	_	MGIS20	BP02	1520		Flowserve 150
MSERB17KU		MGI2	B012	A192	L3K	Flowserve 192, Usseal VGMC-12
MSERB17NU	-	MGI3	B013	A193	L3N	Flowserve 193
MSERB25	2100 S	-	B05	I4 DIN	-	Flowserve 140, Usseal G
MSERB25KU	2100 KU	-	B052	142DIN	-	Flowserve 142, Usseal G
MSERB25NU	2100 NU	-	B053	I53DIN	-	Flowserve 143, Usseal G
MSERB50	502(NSEAT)	-	B07	1724		Usseal I
MSEMB84	-	MBS100 / MFL	BSAI / BSAIG	-		Chesterton 286, Latty B17SH
MSEMB85	680	M FL85N	-	-	-	Chesterton 886, Latty B17
MSEMB86	609					
MSETB16	20 / IOT	-	•	-		Flowserve TBR
ACCESSORIES						
MSEST 6		TS1000	-	-		-
MSEST 10		TS2000	-	-	-	
MSEQT	•	QTF	-	-		-



Bearing isolators



• Functioning:

Bearing isolators are used to protect bearings against dirt and contaminants and to improve lubrication.

They increase reliability of equipment and reduce wear on interior joints.

The bearing isolator is made of two parts - one ixed part, mounted on the how sing, and another rotating part, itted on the shaft.

The shape of the static part makes the lubricant remain in the interior and return to the bearing casing.

Exterior contamination that attempts to get in is deposited in the dynamic zone and due to the centrifugal force and gravity it is expelled via a drain situated in the lower part of the labyrinth.

• Beneits:

- Constant protection for bearings.
- Prevents contamination by vapours that is produced when the bearing casings heat up and cool down.
- Its design facilitates itting.
- It is not necessary to carry out any form of maintenance on the piece.
- It does not consume energy.


• Features :


- Standard material: Standard material: Bronze. On request it can be manufactured in other materials such as stainless steel, aluminium, PTFE.
- Temperature (elastomers): From -37 to +204°C.
- Pressure: 0 bar.
- Velocity: 10.000 rpm.

It can be adapted to different shaft sizes: from 16 mm to 1200 mm.


• Applications:

- Pumps, Motors and Gearboxes.





- Types and dimensions earing isolators are designed on the basis of the application characteristics.
- Bearing isolator request for quote




Measurements are InchesO MetricO Please supply all dimensions to 3 decimal places.

- Data needed for quote

Application:	- PumpO - Motor O - OtherO				
Current sealing solution:	- LipO - LabyO - OtherO				
Shaft position:	- Horizonta -Vertical up -Vertical	dow@			
Bearing type:	- Ball O - Sleev€ - RolleĐ				
Mounting:	- Standard press-iD - Flange - Othe	eO			
Primary focus:	- Contamination - Lube retention - Bo	othO			
Lube:	- Oil (levet) - Greas€ -Oil misĐ	- Forced oil systetch			
First obstruction:	- Outwar@ - InwardO - Step on shat	Tt.			
Axial movement:					
Shaft speed(Rpm):					
Misalignment:	Diamectric run out >0,05"[0,13mm] TIRYesO NoO	Shaft to bore misalignment > 0,07"[0,18mm] TIR? YeՁ NoO			
Temperature at seal location:					
Enviroment:					
Seal housing:	- SolidO - SplitO				
Seal type:	- SolidO -SplitO				
Construction material:	- Bronæ O -Stainles O -	OthelO			
Total pieces of equipment:					

- Briely describe the application:



- Contact information:

Name:

Company name:

Contact number:

Email-address:

Date:

Packing



Packing is used to seal rotating alternating or helical movements. Its ope rating or sealing principle is achieved through the interference obtained by external tightening.

Our packing is supplied in rolls of different lengths. The weight of these rolls depends on the cross-section, length and material. This catalogue contains a selection of the main materials we supply, depending on the working conditions and application points.




Mounting:

When using packing in applications in which its use is necessary, it must be cut by hand and the ring must be shaped.


A cutting template can be used or the packing can be wound around the shaft and the rings cut. The 45° bevel cut is the most appropriate.


The rings must be inserted into the gasket one by one, with the cuts made at right angles to each other, tightened by the gasketed lange by hand. It is left to operate with constant leaks for 10 minutes and then tightened to reduce the leaks to an acceptable level (10 to 20 drops per minute).

Leakage in the form of dripping is essential and ensures that the rings will not overheat. The correct tightening for pump packings is 0.5 - 1.5 N/cm2. For valves, the minimum tightening required is 5 N/cm ².









Operations C

Operations D

• Selection:

To determine the correct braided packing type, the following must be known: luid (liquid or gas), pH, temperature, pressure, type of movement, speed, shaft Ø and housing.

It is important to consider all these details when selecting the most sui table packing type.

- Packing types:
- PTFE packing
- Graphite packing
- Fibreglass packing
- Packing with aramid ibres

Surface finishes, housings:

To ensure the correct functioning of the packing it must be used in housings with certain inishes, otherwise it will rapidly deteriorate.

Centrifugal pump shafts **Spindles** Sleeves

Gaskets

Rt = 16 microns

The shaft hardness should be at least 50 Rockwell C.

Face seals

These seals are used for sealing in rotating applications in extremely harsh working conditions in which high resistance to wear is required.

They are formed by two identical metal rings situated opposite each other through a lapped area in two separate housings. One of the parts remains static in the housing while the other rotates with its housing.

The rings are designed in such a way that they open outwards with respect to the seal faces towards the shaft, forming a line (vacuum) in the shape of a cone that has the following beneits:

- The lubricant easily reaches the seal faces, due to the capillarity effect and the centrifugal force.
- As the wear increases, the face moves forwards toward the central shaft. Con sequently the seal has considerable wear resistance. The seal is completely worn when the internal diameter is reached.

This type of seal is used in many different applications: caterpillar-tracked vehicles such as diggers and bulldozers, heavy trucks, farming machines, tunnel boring machines, mixers, agitators, wind farms, lobe pumps for highly viscous luids, helical screw pumps, etc.



Consult our cartridges catalog

Today, many demanding industrial sectors need sealing systems that guarantee safety for both people and facilities.

It is very important to offer quality products that are resistant to extreme conditions such as high pressures and temperatures and that also gua rantee impeccable sealing.


We offer a wide range of: single and double cartridges ...



and auxiliary products




Identiication guide mechanical seals





Dimensions (Sketch):

- Shaft diameter (d1):
- Exterior diameter of the rotary part (d3):_______
- Length of the rotary part, relaxed (without movement):_______
- Length of the rotary part, totally pressed: _______
- Length of the rotary part in working position (I3):
- Exterior diameter of the stationary part, oring includes (d7):______
- High of the stationary part, from the rotating seal face till the end of the oring (I4):_____




Notes



Notes







MUMBAI, INDIA +91 9867858576

+91 9867934928





BATON ROUGE, LA International seals Tél. +1 8765984512

email: info@mechsealengineering.com

